

SECTION II

ADDENDUM PACKAGE

SOLICITATION: SP0600-01-R-0061

PROGRAM: 2.2A, 2.2C, 2.5A

THE ENCLOSED SOLICITATION COVERS THE PERIOD: APRIL 01, 2001
THROUGH: MARCH 31, 2002

**SECTION II
ADDENDUM PACKAGE**

INDEX OF CLAUSES

CLAUSE NUMBER	CLAUSE TITLE	PAGE
SECTION B		
B14.03	SUPPLIES TO BE FURNISHED (DOMESTIC BULK) (DESC MAY 1997)	A-1
B19.33	ECONOMIC PRICE ADJUSTMENT - PUBLISHED MARKET PRICE (DOMESTIC BULK) (DESC MAR 1997)	A-58
SECTION C		
C1	SPECIFICATIONS (DESC JAN 1997)	A-61
C1.02	DODISS SPECIFICATIONS (DESC AUG 2000)	A-61
C16.01	TURBINE FUEL, AVIATION (JP4/JP5) (BULK) (DESC MAY 2000)	A-61
C16.18-6	GASOLINE, AUTOMOTIVE, UNLEADED (REGULAR/MIDGRADE/ PREMIUM) (DESC SEP 1998)	A-63
C16.23	FUEL, NAVAL DISTILLATE (F76) (DESC MAY 2000)	A-64
C16.64-3	TURBINE FUEL, AVIATION (JP8) (DESC JUL 2000)	A-66
SECTION E		
E1	CONTRACTOR INSPECTION RESPONSIBILITIES (DESC AUG 2000)	A-68
E5	INSPECTION OF SUPPLIES - FIXED PRICE (AUG 1996)	A-76
E14.02	INSPECTION AND ACCEPTANCE (BULK/SPR) (DESC MAR 1996)	A-77
E35.02	REQUESTS FOR WAIVERS AND DEVIATIONS (DESC JUL 2000)	A-78
E40.05	MATERIAL INSPECTION AND RECEIVING REPORT (DESC MAR 2000)	A-78

ADDENDUM PACKAGE**INDEX OF CLAUSES**

CLAUSE NUMBER	CLAUSE TITLE	PAGE
SECTION F		
F1	DELIVERY CONDITIONS FOR TANK CARS, BOXCARS, TRUCKS, TRANSPORT TRUCKS, TRUCKS AND TRAILERS, TANK WAGONS, PIPELINE, AND LIGHTERS (DESC NOV 1996)	A-80
F1.08	DELIVERY AND CONTRACT PERIODS (DOMESTIC BULK) (DESC APR 1986)	A-82
F1.08.100	DELIVERY AND CONTRACT PERIODS (DOMESTIC BULK) (DESC APR 1986)	A-82
F1.08.200	DELIVERY AND CONTRACT PERIODS (DOMESTIC BULK) (DESC APR 1986)	A-83
F1.09	DETERMINATION OF QUANTITY (DESC AUG 1999)	A-83
F14	SHIPMENT AND ROUTING (DESC APR 2000)	A-86
F15	BARGE AND/OR TI CLASS TANKER DEMURRAGE AND LOADING CONDITIONS (DESC MAR 1994)	A-87
F16.01	BARGE DEMURRAGE AND UNLOADING CONDITIONS (BULK) (DESC APR 1993)	A-88
F18	F.O.B. DESTINATION (NOV 1991)	A-89
F52	TANKER/OCEAN-GOING BARGE DEMURRAGE AND LOADING CONDITIONS (DESC NOV 1996)	A-90
F52.01	TANKER STANDARDS AND REQUIREMENTS (DESC SEP 1995)	A-92
F52.11	DEBALLASTING (DESC JAN 1990)	A-92
F54	TANKER UNLOADING CONDITIONS (DESC APR 1997)	A-93
F92	SCHEDULE OF CONTRACTOR'S REFINERY SHUTDOWN FOR TURNAROUNDS (DESC AUG 1999)	A-94
F105	VARIATION IN QUANTITY (APR 1984)	A-94
F105.01	DEADFREIGHT (DESC JUN 1990)	A-94
F109	IN-LINE BLENDING OF NONAVIATION PETROLEUM PRODUCTS (DESC DEC 1991)	A-95

ADDENDUM PACKAGE**INDEX OF CLAUSES**

CLAUSE NUMBER	CLAUSE TITLE	PAGE
SECTION G		
G3	INVOICE NUMBERING REQUIREMENTS (DESC AUG 1998)	A-97
G3.01	PAYMENT DUE DATE (DESC OCT 1988)	A-97
G9.09	PAYMENT BY ELECTRONIC FUNDS TRANSFER – CENTRAL CONTRACTOR REGISTRATION (MAY 1999)	A-97
G150.05	SUBMISSION OF INVOICES FOR PAYMENT-COMMERCIAL ITEMS (BULK) (DESC MAR 2000)	A-98
SECTION H		
H19.02	REPORTING REQUIREMENTS FOR SHIPMENTS (DESC APR 1999)	A-101
H23	BULK LIQUID FACILITIES REPORT (DESC APR 1984)	A-103
SECTION I		
I2.05	CHANGES - FIXED PRICE (AUG 1987)	A-104
I11.01-2	ADMINISTRATIVE COST OF TERMINATION FOR CAUSE - COMMERCIAL ITEMS (DESC FEB 1996)	A-104
I11.04	BANKRUPTCY (JUL 1995)	A-104
I27	GRATUITIES (APR 1984)	A-105
I28.01	FEDERAL, STATE, AND LOCAL TAXES (DESC NOV 1993) (DEVIATION)	A-105
I28.02-1	FEDERAL, STATE, AND LOCAL, TAXES/FEES EXCLUDED FROM CONTRACT PRICE (DESC AUG 1997)	A-106
I28.03-1	TAX EXEMPTION CERTIFICATES (DESC MAR 1989)	A-107
I28.24	U.S. IMPORT TAX ON PETROLEUM (BULK) (DESC DEC 1980)	A-107
I33	INTEREST (JUN 1996)	A-107
I81	INDEFINITE QUANTITY (OCT 1995)	A-108

ADDENDUM PACKAGE**INDEX OF CLAUSES**

CLAUSE NUMBER	CLAUSE TITLE	PAGE
I86.12	DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT (BULK) (DESC JUL 1994)	A-108
I186	PROTECTION OF GOVERNMENT PROPERTY AND SPILL PREVENTION (DESC MAY 1978)	A-109
I190.04	MATERIAL SAFETY DATA SHEETS – COMMERCIAL ITEMS (DESC MAR 1996)	A-109
I211	ORDERING (OCT 1995)	A-109
I211.02	ORDERING (CONT'D) (DESC JAN 1991)	A-110
I237.06	NOTICE OF PARTIAL SMALL BUSINESS SET-ASIDE (DEVIATION) (DESC MAR 1999)	A-110

SECTION J

OFFEROR SUBMISSION PACKAGE	ATTACHMENT 1
SF 1449 SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS	ATTACHMENT 2
DESC FORM 1890 - CONTRACTOR BULK LIQUID FACILITIES REPORT	ATTACHMENT 3
SMALL BUSINESS SUBCONTRACTING PLAN	ATTACHMENT 4
STANDARDIZED FORMAT FOR USE IN THE PREPARATION OF PRODUCT TEST REPORTS	ATTACHMENT 5

SECTION L

L2.07	EVIDENCE OF RESPONSIBILITY (DESC JAN 1998)	A-113
L2.09.100	EVIDENCE OF RESPONSIBILITY (OPERATING CRITERIA) (DESC MAR 2000)	A-113
L2.11-2	FACSIMILE PROPOSALS (OCT 1997)	A-113
L5.01	AGENCY PROTESTS (DESC DEC 1999) - DLAD	A-114

ADDENDUM PACKAGE**INDEX OF CLAUSES**

CLAUSE NUMBER	CLAUSE TITLE	PAGE
L43	REDUCTION IN PRICE (DESC MAR 1996)	A-114
L74	TYPE OF CONTRACT (APR 1984)	A-115
L96	ADMINISTRATION OF THE SMALL BUSINESS SUBCONTRACTING PROGRAM (DESC FEB 1999)	A-115
L115	F.O.B. ORIGIN AND/OR F.O.B. DESTINATION EVALUATION (APR 1984)	A-115
L203	HANDCARRIED OFFERS AND EXPRESS DELIVERY SERVICE (DESC JAN 1998)	A-115

SECTION M

M4.01	RIGHT TO APPLY F.O.B. ORIGIN OFFER (DESC JAN 1976)	A-116
M10	EVALUATION – ALL OR NONE (DESC MAR 2000)	A-116
M19.05	EVALUATION OF OFFERS SUBJECT TO ECONOMIC PRICE ADJUSTMENT (DOMESTIC BULK) (DESC JAN 1998)	A-116
M24.01	EVALUATION OF OFFERS INVOLVING F.O.B. TANKER LOADING (JP4/JP5/JP8/F76/DFA/FS2/MOGAS) (DESC MAR 2000)	A-116
M27	EVALUATION OF OFFERS (DOMESTIC BULK) (DESC MAR 1996)	A-118
M41.100	EVALUATION OF OFFERS - TRANSPORTATION RATES AND RELATED COSTS (DESC SEP 2000)	A-118
M72	EVALUATION OF OFFERS (EXCEPTIONS/DEVIATIONS) (DESC APR 1997)	A-1119
M74	USE OF DFSP BY COMMERCIAL SUPPLIER OFFERING PRODUCT UNDER DESC SOLICITATION (DESC AUG 1983)	A-119

B14.03 SUPPLIES TO BE OFFERED (DOMESTIC BULK) (DESC MAY 1997)

The maximum and minimum quantities are defined in the DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT clause. Offers of refined product shall be made on the basis of--

(a) **ORIGIN DELIVERY.** Offers of product on the basis of delivery f.o.b. origin shall be entered on the Origin Offer Cards included in this solicitation in the Offeror Submission Package.

(b) **DESTINATION DELIVERY.** Offers of product on the basis of delivery f.o.b. destination shall be entered on the Destination Offer Cards included in this solicitation in the Offeror Submission Package.

(c) Product requirements, quantities, acceptable modes of delivery, and associated restrictions thereto are as follows:

GENERAL SOLICITATION NOTES (Unless stated otherwise in the schedule, general notes apply to all line items):

1. The following East, Gulf Coast and Offshore JP8, JP5, F76 and MUM requirements will escalate with the respective region's Economic Price Adjustment (EPA) formula provided in Clause B19.33 ECONOMIC PRICE ADJUSTMENT – PUBLISHED MARKET PRICE. Offerors should specify the respective commodity EPA escalator(s) to which their offer price is tied. FOB Origin offers will be evaluated solely to those EPA escalators so specified.

2. The ordering period is the date of award through March 31, 2002 – See Clauses F1.08 and F1.08.200, DELIVERY AND CONTRACT PERIODS. Note that tank truck offers will be evaluated based on a 260-day delivery period – See Clause F1.08.100, DELIVERY AND CONTRACT PERIODS.

3. ADDITIVES: Schedule identifies additive requirements for the indicated receipt mode for product offered on a FOB Origin basis. Any product being offered via common carrier pipeline shall not contain FSII or SDA unless specified otherwise. Product offered on an FOB Destination basis to an end user by any receipt mode is required to have all additives required by the product specification. The product specification also identifies the additive levels required in product.

4. Line items for which a portion is set-aside for Small Businesses are identified by the volume denoted after the “SA Quantity” note. The quantity set-aside appears under the activity location name, on the Quantity line, of the line item. This quantity is a portion of the total requirement stated for that line item and not in addition thereto.

5. Origin Offer Cards must be used for FOB Origin offers. Destination Offer Cards must be used for FOB Destination offers. Offer cards are included in the OFFER SUBMISSION PACKAGE.

6. Unless otherwise stated for the given modes of transportation under each line item, the receipt percentage (%) will be 100%.

7. Asterisks denote the following:

**** WITH THROUGHPUT TERMINAL NOTE: End user can be supplied through a terminal.**

***** ANNOTATED AFER QUANTITY: End user not normally supplied through a terminal.**

8. Destination Tanker/Ocean-going Barge offers are not acceptable. The definition of ocean-going (barge/tanker) is traffic via ocean channels which the Government satisfies using vessels provided by Military Sealift Command (MSC), supplemented as needed by spot charters.

9. All volumes stated are in U.S. Gallons.

TURBINE FUEL, AVIATION, JP8 2.2A
 NSN: 9130-01-031-5816
 PURCHASE REQUEST NO.: SC0600-00-0417

JP8 REQUIREMENT TOTALS ARE AS FOLLOWS

TOTAL	SET ASIDE	8(A) RESERVATION	NON SET ASIDE
QUANTITY (USG)	QUANTITY (USG)	QUANTITY (USG)	QUANTITY (USG)
947,089,000	422,605,000	0	524,484,000

THE TOTAL ESTIMATED JP8 QUANTITY TO BE PURCHASED IS -- 947,089,000

EAST COAST JP8	281,863,000
GULF COAST JP8	665,226,000

SUPPLIES TO BE OFFERED (DOMESTIC BULK)

EAST COAST JP8 ESCALATOR JP8 East/Gulf Coast

LINE ITEM	LOCATION	CITY	STATE
0001	DFSP CARTERET	CARTERET	NJ
	UY7327	194144270	CARTERET

QUANTITY 6,550,000 8A QUANTITY 0 SA QUANTITY 0

IN ADDITION, ALL QUANTITIES AT DFSP VERONA, DFSP LUDLOW, DFSP NEW HAVEN, AND DFSP PORTLAND MAY BE EVALUATED/AWARDED THROUGH DFSP CARTERET.

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		REQUIRED	REQUIRED	REQUIRED	150,000 BBLS	75,000 BBLS
BARGE		REQUIRED	REQUIRED	REQUIRED	75,000 BBLS	50,000 BBLS
PIPE		NONE	NONE	REQUIRED	75,000 BBLS	25,000 BBLS

0002	NG PICATINNY ARSENAL	DOVER	NJ
	W8114C	192187251	

QUANTITY 50,000 8A QUANTITY 0 SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CARTERET

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0003	ANG STEWART NEWBURGH	NEWBURGH	NY
	FP6322	176526240	NEWBURGH

QUANTITY 5,400,000 8A QUANTITY 0 SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CARTERET

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0004	ANG SUFFOLK CO	WESTHAMPTON BEACH NY
	FP6325	179604240 SUFFOLKANG

QUANTITY 1,100,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CARTERET

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0005	DFSP VERONA	VERONA	NY
	UY7009	181861270	

QUANTITY 17,870,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
PIPE		REQUIRED	REQUIRED	REQUIRED	50,000 BBLs	50,000 BBLs

0006	AASF 4 MONROE CO APT	ROCHESTER	NY
	W16PPY	183309250	

QUANTITY 140,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP VERONA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0007	ANG HANCOCK FLD	SYRACUSE	NY
	FP6324	182319240 HANCOCKFLD	

QUANTITY 2,600,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP VERONA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0008	ANG SCOTIA APT	SCOTIA	NY
	FP6323	171955240 SCOTIA	

QUANTITY 2,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP VERONA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0009	FT DRUM WATERTOWN	WATERTOWN	NY
	W80CCJ 181105250		
QUANTITY 4,250,000	8A QUANTITY 0		SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP VERONA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0010	NG AASF3 ALBANY	ALBANY	NY
	W16L64 173327251		
QUANTITY 180,000	8A QUANTITY 0		SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP VERONA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0011	NIAGARA FALLS IAP	NIAGARA FALLS	NY
	FP6670 185175240	NAIGARAANG	
QUANTITY 5,600,000	8A QUANTITY 0		SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP VERONA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0012	ANG BURLINGTON	BURLINGTON	VT
	FP6451 133782240	BURLINGTON	
QUANTITY 3,100,000	8A QUANTITY 0		SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP VERONA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0013	LUDLOW JET LINES	LUDLOW	MA
	UY7320 148178270	LUDLOW	
QUANTITY 19,673,000	8A QUANTITY 0		SA QUANTITY 0

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
PIPE		REQUIRED	REQUIRED	REQUIRED	45,000 BBLs	35,000 BBLs

THIS TERMINAL RECEIVES VIA PIPELINE FROM DFSP NEW HAVEN, CT (UY7321). THE RECEIPT MODE FOR DFSP NEW HAVEN IS BARGE. THE MAX PARCEL SIZE FOR NEW HAVEN IS 2,100,000 USG (50,000 BBL) AND MIN PARCEL SIZE IS 1,470,000 USG (35,000 BBL).

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
-----------	----------	------	-------

0014	BRADLEY FLD ANG BASE	GRANDBY	CT
	FP6071 163143240	BRADLEYFLD	

QUANTITY 2,000,000	8A QUANTITY 0	SA QUANTITY 1,600,000
--------------------	---------------	-----------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES.

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
DLVY HRS: 0730-1600, TUE-FRI.				

0015	NG AASF BRADLEY FIELD	WINDSOR LOCKS	CT
	W11M9P 163143250	CTARNG	

QUANTITY 300,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0016	PRATT & WHITNEY E. HART	EAST HARTFORD	CT
	EY9130 163230000	PRATTCT	

QUANTITY 850,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0017	ANG BARNES APT		MA
	FP6201 148349240	BARNES	

QUANTITY 2,100,000	8A QUANTITY 0	SA QUANTITY 1,680,000
--------------------	---------------	-----------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
DLVY HRS: 0730-1630, TUE-FRI				

0018	CAMP EDWARDS	FALMOUTH	MA
	W13A8L 144546250		

QUANTITY 100,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0019	CSMC FT DEVENS	FORT DEVENS	MA
	W90JLU 141260250		

QUANTITY 35,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0020	OMS #2, WESTFIELD	WESTFIELD	MA
	W90JPA 148350000		

QUANTITY 20,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TRUCK		REQUIRED	REQUIRED	REQUIRED	6,500 GALS	

0021	OMS #3, WORCESTER	WORCESTER	MA
	W90JM2 145460000		

QUANTITY 15,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TRUCK		REQUIRED	REQUIRED	REQUIRED	4,000 GALS	

0022	OMS #4 READING	READING	MA
	W90JNW 141120000		

QUANTITY 25,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0023	OMS #7, FRAMINGHAM	FRAMINGHAM	MA
	W90JPF 141640000		

QUANTITY 10,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0024	OMS #9, WHITINSVILLE	WHITINSVILLE	MA
	W90DDK 145688000		

QUANTITY 10,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TRUCK		REQUIRED	REQUIRED	REQUIRED	4,000 GALS	

0025	OMS#1, DORCHESTER	DORCHESTER	MA
	W90JNL 142000016		

QUANTITY 8,000	8A QUANTITY 0	SA QUANTITY 0
----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0026	OTIS AFB ANG	OTIS AFB	MA
	FP6202 144546240	OTIS	

QUANTITY 6,200,000	8A QUANTITY 0	SA QUANTITY 4,340,000
--------------------	---------------	-----------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0027	WESTOVER AFB	WESTOVER	MA
	FP6606 148232240	WESTOVER	

QUANTITY 6,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES.

MODE	RECEIPT%	FSII	SDA	CI
PIPE		REQUIRED	REQUIRED	REQUIRED

PL ORIGINATES AT JET LINES, LUDLOW MA.

0028	ARNG CONCORD AASF	CONCORD	NH
	W14N9K 125240251		

QUANTITY 100,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0029	QUONSET STATE APT		RI
	FP6391	155107240	QUONSET

QUANTITY 1,900,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL LUDLOW JET LINES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0030	DFSP PORTLAND	PORTLAND	ME
	UY7319	119370270	PORTLANDME

QUANTITY 26,625,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		REQUIRED	REQUIRED	REQUIRED	85,000 BBLs	75,000 BBLs

BARGE		REQUIRED	REQUIRED	REQUIRED	85,000 BBLs	35,000 BBLs
-------	--	----------	----------	----------	-------------	-------------

0031	ANG BANGOR IAP	BANGOR	ME
	FP6181	113840240	BANGOR

QUANTITY 10,000,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORTLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0032	CSMC, CAMP KEYS	AUGUSTA	ME
	W12L3S	118110251	

QUANTITY 45,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORTLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0033	NAS BRUNSWICK	BRUNSWICK	ME
	N60087	119212290	BRUNSWICK

QUANTITY 10,500,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORTLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0034	OMS #1, PORTLAND	PORTLAND	ME
	W12L3T 119360250		
QUANTITY 10,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORTLAND.			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
DELIVERY VOLUME WILL BE LESS THAN A FULL TRUCK LOAD.			
0035	OMS #3, BANGOR INTL ARPT	BANGOR	ME
	W12L3V 113840250		
QUANTITY 35,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORTLAND			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
DELIVERY VOLUME WILL BE LESS THAN A FULL TRUCK LOAD.			
0036	OMS #5, CARIBOU	CARIBOU	ME
	W12L3X 111321250		
QUANTITY 25,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORTLAND			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
DELIVERY VOLUME WILL BE LESS THAN A FULL TRUCK LOAD.			
0037	OMS#2,UTES#1 AUBURN	AUBURN	ME
	W12L3U 118440250		
QUANTITY 10,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORTLAND			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
DELIVERY VOLUME WILL BE LESS THAN A FULL TRUCK LOAD.			

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY	STATE
0038	PEASE AFB		PEASE ANGB	NH
	FP6291	127125240	PEASE	
QUANTITY 6,000,000		8A QUANTITY 0		SA QUANTITY 3,600,000

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORTLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0039	DFSP BALTIMORE		BALTIMORE	MD
	UY7300	234000270	BALTIMORE	
QUANTITY 7,660,000		8A QUANTITY 0		SA QUANTITY 0

IN ADDITION, ALL QUANTITIES AT DFSP PORT MAHON MAY BE EVALUATED/AWARDED THROUGH DFSP BALTIMORE. THE MINIMUM THROUGHPUT QUANTITY FOR DFSP BALTIMORE IS 26,250,000 USG (625,000 BBL).

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
BARGE		REQUIRED	REQUIRED	REQUIRED	25,000 BBLs	25,000 BBLs
PIPE		NONE	NONE	REQUIRED	25,000 BBLs	25,000 BBLs

0040	ABERDEEN PRVG GRND		ABDERDEEN	MD
	W23HYY	231478250		
QUANTITY 215,000		8A QUANTITY 0	SA QUANTITY 0	

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BALTIMORE

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0041	ANG MARTIN APT		BALTIMORE	MD
	FP6191	232405241	WARFIELD	
QUANTITY 3,315,000		8A QUANTITY 0		SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BALTIMORE

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

DLVY HRS: 0630-1700, TUE-SAT.

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE	
0042	ARNG WEIDE AAF EDGEWOOD	EDGEWOOD ARSENAL	MD	
	W23N1F	231582251	MDARNG	
QUANTITY 120,000		8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BALTIMORE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0043	NAS PATUXENT RIVER	PAXTUXENT RIV	MD	
	N00421	239745290	PATUXENT	
QUANTITY 1,000,000		8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BALTIMORE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0044	PHILLIPS ARMY AIRFIELD	ABDERDEEN	MD	
	W81C5M	231478251		
QUANTITY 160,000		8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BALTIMORE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0045	USAEC & FB, FT BELVOIR	FORT BELVOIR	VA	
	W26VZG	250663250		
QUANTITY 750,000		8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BALTIMORE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0046	ANG MARTINSBURG MAP	MARTINSBURG	WV	
	FP6482	271280240	MARTINSBRG	
QUANTITY 2,100,000		8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BALTIMORE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY		STATE	
0047	DFSP PORT MAHON		PORT HAMHON		DE	
	UY7007	222114270	PORTMAHON			
QUANTITY 46,500,000		8A QUANTITY 0		SA QUANTITY 0		
MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
BARGE		REQUIRED	REQUIRED	REQUIRED	13,500 BBLs	13,500 BBLs
0048	DOVER AFB		DOVER AFB		DE	
	FP4497	222115240	DOVER			
QUANTITY 46,500,000		8A QUANTITY 0		SA QUANTITY 13,950,000		
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORT MAHON						
MODE	RECEIPT%	FSII	SDA	CI		
PIPE		REQUIRED	REQUIRED	REQUIRED		
PL ORIGINATES AT DFSP PORT MAHON						
TRUCK		REQUIRED	REQUIRED	REQUIRED		
0049	DFSP YORKTOWN		YORKTOWN		VA	
	UY7333	256755290	YORKTOWN			
QUANTITY 29,065,000		8A QUANTITY 0		SA QUANTITY 0		
IN ADDITION, ALL QUANTITIES AT DFSP ANACOSTIA, MD AND DFSP JACKSONVILLE, NJ MAY BE EVALUATED/AWARDED THHROUGH DFSP YORKTOWN.						
MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		REQUIRED	REQUIRED	REQUIRED		
BARGE		REQUIRED	REQUIRED	REQUIRED	75,000 BBLs	50,000 BBLs
PIPE		NONE	NONE	REQUIRED	100,000 BBLs	25,000 BBLs
0050	AASF BYRD IAP		SANDSTON		VA	
	W26L8H	257318251	BYRDFLAASF			
QUANTITY 200,000		8A QUANTITY 0		SA QUANTITY 0		
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP YORKTOWN						
MODE	RECEIPT%	FSII	SDA	CI		
TRUCK		REQUIRED	REQUIRED	REQUIRED		

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0051	FT AP HILL	BOWLING GREEN	VA
	W813J2	252950250	

QUANTITY 230,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP YORKTOWN

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0052	FT EUSTIS	SANDSTON	VA
	W26ULK	256800250	

QUANTITY 680,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP YORKTOWN

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0053	FT LEE	FORT LEE	VA
	W26LFB	262341250	

QUANTITY 30,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP YORKTOWN

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0054	LANGLEY AFB	LANGLEY AFB	VA
	FP4800	256900240	LANGLEY

QUANTITY 24,000,000	8A QUANTITY 0	SA QUANTITY 7,200,000
---------------------	---------------	-----------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP YORKTOWN

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
BARGE		REQUIRED	REQUIRED	REQUIRED	14,000 BBLs	12,000 BBLs
TRUCK		REQUIRED	REQUIRED	REQUIRED		

0055	MCAF QUANTICO	QUANTICO	VA
	M00264	251775280	QUANTICO

QUANTITY 1,400,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP YORKTOWN

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY		STATE	
0056	MTC, FORT PICKETT		FORT PICKETT		VA	
	W90MH2	262959252				
QUANTITY 25,000		8A QUANTITY 0		SA QUANTITY 0		
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP YORKTOWN						
MODE	RECEIPT%	FSII	SDA	CI		
TRUCK		REQUIRED	REQUIRED	REQUIRED		
0057	VA ANG BYRD FLD				VA	
	FP6461	257313240	BYRDFIELD			
QUANTITY 2,500,000		8A QUANTITY 0		SA QUANTITY 0		
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP YORKTOWN						
MODE	RECEIPT%	FSII	SDA	CI		
TRUCK		REQUIRED	REQUIRED	REQUIRED		
DLVY HRS: 0700-1600, TUE-FRI.						
0058	DFSP ANACOSTIA		ANACOSTIA		DC	
	UY7061	240000270				
QUANTITY 35,300,000		8A QUANTITY 0		SA QUANTITY 0		
MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
BARGE		REQUIRED	REQUIRED	REQUIRED	22,000 BBLS	18,000 BBLS
0059	ANDREWS AFB		ANDREWS AFB		MD	
	FP4425	237740240	ANDREWSAFB			
QUANTITY 35,300,000		8A QUANTITY 0		SA QUANTITY 14,120,000		
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP ANACOSTIA						
MODE	RECEIPT%	FSII	SDA	CI		
PIPE		REQUIRED	REQUIRED	REQUIRED		
PIPELINE ORIGINATES AT ST SERVICES						
TRUCK		REQUIRED	REQUIRED	REQUIRED		

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY	STATE
0060	DFSP JACKSONVILLE			NJ
	UY7003	197269270	JACKNJ	
QUANTITY 92,620,000		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
BARGE		REQUIRED	REQUIRED	REQUIRED
				MAX PARCEL 35,000 BBLs
				MIN PARCEL 25,000 BBLs
0061	AASF GTR WILMINGTON		NEW CASTLE	DE
	W21LRZ	221099250		
QUANTITY 100,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0062	ANG GTR WILMINGTON		NEW CASTLE	DE
	FP6081	221099240	NEWCASTLE	
QUANTITY 1,400,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0063	ANG ATLANTIC CITY		EGGHARBOR TOWNSHIP	NJ
	FP6303	199170240	ATLCITYANG	
QUANTITY 3,400,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0064	MCGUIRE AFB		MCGUIRE AFB	NJ
	FP4484	197234240	MCGUIREAFB	
QUANTITY 66,200,000		8A QUANTITY 0		SA QUANTITY 19,860,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE				
MODE	RECEIPT%	FSII	SDA	CI
PIPE		REQUIRED	REQUIRED	REQUIRED
PL ORIGINATES AT DFSP JACKSONVILLE, NJ.				
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY	STATE
0065	MCGUIRE ANG		MCGUIRE ANG	NJ
	FP6302	197234241	MCGUIREANG	
QUANTITY 10,000,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE				
MODE	RECEIPT%	FSII	SDA	CI
PIPE		REQUIRED	REQUIRED	REQUIRED
TRUCK		REQUIRED	REQUIRED	REQUIRED
TT DLVY HOURS: 0700-1600, MON-THUR				
0066	NAWC LAKEHURST		LAKEHURST	NJ
	N68335	196212290	LAKEHURST	
QUANTITY 255,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0067	NG AASF #1 MERCER CITY		WEST TRENTON	NJ
	W15MCH	194573250		
QUANTITY 250,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0068	AFRES WILLOW GROVE		WILLOW GROVE	PA
	FP6637	207632241	WILLOWARF	
QUANTITY 8,300,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
DLVY HRS: 0800-1500, MON-FRI EXCEPT HOLIDAYS				

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 East Coast ESCALATOR JP8 East /Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0069	ANG HARRISBURG	HARRISBURG	PA
	FP6383 206255240	HARRISBURG	
QUANTITY 1,400,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
		CI	REQUIRED
0070	DET 4 TRNG SITE ANNVILLE	ANNVILLE	PA
	W90P89 206130251		
QUANTITY 95,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
		CI	REQUIRED
0071	NG AASF ANNVILLE	ANNVILLE	PA
	W25KYJ 206130252		
QUANTITY 1,200,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
		CI	REQUIRED
0072	UTES ANNVILLE	ANNVILLE	PA
	W25KYE 206130253		
QUANTITY 20,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JACKSONVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
		CI	REQUIRED

LINE ITEMS 73 - 100 OMITTED FROM RFP SCHEDULE

SUPPLIES TO BE OFFERED (DOMESTIC BULK)**GULF COAST JP8 ESCALATOR JP8 East/Gulf Coast**

LINE ITEM	LOCATION		CITY	STATE
0101	DFSP SELMA		SELMA	NC
	UY7265	406851270	SELMA	
QUANTITY 28,650,000		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
PIPE		NONE	NONE	REQUIRED
				MAX PARCEL
				80,000 BBLs
				MIN PARCEL
				25,000 BBLs

IN ADDITION ALL QUANTITIES AT AF PIPELINE INC MAY BE EVALUATED/AWARDED THROUGH DFSP SELMA.

0102	AASF#1 RALEIGH-DURHAM		NC
	W36HT5	411704250	
QUANTITY 300,000		8A QUANTITY 0	SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP SELMA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0103	CAMP LEJUENE		CAMP LEJUENE	NC
	M67001	405966280		
QUANTITY 150,000		8A QUANTITY 0	SA QUANTITY 0	

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP SELMA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0104	POPE AFB		NC
	FP4488	407734240	POPE
QUANTITY 23,000,000		8A QUANTITY 0	SA QUANTITY 5,750,000

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP SELMA

MODE	RECEIPT%	FSII	SDA	CI
CAR		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
-----------	----------	------	-------

0105	SIMMONS AF	FT BRAGG	NC
	W81YT4	407737250	

QUANTITY 5,200,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP SELMA.
 THIS REQUIREMENT INCLUDES CAMP MCKALL (300,000 USG, RECEIPT MODE - TT), SIMMONS AAF (2,300,000 USG, RECEIPT MODE - TC/TT) AND UY7324, DFSP FORT BRAGG/SUPER GAS STATION (2,600,000 USG, RECEIPT MODE - TT).

MODE	RECEIPT%	FSII	SDA	CI
CAR	REQUIRED		REQUIRED	REQUIRED
TRUCK		REQUIRED	REQUIRED	REQUIRED

0106	AF PIPELINE INC	RALEIGH-DURHAM	NC
	UY7042	406630000A	AFPLNC

QUANTITY 42,000,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI
CAR	REQUIRED		REQUIRED	REQUIRED

0107	SEYMOUR-JOHNSON AFB		NC
	FP4809	406630240	SEYMOURJN

QUANTITY 42,000,000	8A QUANTITY 0	SA QUANTITY 16,800,000
---------------------	---------------	------------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL AF PIPELINE INC.
 MODE RECEIPT% FSII SDA CI
 PIPE REQUIRED REQUIRED REQUIRED
 PL ORIGINATES AT DFSP AF PL

TRUCK	REQUIRED	REQUIRED	REQUIRED
-------	----------	----------	----------

0108	DFSP CHARLESTON	CHARLESTON	SC
	UY7011	447179270	CHARLSTERM

QUANTITY 88,000,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0109	HUNTER AAF FT STEWT		GA
	W33NYN	461450251	
QUANTITY 8,000,000	8A QUANTITY 0		SA QUANTITY 6,800,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CHARLESTON.			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
DLVY HRS: 0900-1700 MON, TUES, WED AND FRI.			
0110	NC ANG DOUGLAS IAP		NC
	FP6331	417500240	CHARLOTTE
QUANTITY 2,300,000	8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CHARLESTON			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
0111	CHARLESTON AFB	CHARELSTON	SC
	FP4418	447840240	CHARLSTNAB
QUANTITY 55,000,000	8A QUANTITY 0		SA QUANTITY 27,500,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CHARLESTON.			
MODE	RECEIPT%	FSII	SDA
PIPE		REQUIRED	REQUIRED
PL ORIGINATES AT DFSP CHARLESTON			
0112	SC ANG MCENTIRE ANGB		SC
	FP6401	445482240	MCENTIRE
QUANTITY 3,700,000	8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CHARLESTON			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
DLVY HRS: 0730-1500, TUES-FRI.			

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0113	SHAW AFB		SC
	FP4803	445372240	SHAW

QUANTITY 19,000,000	8A QUANTITY 0	SA QUANTITY 5,700,000
---------------------	---------------	-----------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CHARLESTON

MODE	RECEIPT%	FSII	SDA	CI
CAR	REQUIRED		REQUIRED	REQUIRED

0114	DFSP PORT EVERGLADES		FL
	UY7015	499440270	PORTEVERGD

QUANTITY 4,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	REQUIRED	REQUIRED

THE QUANTITY AT DFSP HOMESTEAD MAY ALSO BE EVALUATED/AWARDED THROUGH DFSP PORT EVERGLADES.

0115	PRATT-WHITNY WPBEACH	WEST PALM BEACH FL
	EY9486	499140000 PRATTFL

QUANTITY 4,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PORT EVERGLADES

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0116	DFSP HOMESTEAD	HOMESTEAD	FL
	UY7056	499793000 HOMESTTERM	

QUANTITY 7,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI
PIPE		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0117	HOMESTEAD ARB	HOMESTEAD	FL
	FP6648 499778240A	HOMESTEAD	
QUANTITY 7,000,000	8A QUANTITY 0	SA QUANTITY 2,450,000	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOMESTEAD			
MODE	RECEIPT%	FSII	SDA
PIPE		REQUIRED	REQUIRED
TRUCK		REQUIRED	REQUIRED
0118	DFSP PT TAMPA	TAMPA	FL
	UY7016 497800270	PORTTAMPA	
QUANTITY 23,615,000	8A QUANTITY 0	SA QUANTITY 0	
MODE	RECEIPT%	FSII	SDA
TANKER		REQUIRED	REQUIRED
0119	CGAS ST PETERSBERG - CLEARWATER		FL
	Z20150 497960260		
QUANTITY 3,600,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PT TAMPA			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
0120	MACDILL AFB		FL
	FP4814 497800240	MACDILL	
QUANTITY 14,500,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PT TAMPA (INCLUDES 200,000 USG FOR NOAA) PL ORIGINATES AT DFSP TAMPA			
MODE	RECEIPT%	FSII	SDA
PIPE		REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0121	NATL PARK SVC NAPLES	NAPLES	FL
	1442A9	499560000	
QUANTITY 15,000		8A QUANTITY 0	SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PT TAMPA			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED
0122	PATRICK AFB		FL
	FP2520	496174240	PATRICK
QUANTITY 5,500,000		8A QUANTITY 0	SA QUANTITY 3,025,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PT TAMPA			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED
TT DELIVERY HRS: 0630-1630 MON-FRI (EXCEPT HOLIDAYS)			
0123	DFSP MOUNDVILLE	MOUNDVILLE	AL
	UY7184	476613270	MOUNDVILLE
QUANTITY 33,280,000		8A QUANTITY 0	SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA
PIPE		NONE	NONE
			CI
			REQUIRED
0124	ANG BIRMINGHAM MAP	BIRMINGHAM	AL
	FP6011	472600240	BIRMINGHAM
QUANTITY 1,700,000		8A QUANTITY 0	SA QUANTITY 1,530,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MOUNDVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED
DELIVERY HRS: 0700-1600, TUE-FRI			
0125	PEMCO AEROPLEX INC		AL
	EY8178	472600000	PEMCO
QUANTITY 1,000,000		8A QUANTITY 0	SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MOUNDVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0126	REDSTONE ARSENAL		AL
	W31G3G	471356250	
QUANTITY 150,000		8A QUANTITY 0	SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MOUNDVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED
0127	ANG KEY FLD MERIDIAN, MERIDIAN, MS		
FP6241	486160240	KEYFIELD	
QUANTITY 4,000,000		8A QUANTITY 0	SA QUANTITY 3,600,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MOUNDVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED
DLVY HRS: 0700-1530, TUES-FRI.			
0128	ANG THOMPSON FLD	JACKSON	MS
	FP6242	487150240	THOMPSON
QUANTITY 2,800,000		8A QUANTITY 0	SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MOUNDVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED
0129	CAMP MCCAIN		MS
	W35PWX	483532000	
QUANTITY 30,000		8A QUANTITY 0	SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MOUNDVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED
DLVY HRS: 0800-1600 MON-FRI.			

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0130	CAMP SHELBY HATTIESBURG		MS
	W35KUA	488255250	
QUANTITY 600,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MOUNDVILLE			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED
DLVY HRS: 0800-1530 MON-FRI.			
0131	COLUMBUS AFB		MS
	FP3022	484019240	COLUMBUS
QUANTITY 23,000,000	8A QUANTITY 0	SA QUANTITY 8,510,000	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MOUNDVILLE			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED
0132	DFSP MONTGOMERY	MONTGOMERY	AL
	UY7060	475630270D	MONTGOMERY
QUANTITY 23,400,000	8A QUANTITY 0	SA QUANTITY 0	
MODE	RECEIPT%	FSII	SDA CI
PIPE		NONE	REQUIRED
0133	DANNELLY ANG	MONTGOMERY	AL
	FP6012	475630240	DANNELLY
QUANTITY 3,200,000	8A QUANTITY 0	SA QUANTITY 2,880,000	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MONTGOMERY.			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED
DLVY HOURS: 0730-1600, TUE-FRI			
0134	FT RUCKER		AL
	W31WVY	477575250	FTRUCKER
QUANTITY 11,500,000	8A QUANTITY 0	SA QUANTITY 10,350,000	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MONTGOMERY.			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED
DLVY HRS: 0700-1030 AND 1330-1500, MON-FRI			

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY	STATE
0135	MAXWELL AFB			AL
	FP3300	475630241	MAXWELL	
QUANTITY 3,200,000		8A QUANTITY 0		SA QUANTITY 2,560,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MONTGOMERY				
MODE	RECEIPT%	FSII	SDA	CI
PIPE		REQUIRED	REQUIRED	REQUIRED
PL ORIGINATES AT DFSP MONTGOMERY				
TRUCK		REQUIRED	REQUIRED	REQUIRED
0136	USCG AVN TRNG CNTR		MOBILE	AL
	Z65100	479862260		
QUANTITY 1,400,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MONTGOMERY				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0137		KEESLER AFB		MS
	FP3010	488850240	KEESLER	
QUANTITY 4,100,000		8A QUANTITY 0		SA QUANTITY 3,690,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MONTGOMERY				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0138	DFSP DORAVILLE		DORAVILLE	GA
	UY7012	456122270	DORAVILLE	
QUANTITY 19,400,000		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
PIPE		NONE	NONE	REQUIRED
0139	NASA HUNTSVILLE		HUNTSVILLE	AL
	804101	471356240		
QUANTITY 60,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
DLVY HRS: 0700-1400 MON-FRI. TRUCKS AT 2 HR INTERVALS.				

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0140	CATOOSA TRNG SITE	TUNNEL HILL	GA
	W90D2A 453260250		
QUANTITY 130,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED REQUIRED
0141	DOBBINS AFB		GA
	FP6703 456476240	DOBBINS	
QUANTITY 3,200,000	8A QUANTITY 0	SA QUANTITY 1,600,000	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED REQUIRED
DELIVERY HRS: 0730-1500, MON-FRI EXCEPT HOLIDAYS			
0142	LOCKHEED MARTIN AERO SYS	MARIETTA	GA
	EY9221 456450000	LOCKHEEDGA	
QUANTITY 600,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED REQUIRED
0143	NAS ATLANTA	MARIETTA	GA
	N00196 456478290	ATLANTA	
QUANTITY 4,900,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED REQUIRED
0144	ANG BERRY FIELD		TN
	FP6421 434300240		
QUANTITY 2,000,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE			
MODE	RECEIPT%	FSII	SDA CI
TRUCK		REQUIRED	REQUIRED REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0145	ANG MCGHEE TYSON	KNOXVILLE	TN
	FP6423 424614240	MCGHEETYSN	
QUANTITY 5,300,000	8A QUANTITY 0	SA QUANTITY 2,650,000	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE INCLUDES 100,000, USG FOR W81RG7 CHATTANOOGA AVN UNIT			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
DLVY HRS: 0700-1500, TUES-FRI.			
0146	ARNOLD ENG DEV CTR TULLA	TULLAHOMA	TN
	FP2804 432680240	ARNOLD	
QUANTITY 2,700,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
0147	OMS #16 VOLUNTEER TRNG	SMYRNA	TN
	W81FEK 433108250		
QUANTITY 120,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
0148	OMS #17 (HQ, 2/278TH ACR	KINGSPORT	TN
	W38XRT 422306250		
QUANTITY 60,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
-----------	----------	------	-------

0149	OMS #2 (HQ 278TH ACR)	KNOXSVILLE	TN
	W38XRR 424250250		

QUANTITY 100,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0150	OMS #7, TULLAHOMA	TULLAHOMA	TN
	W38TB0 432680250		

QUANTITY 70,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0151	TN NG SMYRNA APT	SMYRNA	TN
	W38JKB 433110250		

QUANTITY 160,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP DORAVILLE

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0152	DFSP MACON		GA
	UY7066 463235270	MACON	

QUANTITY 40,500,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI
PIPE		NONE	NONE	REQUIRED

0153	ANG TRAVIS FLD	SAVANNAH	GA
	FP6102 461450241	SAVANNAH	

QUANTITY 3,500,000	8A QUANTITY 0	SA QUANTITY 2,100,000
--------------------	---------------	-----------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MACON

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

DELIVERY HRS: 0730-1600, TUE-FRI

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY	STATE
0154	MOODY AFB			GA
	FP4830	467823240	MOODY	
QUANTITY 13,000,000		8A QUANTITY 0		SA QUANTITY 5,200,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MACON				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0155	ROBINS AFB			GA
	FP2067	463524240	ROBINS AFB	
QUANTITY 14,000,000		8A QUANTITY 0		SA QUANTITY 4,900,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MACON				
MODE	RECEIPT%	FSII	SDA	CI
PIPE		REQUIRED	REQUIRED	REQUIRED
PL ORIGINATES AT DFSP MACON. PL DELIVERY HRS: 0800-2300, MON-FRI				
TRUCK		REQUIRED	REQUIRED	REQUIRED
0156	ROBINS ANG			GA
	FP6101	463524241	ROBINS ANG	
QUANTITY 10,000,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP MACON				
MODE	RECEIPT%	FSII	SDA	CI
PIPE		REQUIRED	REQUIRED	REQUIRED
PL ORIGINATES AT DFSP MACON				
TRUCK		REQUIRED	REQUIRED	REQUIRED
0157	ITAPCO PIPELINE		COLUMBUS	GA
	UY7221	464390270	ITAPCO	
QUANTITY 3,800,000		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
PIPE		NONE	NONE	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0158	FT BENNING		GA
	W33WXN	464630250	
QUANTITY 3,800,000		8A QUANTITY 0	SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL ITAPCO PIPELINE			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
			CI
			REQUIRED
0159	MCCAIN PIPELINE CO		MS
	UY7082	486115000	MCCAINPL
QUANTITY 15,000,000		8A QUANTITY 0	SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA
PIPE		NONE	NONE
			CI
			REQUIRED
0160	NAS MERIDIAN MS	MERIDIAN	MS
	N63043	486157290	MERIDIAN
QUANTITY 15,000,000		8A QUANTITY 0	SA QUANTITY 13,500,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL MCCAIN PIPELINE CO			
MODE	RECEIPT%	FSII	SDA
PIPE		REQUIRED	REQUIRED
PL ORIGINATES AT MCCAIN PL			CI
			REQUIRED
TRUCK		REQUIRED	REQUIRED
			REQUIRED
0161	DFSP HOUSTON	HOUSTON	TX
	UY7150	684839270	HOUSTON
QUANTITY 182,406,000		8A QUANTITY 0	SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA
BARGE		NONE	NONE
			CI
			REQUIRED
PIPE		NONE	NONE
			REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY	STATE
0162	EGLIN AFB			FL
	FP2823	494750240	EGLIN	
QUANTITY 38,000,000		8A QUANTITY 0		SA QUANTITY 27,360,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON				
MODE	RECEIPT%	FSII	SDA	CI
BARGE		REQUIRED	REQUIRED	REQUIRED
MAX DRAFT AT BAYOU ENTRANCE IS 9 FEET AND AT THE DOCK 12 FEET.				
TRUCK		REQUIRED	REQUIRED	REQUIRED
0163	HURLBURT FLD			FL
	FP4417	494759240	HURLBURT	
QUANTITY 12,100,000		8A QUANTITY 0		SA QUANTITY 10,890,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON				
MODE	RECEIPT%	FSII	SDA	CI
BARGE		REQUIRED	REQUIRED	REQUIRED
MAX DRAFT AT INLAND SOUND ENTRANCE AND DOCK IS 15 FEET.				
TRUCK		REQUIRED	REQUIRED	REQUIRED
0164	TYNDALL AFB			FL
	FP4819	494579240	TYNDALL	
QUANTITY 41,000,000		8A QUANTITY 0		SA QUANTITY 24,600,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON				
MODE	RECEIPT%	FSII	SDA	CI
BARGE		REQUIRED	REQUIRED	REQUIRED
MAX DRAFT AT DOCK IS 15 FEET AND AT CHANNEL ENTRANCE IS 25 FEET.				
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0165	BARKSDALE AFB	SHREVEPORT	LA
	FP4608 653770240	BARKSDALE	
QUANTITY 57,000,000	8A QUANTITY 0		SA QUANTITY 19,380,000

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON

MODE	RECEIPT%	FSII	SDA	CI
PIPE		REQUIRED	REQUIRED	REQUIRED

PL ORIGINATES AT TEXAS EASTERN, BOSSIER STATION LA. BOSSIER STATION RECEIVES PRODUCT WITHOUT FSII OR SDA.

TRUCK	REQUIRED	REQUIRED	REQUIRED
-------	----------	----------	----------

0166	FT. POLK		LA
	W42CXP 656972250		
QUANTITY 3,200,000	8A QUANTITY 0		SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON
INCLUDES 1,000,000 USG FOR W42CXA (MOBILITY).

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0167	MATES #71, FORT POLK	FORT POLK	LA
	W42UV5 656972251		
QUANTITY 25,000	8A QUANTITY 0		SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON
THIS QUANTITY MAY ALSO BE EVALUATED/AWARDED THROUGH BARKSDALE AFB.

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0168	NAS NEW ORLEANS		LA
	N00206 649122290	NORLENSNAS	
QUANTITY 14,000,000	8A QUANTITY 0		SA QUANTITY 12,600,000

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
BARGE		REQUIRED	REQUIRED	REQUIRED	20,000 BBLs	

TRUCK	REQUIRED	REQUIRED	REQUIRED
-------	----------	----------	----------

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0169	UTES, MINDEN	MINDEN	LA
	W90TG4	653560250	

QUANTITY 30,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON
THIS QUANTITY MAY ALSO BE EVALUATED/AWARDED THROUGH BARKSDALE AFB.

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

0170	MS ANG GULFPORT	MS
	FP6243	488870240 GULFPORT

QUANTITY 3,500,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
BARGE		REQUIRED	REQUIRED	REQUIRED	10,000 BBLs	
TRUCK		REQUIRED	REQUIRED	REQUIRED		

0171	ELLINGTON AFB ANG	TX
	FP6433	684800241 ELLINGTON

QUANTITY 4,000,000	8A QUANTITY 0	SA QUANTITY 3,600,000
--------------------	---------------	-----------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON.

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
DLVY HOURS: 0730-1600, TUE-FRI				

0172	FT. SAM HOUSTON	TX
	W90JA0	687500250

QUANTITY 51,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON.

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
MAX RECEIPT IS 3,800 USG/DELIVERY				

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY	STATE
0173	NAS KINGSVILLE			TX
	N60241	689440290	KINGSVILLE	
QUANTITY 9,500,000		8A QUANTITY 0		SA QUANTITY 1,900,000
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON				
MODE	RECEIPT%	FSII	SDA	CI
PIPE		NONE	NONE	REQUIRED
TRUCK		REQUIRED	REQUIRED	REQUIRED
0174	AASF GRAND PRAIRIE (149)			TX
	W81FAG	667268250		
QUANTITY 70,000 ***		8A QUANTITY 0		SA QUANTITY 0
.				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
PRODUCT WILL BE DELIVERED INTO BOTTOM LOADING HEMTTS				
0175	AASF SAN ANTONIO			TX
	W45K1P	687500251		
QUANTITY 110,000 ***		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0176	AASF, DALLAS			TX
	W45K1N	667268251		
QUANTITY 800,000 ***		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0177	JOINT RESERVE, FT WORTH		FORT WORTH	TX
	N83447	668200290	FTWORTHNAS	
QUANTITY 14,000,000 ***		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0178	BORDER PATROL DEL RIO	DEL RIO	TX
	157438 693784000		
QUANTITY 100,000 ***	8A QUANTITY 0	SA QUANTITY 0	
MODE TRUCK	RECEIPT% FSII REQUIRED	SDA REQUIRED	CI REQUIRED
0179	BORDER PATROL, MARFA	MARFA	TX
	157444 697620000		
QUANTITY 10,000 ***	8A QUANTITY 0	SA QUANTITY 0	
MODE TRUCK	RECEIPT% FSII REQUIRED	SDA REQUIRED	CI REQUIRED
0180	DYESS AFB		TX
	FP4661 678810240	DYESSAFB	
QUANTITY 41,000,000 ***	8A QUANTITY 0	SA QUANTITY 36,900,000	
MODE PIPE	RECEIPT% FSII REQUIRED	SDA REQUIRED	CI REQUIRED
MINIMUM PIPELINE PUMPING RATE IS 900 BPH.			
TRUCK	REQUIRED	REQUIRED	REQUIRED
0181	FT. HOOD	FORT HOOD	TX
	W45V5M 683260250	FTHOOD	
QUANTITY 11,500,000 ***	8A QUANTITY 0	SA QUANTITY 10,350,000	
MODE TRUCK	RECEIPT% FSII REQUIRED	SDA REQUIRED	CI REQUIRED
0182	GOODFELLOW AFB	GOODFELLOW AFB	TX
	FP3030 691450240		
QUANTITY 25,000 ***	8A QUANTITY 0	SA QUANTITY 0	
MODE TRUCK	RECEIPT% FSII REQUIRED	SDA REQUIRED	CI REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY	STATE
0183	LACKLAND AFB		SAN ANTONIO	TX
	FP3047	687500241	KELLY	
QUANTITY 17,000,000 ***		8A QUANTITY 0		SA QUANTITY 15,300,000
FORMERLY KELLY AFB				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0184	LAUGHLIN AFB		LAUGHLIN AFB	TX
	FP3099	693786240	LAUGHLIN	
QUANTITY 21,000,000 ***		8A QUANTITY 0		SA QUANTITY 18,900,000
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0185	NAS CORPUS CHRISTI		CORPUS CHRISTI	TX
	N00216	689100290	CORPUS	
QUANTITY 300,000 ***		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0186	RANDOLPH AFB		RANDOLPH AFB	TX
	FP3089	687431240	RANDOLPH	
QUANTITY 21,000,000 ***		8A QUANTITY 0		SA QUANTITY 18,900,000
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED
0187	RAYTHEON E-SYSTEMS INC.		GREENVILLE	TX
	EY9350	662940000	ESYSTEMS	
QUANTITY 1,200,000 ***		8A QUANTITY 0		SA QUANTITY 1,080,000
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP8 Gulf Coast ESCALATOR JP8 East / Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0188	RED RIVER AD, TEXARKANA	TEXARKANA	TX
	W45G18	661157250	
QUANTITY 60,000 ***		8A QUANTITY 0	SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
		CI	
		REQUIRED	
0189	SHEPPARD AFB	SHEPPART AFB	TX
	FP3020	664300240	SHEPPARD
QUANTITY 26,000,000 ***		8A QUANTITY 0	SA QUANTITY 23,400,000
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	REQUIRED
		CI	
		REQUIRED	

LINE ITEMS 190 - 200 OMITTED FROM RFP SCHEDULE

TURBINE FUEL AVIATION, JP5 2.2C
 NSN : 9130-00-273-2379
 PURCHASE REQUEST NO. SC0600-00-0415

JP5 REQUIREMENT TOTALS ARE AS FOLLOWS

TOTAL	SET ASIDE	8(A) RESERVATION	NON SET ASIDE
QUANTITY (USG)	QUANTITY (USG)	QUANTITY (USG)	QUANTITY (USG)
350,740,000	24,795,000	0	325,945,000

THE TOTAL ESTIMATED JP5 QUANTITY TO BE PURCHASED IS -- 350,740,000

EAST COAST JP5	151,450,000
GULF COAST JP5	165,840,000
OFFSHORE JP5	33,450,000

SUPPLIES TO BE OFFERED (DOMESTIC BULK)

EAST COAST JP5 ESCALATOR JP5 EAST/GULF COAST

LINE ITEM	LOCATION		CITY	STATE
0201	DFSP BOSTON		BOSTON	MA
	UY7317	143310270	BOSTON	
QUANTITY 3,000,000		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
BARGE		REQUIRED	NONE	REQUIRED
0202	DFSP BOSTON		BOSTON	MA
	UY7317	143310270	BOSTON	
QUANTITY 500,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BOSTON				
INCLUDES FLEET/CG				
MODE	RECEIPT%	FSII	SDA	CI
BARGE		REQUIRED	NONE	REQUIRED
0203	GE CORP WEST LYNN		WEST LYNN	MA
	EY7735	140460003	GELYNMA	
QUANTITY 2,500,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP BOSTON				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP5 East Coast ESCALATOR JP5/ East/Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION		CITY		STATE	
0204	DFSP CARTERET		CARTERET	NJ		
	UY7327		194144270	CARTERET		
QUANTITY 1,000,000		8A QUANTITY 0		SA QUANTITY 0		
MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		REQUIRED	NONE	REQUIRED		
BARGE		REQUIRED	NONE	REQUIRED	50,000 BBLS	
PIPE		NONE	NONE	REQUIRED	25,000 BBLS	
0205	DFSP CARTERET		CARTERET	NJ		
	UY7327		194144270	CARTERET		
QUANTITY 1,000,000		8A QUANTITY 0		SA QUANTITY 0		
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CARTERET						
MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		REQUIRED	NONE	REQUIRED		
BARGE		REQUIRED	NONE	REQUIRED	50,000 BBLS	
PIPE		NONE	NONE	REQUIRED	25,000 BBLS	
0206	CRANEY ISLAND		NORFOLK	VA		
	N00189		261100296	N00189-S		
QUANTITY 147,450,000		8A QUANTITY 0		SA QUANTITY 0		
MODE	RECEIPT%	FSII	SDA	CI		
TANKER		REQUIRED	NONE	REQUIRED		
BARGE	50%	REQUIRED	NONE	REQUIRED		
PIPE		NONE	NONE	REQUIRED		

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP5 East Coast ESCALATOR JP5/ East/Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0207	CRANEY ISLAND	NORFOLK	VA
	N00189	261100296	N00189-S

QUANTITY 122,300,000	8A QUANTITY 0	SA QUANTITY 0
----------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND.
 INCLUDES FLEET/CG/NSC NORFOLK/ NAS NORFOLK/ NAS OCEANA/ NAB LITTLE CREEK

MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED
BARGE	61%	REQUIRED	NONE	REQUIRED
PIPE		NONE	NONE	REQUIRED

0208	NAS PATUXENT RIV	PAXTUXENT RIVER	MD
	N00421	239745290	PATUXENT

QUANTITY 21,000,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND

MODE	RECEIPT%	FSII	SDA	CI
BARGE		REQUIRED	NONE	REQUIRED

0209	CGAS ELIZABETH CITY	ELIZABETH CITY	NC
	Z20130	401660260	

QUANTITY 2,100,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

0210	LANGLEY RESC CTR	VA
	803301	256900241

QUANTITY 150,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)**SP0600-01-R-0061****JP5 East Coast****ESCALATOR JP5/ East/Gulf Coast**

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0211	NAB LITTLE CREEK	LITTLE CREEK	VA
	N61414	261300292	LILCREEK

QUANTITY 1,600,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

**** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND**

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
BARGE		REQUIRED	NONE	REQUIRED	15,000 BBLS	
TRUCK		REQUIRED	NONE	REQUIRED		

0212	NASA WALLOPS ISLAND	VA
	803303	254202000

QUANTITY 300,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

**** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND**

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

LINE ITEMS 213 - 300 OMITTED FROM RFP SCHEDULE

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
 GULF COAST JP5 ESCALATOR JP5 East/Gulf Coast

LINE ITEM	LOCATION		CITY	STATE
0301	DFSP JAX		JACKSONVILLE	FL
	N68836	491200296	JAXFLDTERM	
QUANTITY 67,800,000		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED
0302	DFSP JAX		JACKSONVILLE	FL
	N68836	491200296	JAXFLDTERM	
QUANTITY 67,800,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JAX INCLUDES FLEET/CG/NSC JACKSONVILLE/ NAS JACKSONVILLE/ NAS MAYPORT/ CG MIAMI/ EG&G KENNEDY SPACE CTR/ FL ANG JAX IAP/ AASF CRAIG ARMORY JAX/ MCAS BEAUFORT.				
MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED
0303	KEY WEST PL CO	KEY WEST	FL	
	UY7083	499999270	KEYWESTPL	
QUANTITY 18,500,000		8A QUANTITY 0		SA QUANTITY 0
MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED
0304	KEY WEST PL CO	KEY WEST	FL	
	UY7083	499999270	KEYWESTPL	
QUANTITY 18,500,000		8A QUANTITY 0		SA QUANTITY 0
** END USER CAN BE SUPPLIED THROUGH TERMINAL KEY WEST PL CO INCLUDES FLEET/CG/NAS KEY WEST				
MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)**SP0600-01-R-0061****JP5 Gulf Coast****ESCALATOR JP5/ East/Gulf Coast**

LINE ITEM	LOCATION	CITY	STATE
0305	DFSP PENSACOLA	PENSACOLA	FL
	N00204	494995293	PENSACOLA
QUANTITY 21,540,000	8A QUANTITY 0	SA QUANTITY 0	
MODE	RECEIPT%	FSII	SDA
BARGE		REQUIRED	NONE
CI	MAX PARCEL	MIN PARCEL	
REQUIRED	25,000 BBLs		
0306	DFSP PENSACOLA	PENSACOLA	FL
	N00204	494995293	PENSACOLA
QUANTITY 20,050,000	8A QUANTITY 0	SA QUANTITY 18,045,000	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PENSACOLA			
MODE	RECEIPT%	FSII	SDA
BARGE		REQUIRED	NONE
CI	MAX PARCEL	MIN PARCEL	
REQUIRED	25,000 BBLs		
0307	HURLBURT FLD		FL
	FP4417	494759240	HURLBURT
QUANTITY 300,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PENSACOLA			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	NONE
CI		REQUIRED	
DELIVERY HOURS ARE 0700 - 1600 MON-FRI			
0308	MCLB ALBANY		GA
	M67004	468523280	
QUANTITY 40,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PENSACOLA			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	NONE
CI		REQUIRED	
0309	ROLLS-ROYCE ALLISON ENG	INDIANAPOLIS	IN
	EY9426	368700000	
QUANTITY 300,000	8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PENSACOLA			
MODE	RECEIPT%	FSII	SDA
TRUCK		REQUIRED	NONE
CI		REQUIRED	
DELIVERY HOURS ARE 0800 - 1600 MON-FRI			

SUPPLIES TO BE OFFERED (DOMESTIC BULK)**SP0600-01-R-0061****JP5 Gulf Coast****ESCALATOR JP5/ East/Gulf Coast**

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0310	MCDONNELL DOUGLAS	ST. LOUIS	MO
	EY1205 567613000	MCDONNELMO	

QUANTITY 300,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PENSACOLA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

0311	SUP SHIPBLDG PASCAGOULA	MS
	N62795 488680290	

QUANTITY 50,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PENSACOLA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

0312	ARNOLD ENG DEV CTR	TULLAHOMA	TN
	FP2804 432680240	ARNOLD	

QUANTITY 500,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP PENSACOLA

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

DELIVERY HOURS ARE 0700 - 1500 MON-FRI

0313	DFSP SELMA	SELMA	NC
	UY7265 406851270	SELMA	

QUANTITY 36,500,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
PIPE		NONE	NONE	REQUIRED	25,000 BBLs	

MAX PARCEL SIZE FOR RECIEPT INTO DFSP SELMA IS 25,000 BBL. SINCE THE MIN PARCEL PL TENDER ACCEPTABLE TO COLONIAL IS 75M BBLs, SELMA PL SHIPMENTS MUST BE COMBINED WITH PARCELS FOR CRANEY OR CARTERET. PL PARCEL MUST BE RECEIVED EVERY 5-10 DAYS AT SELMA.

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP5 Gulf Coast ESCALATOR JP5/ East/Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE	
0314	MCAS CHERRY PT	CHERRY POINT	NC	
	N00146	405537280	CHERRYPT	
QUANTITY 30,000,000		8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP SELMA				
MODE	RECEIPT%	FSII	SDA	CI
CAR	REQUIRED		NONE	REQUIRED
0315	MCAS NEW RIVER		NC	
	N62573	405965280	NEWRIVER	
QUANTITY 6,500,000		8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP SELMA				
MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED
0316	DFSP HOUSTON	HOUSTON	TX	
	UY7150	684839270	HOUSTON	
QUANTITY 21,500,000		8A QUANTITY 0	SA QUANTITY 0	
MODE	RECEIPT%	FSII	SDA	CI
BARGE		NONE	NONE	REQUIRED
PIPE		NONE	NONE	REQUIRED
0317	DFSP HOUSTON	HOUSTON	TX	
	UY7150	684839270	HOUSTON	
QUANTITY 3,000,000		8A QUANTITY 0	SA QUANTITY 0	
** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON				
INCLUDES FLEET/CG				
MODE	RECEIPT%	FSII	SDA	CI
BARGE		NONE	NONE	REQUIRED
PIPE		NONE	NONE	REQUIRED

SUPPLIES TO BE OFFERED (DOMESTIC BULK)**SP0600-01-R-0061****JP5 Gulf Coast****ESCALATOR JP5/ East/Gulf Coast**

LINE ITEM	LOCATION		CITY	STATE
-----------	----------	--	------	-------

0318	TINKER AFB		OKLAHOMA CITY	OK
-------------	-------------------	--	----------------------	-----------

FP2037	626200241	TINKER		
--------	-----------	--------	--	--

QUANTITY 7,500,000	8A QUANTITY 0	SA QUANTITY 6,750,000
--------------------	---------------	-----------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	REQUIRED	REQUIRED

DELIVERY HOURS ARE 0700-2300 MON-FRI. 2 TT PER HOUR.

0319	RAYTHEON E-SYSTEMS INC.		GREENVILLE	TX
-------------	--------------------------------	--	-------------------	-----------

EY9350	662940000	ESYSTEMS		
--------	-----------	----------	--	--

QUANTITY 300,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

0320	GEN DYN FT WRTH		FORT WORTH	TX
-------------	------------------------	--	-------------------	-----------

EY9310	668200000	GENDYNAMIC		
--------	-----------	------------	--	--

QUANTITY 700,000	8A QUANTITY 0	SA QUANTITY 0
------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

0321	NAS CORPUS CHRISTI		CORPUS CHRISTI	TX
-------------	---------------------------	--	-----------------------	-----------

N00216	689100290	CORPUS		
--------	-----------	--------	--	--

QUANTITY 10,000,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

LINE ITEMS 322 - 400 OMITTED FROM RFP SCHEDULE

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
 OFFSHORE JP5 ESCALATOR JP5 East/Gulf Coast

LINE ITEM	LOCATION	CITY	STATE
-----------	----------	------	-------

0401	DFSP ROOSEVELT ROADS	ROOSEVELT RDS	PR
	N00389	101310290	ROSYRDS

QUANTITY 29,850,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED

BARGE	REQUIRED	NONE	REQUIRED
BARGE MODE RESTRICTED TO DESTINATION OFFERS			

0402	DFSP ROOSEVELT ROADS	ROOSEVELT RDS	PR
	N00389	101310290	ROSYRDS

QUANTITY 25,200,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP ROOSEVELT ROADS
 INCLUDES FLEET/USNS ROOSEVELT RDS/NAVY AND AIR FORCE SQUADRONS

MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED

BARGE	REQUIRED	NONE	REQUIRED
BARGE MODE RESTRICTED TO DESTINATION OFFERS			

0403	CG AIR STA PUERTO RICO	PR
	Z20235	107610260

QUANTITY 2,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP ROOSEVELT ROADS

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

0404	PR ANG ARMY AVIATION SA	PR
	W81R0W	103300250

QUANTITY 50,000	8A QUANTITY 0	SA QUANTITY 0
-----------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP ROOSEVELT ROADS

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TRUCK		REQUIRED	NONE	REQUIRED	7,800 GALS	

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
JP5 Offshore ESCALATOR JP5 East/Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0405	PUERTO RICO AIRPORT		PR
	FP6540	103300240	SANJUANIA
QUANTITY 2,600,000		8A QUANTITY 0	SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP ROOSEVELT ROADS

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		REQUIRED	NONE	REQUIRED

0406	DFSP GUANTANAMO BAY		CU	
	N60514	910700000		
QUANTITY 3,600,000		8A QUANTITY 0	SA QUANTITY 0	
MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED

0407	DFSP GUANTANAMO BAY	CUBA	CU
	N60514	910700000	
QUANTITY 3,600,000		8A QUANTITY 0	SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP GUANTANAMO BAY, CUBA.
 INCLUDES FLEET/USNAVSTA GUANTANAMO BAY

MODE	RECEIPT%	FSII	SDA	CI
TANKER		REQUIRED	NONE	REQUIRED

LINE ITEMS 408 - 500 OMITTED FROM RFP SCHEDULE

Fuel, Naval Distillate, F76 2.5A
 NSN : 9140-00-273-2377
 PURCHASE REQUEST NO. SC0600-00-0416

F76 REQUIREMENT TOTALS ARE AS FOLLOWS

TOTAL QUANTITY (USG)	SET ASIDE QUANTITY (USG)	8(A) RESERVATION QUANTITY (USG)	NON SET ASIDE QUANTITY (USG)
165,497,000	35,131,700	0	130,365,300

THE TOTAL ESTIMATED F76 QUANTITY TO BE PURCHASED IS -- 165,497,000
 EAST COAST F76 99,842,000
 GULF COAST F76 17,485,000
 OFFSHORE F76 48,170,000

SUPPLIES TO BE OFFERED (DOMESTIC BULK)

EAST COAST F76 ESCALATOR F76 East/Gulf Coast

LINE ITEM	LOCATION	CITY	STATE
-----------	----------	------	-------

0501	DFSP CARTERET	CARTERET	NJ
	UY7327	194144270	CARTERET

QUANTITY 2,810,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

DFSP CARTERET INCLUDES RQMTS FOR US NAVY VESSELS; DAVID TAYLOR NAVAL SHIP CENTER, MD; USA ENGR DIST, NY; NAVSUBBASE NEW LONDON, CT; HHD 475 QM GROUP; AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		NONE	NONE	NONE	50,000 BBLs	
BARGE		NONE	NONE	NONE	50,000 BBLs	
PIPE		NONE	NONE	NONE	25,000 BBLs	

0502	DFSP CARTERET	CARTERET	NJ
	UY7327	194144270	CARTERET

QUANTITY 2,810,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP CARTERET DFSP CARTERET
 INCLUDES RQMTS FOR US NAVY VESSELS, DAVID TAYLOR NAVAL SHIP CENTER, MD, USA ENGR DIST, NY; NAVSUBBASE
 NEW LONDON, CT; HHD 475 QM GROUP; AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		NONE	NONE	NONE	50,000 BBLs	
BARGE		NONE	NONE	NONE	50,000 BBLs	
PIPE		NONE	NONE	NONE	25,000 BBLs	

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
F76 EAST COAST ESCALATOR F76 East/Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0503	CRANEY ISLAND	NORFOLK	VA
	N00189	261100296	N00189-S

QUANTITY 97,032,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

INCLUDES REQUIREMENTS FOR US NAVY VESSELS; NSY NORFOLK, VA; NUCLEAR PWR TRAINING;
 DFSP SEWELLS POINT; DFSP NORFOLK; FLEET ACCT AND DISB; AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		NONE	NONE	NONE		
BARGE	50%	NONE	NONE	NONE	50,000 BBLS	
PIPE		NONE	NONE	NONE	75,000 BBLS	

0504	CRANEY ISLAND	NORFOLK	VA
	N00189	261100296	N00189-S

QUANTITY 91,825,000	8A QUANTITY 0	SA QUANTITY 23,874,500
---------------------	---------------	------------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND

INCLUDES REQUIREMENTS FOR US NAVY VESSELS; NSY NORFOLK, VA; NUCLEAR PWR TRAINING;
 DFSP SEWELLS POINT; DFSP NORFOLK; FLEET ACCT AND DISB; AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
TANKER		NONE	NONE	NONE		
BARGE	58%	NONE	NONE	NONE	50,000 BBLS	
PIPE		NONE	NONE	NONE	75,000 BBLS	

0505	NAB LITTLE CREEK	LITTLE CREEK	VA
	N61414	261300292	LILCREEK

QUANTITY 5,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND

MODE	RECEIPT%	FSII	SDA	CI	MAX PARCEL	MIN PARCEL
BARGE		NONE	NONE	NONE	7,000 BBLS	
TRUCK		NONE	NONE	NONE		

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
F76 EAST COAST ESCALATOR F76 East/Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
0506	NAS NORFOLK	NORFOLK	VA
	N00188	261000291	NORFOLK
QUANTITY 50,000		8A QUANTITY 0	SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		NONE	NONE	NONE

0507	NAVAL PUB WORKS CTR	NORFOLK	VA
	N00187	261000294	
QUANTITY 27,000		8A QUANTITY 0	SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		NONE	NONE	NONE

0508	US NAV STA NORFOLK	NORFOLK	VA
	N62688	261000291F	
QUANTITY 130,000		8A QUANTITY 0	SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL CRANEY ISLAND

MODE	RECEIPT%	FSII	SDA	CI
TRUCK		NONE	NONE	NONE

LINE ITEMS 509 - 600 OMITTED FROM RFP SCHEDULE

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
 GULF COAST F76 ESCALATOR F76 East/Gulf Coast

LINE ITEM	LOCATION	CITY	STATE
-----------	----------	------	-------

0601	DFSP JAX	JACKSONVILLE	FL
	N68836	491200296	JAXFLDTERM

QUANTITY 14,485,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

INCLUDES RQMTS FOR US NAVY VESSELS, NAVSUBBASE KINGS BAY, GA; NAS MAYPORT, FL;
 DFSP JACKSONVILLE, FL; XR 558th TRANS ULLS S; ATL FLT WEAPON TNG CT; NUCLEAR PWR TRAINING UNIT;
 AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI
TANKER		NONE	NONE	NONE

0602	DFSP JAX	JACKSONVILLE	FL
	N68836	491200296	JAXFLDTERM

QUANTITY 14,485,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP JAX
 INCLUDES RQMTS FOR US NAVY VESSELS, NAVSUBBASE KINGS BAY, GA; NAS MAYPORT, FL;
 DFSP JACKSONVILLE, FL; XR 558th TRANS ULLS S; ATL FLT WEAPON TNG CT; NUCLEAR PWR TRAINING UNIT;
 AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI
TANKER		NONE	NONE	NONE

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
F76 Gulf Coast ESCALATOR F76 East/Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
------------------	-----------------	-------------	--------------

0603	DFSP HOUSTON	HOUSTON	TX
	UY7150	684839270	HOUSTON

QUANTITY 3,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

INCLUDES RQMTS FOR US NAVY VESSELS; MSC; AND COAST GUARD VESSELS

MODE	RECEIPT%	FSII	SDA	CI
BARGE		NONE	NONE	NONE
PIPE		NONE	NONE	NONE

0604	DFSP HOUSTON	HOUSTON	TX
	UY7150	684839270	HOUSTON

QUANTITY 3,000,000	8A QUANTITY 0	SA QUANTITY 0
--------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP HOUSTON

INCLUDES RQMTS FOR US NAVY VESSELS; MSC; AND COAST GUARD VESSELS

MODE	RECEIPT%	FSII	SDA	CI
BARGE		NONE	NONE	NONE
PIPE			NONE	NONE
				NONE

LINE ITEMS 605 - 700 OMITTED FROM RFP SCHEDULE

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
 OFFSHORE F76 ESCALATOR F76 East/Gulf Coast

LINE ITEM	LOCATION	CITY	STATE
-----------	----------	------	-------

0701	DFSP ROOSEVELT ROADS	ROOSEVELT RDS	PR
	N00389	101310290	ROSYRDS

QUANTITY 31,270,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

INCLUDES RQMTS FOR US NAVY VESSELS; ATL FLT WEAPON TRAINING CTR; DFSP ROOSEVELT ROADS, PR; NADC KEY WEST, FL; AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI
TANKER		NONE	NONE	NONE

BARGE	NONE	NONE	NONE
BARGE MODE RESTRICTED TO DESTINATION OFFERS			

0702	DFSP ROOSEVELT ROADS	ROOSEVELT RDS	PR
	N00389	101310290	ROSYRDS

QUANTITY 31,270,000	8A QUANTITY 0	SA QUANTITY 11,257,200
---------------------	---------------	------------------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP ROOSEVELT ROADS DFSP ROOSEVELT ROADS
 INCLUDES RQMTS FOR US NAVY VESSELS; ATL FLT WEAPON TRAINING CTR; DFSP ROOSEVELT ROADS, PR; NADC KEY WEST, FL; AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI
TANKER		NONE	NONE	NONE

BARGE	NONE	NONE	NONE
BARGE MODE RESTRICTED TO DESTINATION OFFERS			

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
Offshore F76 ESCALATOR F76 East/Gulf Coast

SP0600-01-R-0061

LINE ITEM	LOCATION	CITY	STATE
-----------	----------	------	-------

0703	DFSP GUANTANAMO BAY	CUBA	CU
-------------	----------------------------	-------------	-----------

N60514	910700000
--------	-----------

QUANTITY 16,900,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

INCLUDES RQMTS FOR US NAVY VESSELS; DFSP GUANTANAMO BAY, CUBA; USN HOSPITAL GUANTANAMO BAY; AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI
TANKER		NONE	NONE	NONE

0704	DFSP GUANTANAMO BAY	CUBA	CU
-------------	----------------------------	-------------	-----------

N60514	910700000
--------	-----------

QUANTITY 16,900,000	8A QUANTITY 0	SA QUANTITY 0
---------------------	---------------	---------------

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP GUANTANAMO BAY,CUBA DFSP GUANTANAMO BAY

INCLUDES RQMTS FOR US NAVY VESSELS; DFSP GUANTANAMO BAY, CUBA; USN HOSPITAL GUANTANAMO BAY; AND COAST GUARD VESSELS.

MODE	RECEIPT%	FSII	SDA	CI
TANKER		NONE	NONE	NONE

LINE ITEMS 705 - 800 OMITTED FROM RFP SCHEDULE

Gasoline, Auto, Midgrade, 89 Octa, MUM 2.5A
 NSN : 9130-01-272-0983
 PURCHASE REQUEST NO. SC0600-00-0416

MUM REQUIREMENT TOTALS ARE AS FOLLOWS

TOTAL	SET ASIDE	8(A) RESERVATION	NON SET ASIDE
QUANTITY (USG)	QUANTITY (USG)	QUANTITY (USG)	QUANTITY (USG)
700,000	0	0	700,000

THE TOTAL ESTIMATED MUM QUANTITY TO BE PURCHASED IS -- 700,000
 OFFSHORE MUM 700,000

SUPPLIES TO BE OFFERED (DOMESTIC BULK)
 OFFSHORE MUM ESCALATOR Off Shore MUM

LINE ITEM	LOCATION	CITY	STATE
0801	DFSP GUANTANAMO BAY	CUBA	CU
	N60514	910700000	
QUANTITY 700,000	8A QUANTITY 0		SA QUANTITY 0

THE VOLUME WILL BE LIFTED IN A MAXIMUM OF TWO LIFTS.

MODE	RECEIPT%	FSII	SDA	CI
TANKER		NONE	NONE	NONE

0802	DFSP GUANTANAMO BAY	CUBA	CU
	N60514	910700000	
QUANTITY 700,000	8A QUANTITY 0		SA QUANTITY 0

** END USER CAN BE SUPPLIED THROUGH TERMINAL DFSP GUANTANAMO BAY,CUBA
 THE VOLUME WILL BE LIFTED IN A MAXIMUM OF TWO LIFTS.

MODE	RECEIPT%	FSII	SDA	CI
TANKER		NONE	NONE	NONE

B19.33 ECONOMIC PRICE ADJUSTMENT - PUBLISHED MARKET PRICE (DOMESTIC BULK) (DESC MAR 1997)(a) **WARRANTIES.** The Contractor warrants that--

(1) The base unit prices set forth in the Schedule do not include allowances for any portion of the contingency covered by this clause; and

(2) The prices to be invoiced shall be computed in accordance with the provisions of this clause.

(b) **DEFINITIONS.** As used throughout this clause, the term--

(1) **Base unit price** means the unit price set forth opposite the item in the Schedule.

(2) **Market price** means the price to be used in determining an economic price adjustment of the base unit price of an individual product for the market area and time period specified in this clause. The market price is derived from quotes, assessments, or sales prices in the market place for one or several items or commodity groups as reported in a consistent manner in a publication, electronic data base, or other form, as determined by an independent trade association, governmental body, or other third party independent of the Contractor.

(i) **Base market price** means the price as shown in Column V of the Table below which is the market price from which economic price adjustments are calculated pursuant to this clause.

(ii) **Adjusting market price** means the market price for deliveries during the most recent period, as defined in the Table below.

(3) **Date of delivery** is defined as follows:

(i) **FOR TANKER OR BARGE DELIVERIES.**

(A) **F.O.B. ORIGIN.** The date and time vessel commences loading.

(B) **F.O.B. DESTINATION.** The date and time vessel commences discharging.

(ii) **FOR PIPELINE DELIVERIES.** The date and time product commences to move past the specified f.o.b. point.

(iii) **FOR ALL OTHER TYPES OF DELIVERIES.** The date product is received.

(c) **ADJUSTMENTS.**

(1) Subject to the provisions of this clause, the price payable shall be the base unit price in effect on the date of delivery increased or decreased by the same number of cents, or fraction thereof, that the adjusting market price increases or decreases, per like unit of measure, from the base market price.

(2) **CALCULATIONS.** All calculations shall be rounded to six decimal places.

(3) **MODIFICATIONS.** Any resultant price changes to the base market price and base unit price shall be executed by the Contracting Officer through a weekly price adjustment modification effective each Tuesday.

(4) **FAILURE TO DELIVER.** Notwithstanding any other provisions of this clause, no upward adjustment shall apply to product scheduled under the contract to be delivered before the effective date of the adjustment, unless the Contractor's failure to deliver according to the delivery schedule results from causes beyond the Contractor's control and without its fault or negligence, within the meaning of paragraphs (f), Excusable Delays, and (m), Termination for Cause, of the CONTRACT TERMS AND CONDITIONS - COMMERCIAL ITEMS clause of this contract, in which case the contract shall be amended to make an equitable extension of the delivery schedule.

(5) **UPWARD CEILING ON ECONOMIC PRICE ADJUSTMENT.** The Contractor agrees that the total increase in any contract unit price, pursuant to these economic price adjustment provisions shall not exceed 60 percent of the original base unit price in any applicable program year (whether a single year or multiyear program), except as provided hereafter.

(i) If at any time the Contractor has reason to believe that within the near future a price adjustment under the provisions of this clause will be required that will exceed the current contract ceiling price for any item, the Contractor shall promptly notify the Contracting Officer in writing of the expected increase. The notification shall include a revised ceiling which the Contractor believes is sufficient to permit completion of remaining contract performance, along with appropriate explanation and documentation as required by the Contracting Officer.

(ii) If an actual increase in the established market price would raise a contract unit price for an item above the current ceiling, the Contractor shall have no obligation under this contract to fill pending or future orders for such item, as of the effective date of the increase, unless the Contracting Officer issues a contract modification to raise the ceiling. If the contract ceiling will not be raised, the Contracting Officer shall so promptly notify the Contractor in writing.

B19.33 (CONT'D)**(6) REVISION OF MARKET PRICE INDICATOR.** In the event--

(i) Any applicable market price indicator is discontinued or its method of derivation is altered substantially; or

(ii) The Contracting Officer determines that the market price indicator consistently and substantially fails to reflect market conditions,--

the parties shall mutually agree upon an appropriate and comparable substitute and the contract shall be modified to reflect such substitute effective on the date the indicator was discontinued, altered, or began to consistently and substantially fail to reflect market conditions. If the parties fail to agree on an appropriate substitute, the matter shall be resolved in accordance with paragraph (d), Disputes, of the CONTRACT TERMS AND CONDITIONS - COMMERCIAL ITEMS clause of this contract.

(d) **CONVERSION FACTORS.** If this clause requires quantity conversions for economic price adjustment purposes, the factors specified in the CONVERSION FACTORS clause shall apply, unless otherwise specified in the Schedule.

(e) **EXAMINATION OF RECORDS.** The Contractor agrees that the Contracting Officer or designated representative shall have the right to examine the Contractor's books, records, documents, or other data the Contracting Officer deems necessary to verify Contractor adherence to the provisions of this clause.

(f) **FINAL INVOICE.** The Contractor shall include a statement on the final invoice that the amounts invoiced hereunder have applied all decreases required by this clause.

(g) TABLE.

I	II	III	IV	V
		Heading under which market indicator is published and <u>name of product</u>	Location where market price <u>is applicable</u>	Base market price as of <u>AUG 15, 2000</u> (excludes all taxes) (see note(s) below)
<u>Item No.</u>	<u>Name of Publication</u>			
EAST/GULF JP5/JP8	PLATT'S OILGRAM PRICE REPORT	JET KERO 54	U.S GULF COAST PIPELINE	\$.841500

The reference price shall be determined as follows: 100% U.S. Gulf Coast Pipeline (Average Low and High)

EAST/GULF F76	PLATT'S OILGRAM PRICE REPORT	NO. 2	U.S. GULF COAST PIPELINE	\$.808500
------------------	------------------------------------	-------	-----------------------------	-----------

The reference price shall be determined as follows: 100% U.S. Gulf Coast Pipeline (Average Low and High)

EAST/GULF MUM	PLATT'S OILGRAM PRICE REPORT	UNL MIDGRADE 89	U.S. GULF COAST PIPELINE	\$.845000
------------------	------------------------------------	-----------------	-----------------------------	-----------

The reference price shall be determined as follows: 100% U.S. Gulf Coast Pipeline (Average Low and High)

B19.33 (CONT'D)

Note: . “The MUM base price of \$.845000 is a 9.0 Reid Vapor Pressure (RVP) price effective August 15, 2000. The 9.0 (RVP) price shall be used whenever it is published by Platt’s. However, at time when no 9.0 RVP price is published, the prevailing published price shall be used and base reference price adjusted to accommodate for price differences. At time when multiple RVP prices are published by Platt’s the price for RVP closest to the 9.0 RVP shall be used. Accordingly, the following weighted average differentials shall be used to adjust the base reference/market price and are set as follows:

Platt’s 7.8 RVP - .9792*Midgrade (USG) + .0208* normal Butane (Mt. Belvieu)

Platt’s 9.0 RVP – No adjustment

Platt’s 11.5 RVP – 1.0479* Midgrade (USG) - .0479* normal Butane

Platt’s 13.5 RVP – 1.0919* Midgrade (USG) -.0919* normal Butane

Note: The East/Gulf Coast adjusting market price will be firm for weekly periods and is defined as the average of the applicable daily Platt’s spot assessment quotations effective for the prior week. The simple average of the daily average highs and lows of the prices effective Monday through Friday (except any days prices are not published) shall be the adjusting market price effective for the following Tuesday through Monday..

(DESC 52.216-9F33)

SECTION C

C1 SPECIFICATIONS (DESC JAN 1997)

Product to be supplied shall fully meet the requirements of the applicable specification(s) as indicated in the Supply Schedule, except as modified elsewhere in this contract. Unless otherwise indicated by the Contractor, prior to award and in accordance with the EVALUATION OF OFFERS clause, the product offered will be assumed to fully meet the applicable specification(s).

(DESC 52.246-9FT5)

C1.02 DODISS SPECIFICATIONS (DESC AUG 2000)

Unless otherwise specified, the issues of Federal and Military specifications, standards, and related standardization documents and those non-Government standards adopted for Department of Defense use, which are cited in this solicitation/contract, are those listed in the Department of Defense Index of Specifications and Standards (DODISS) dated July 1, 2000.

(DESC 52.246-9FT1)

C16.01 TURBINE FUEL, AVIATION (JP4/JP5) (BULK) (DESC MAY 2000)

(a) Specification MIL-DTL-5624T, dated September 18, 1998, Turbine Fuel, Aviation, Grades JP4 and JP5, applies. The requirements of Table 1 in the specification are modified as follows:

(1) **FILTRATION TIME TESTING.** Round upwards when reporting the filtration time, in minutes. For example, a filtration time of 4 minutes, 22 seconds, would be reported as 5 minutes.

(2) **HYDROGEN CONTENT.** ASTM D 5291 may be used in lieu of ASTM D 3701.

(3) **MICRO-SEPAROMETER (MSEP) REQUIREMENTS.** Prior to initial production under this contract, the Contractor shall elect, on a one-time basis, which MSEP limit will be met for the balance of the contract. If the Contractor introduces Fuel System Icing Inhibitor (FSII) and/or CI after verification of product conformance with the MSEP requirement, the product is not required to meet a fixed limit on subsequent MSEP tests.

(4) If the Contractor elects to verify conformance with the MSEP requirement on a sample of product that does not contain FSII and CI, an additional MSEP test shall be performed on a handblend containing jet fuel, FSII, CI, and AO (AO only if required). The MSEP result on this handblend is a REPORT ONLY requirement and shall be recorded corresponding to item 750X, both on the Standardized Test Report Form (see Attachment 5) and on the DD Form 250-1. This result shall be recorded with an asterisk next to it, and with a footnote below, stating "MSEP result is a 'Report Only' requirement. Original result of _____ (fill in actual result) on product containing the following additives: _____ (fill in combination of additives)."

(5) **THERMAL STABILITY.** The thermal stability test (JFTOT), ASTM D 3241, shall be performed according to either Option A or B described below:

(i) **OPTION A.** In addition to the thermal stability testing requirements of MIL-DTL-5624T, an additional JFTOT test shall be performed with the temperature of the test being 275°C (530°F). Shipments will not be delayed pending results of this additional JFTOT test.

(ii) **OPTION B.** The thermal stability test shall be performed with the temperature of the test being 275°C (530°F) in lieu of the normal 260°C (500°F). If the fuel fails the JFTOT at this temperature, a second test will be performed at 260°C (500°F). If both tests are performed, the results of the test at 260°C (500°F) will be the basis for acceptance or rejection of the fuel.

(iii) Regardless of which option is chosen (Option A or B above), the test temperature and the results of the JFTOT shall be recorded on the DD Form 250-1 and on the Standardized Test Report Form. If using the Standardized Test Report Form, the results obtained at 260°C shall be reported as using series "B" for item numbers 601, 602, and 603. If another temperature is used, use series "A" to report the results and item 604A to report the test temperature.

C16.01 (CONT'D)**(b) ADDITIVES.**

(1) Additives are required for deliveries of JP4 and JP5, per MIL-DTL-5624T, unless addition is excluded by specific solicitation line item, applicable contract clause, or other contractual requirement. FSII included in jet fuel shall conform to MIL-DTL-85470B dated June 15, 1999.

(2) The DD Form 250-1 for marine shipments shall cite the type, name, and amount (in milligrams per liter) of additives added to the fuels.

(3) The CI/LI additive(s) used shall be of the type and concentration cited in QPL 25017-18 dated February 27, 1998. Only the following CI/LI additives are approved for inclusion in fuel shipments to overseas NATO countries: Apollo PRI-19, Octel DCI-4A, HITEC 580, NALCO/EXXON 5403, Mobilad F800, IPC 4410, and IPC 4445.

(4) For JP4 containing hydrogen-treated blending stocks, the following applies: Where a finished fuel consists of a blend of hydrogen-treated and nonhydrogen-treated components, the requirement for mandatory addition of antioxidant (MIL-DTL-5624T, paragraph 3.3.1) applies only to the portion of the blend that has been hydrogen treated. In such cases the proportion of the blend that has been hydrogen treated shall be reported.

(5) Line injection of additives (FSII and corrosion inhibitor) from shipping tank to delivery conveyance or other f.o.b. point is permitted under the following conditions:

(i) Additives must be proportionately injected throughout the entire loading process to ensure the additive is homogeneously blended into the jet fuel. The Contractor shall maintain records evidencing the homogeneous blending of all line injected additives. Such methods may include meter or tank gauge readings or test results taken at intervals to provide confidence in the injection process.

(ii) When FSII is required, additive concentration must be verified based on a representative shipment sample(s).

(iii) Conformance to specification requirements at the custody transfer point is required; however, prior to shipment, a laboratory handblend of jet fuel with all additives required by this contract shall be tested to verify compliance with the required specification (except for Reid Vapor Pressure (RVP) and MSEP). Using a separate representative sample, RVP analysis of JP4 shall be performed without the additives present due to the sensitivity of the test to sampling and handling. MSEP analysis shall be performed per Contractor's election in MIL-DTL-5624T, dated September 18, 1998.

(6) When the addition of Static Dissipator Additive (SDA) is required by the contract, the new formulation of STADIS 450 (active ingredient dinonaphthylsulfonic acid (DINNSA)) shall be used.

(c) APPLICABLE TO JP5 ONLY.

(1) **FLASH POINT TESTING.** The referee procedure for performing flash point testing of JP5 jet fuel shall be the manual version of ASTM D 93 as opposed to the automated version of ASTM D 93.

(2) **REPORTS.** Refer to the MATERIAL INSPECTION RECEIVING REPORT clause for reporting requirements. In addition, copies of the applicable DD Form 250 or DD Form 250-1 shall be submitted with a laboratory analysis report for each tank of product lifted. This documentation shall be submitted to the address identified in the MATERIAL INSPECTION AND RECEIVING REPORT clause and to the address shown below:

NAVAL AIR SYSTEMS COMMAND
FUELS AND LUBRICANTS DIVISION, AIR 4.4.5
22229 ELMER ROAD, UNIT 4, BLDG 2360
PATUXENT RIVER, MD 20670-1534

C16.01 (CONT'D)**(d) APPLICABLE TO JP4 ONLY.**

(1) With the exception of the fuel electrical conductivity test requirement, JP4 must meet the specification test requirements of MIL-DTL-5624T with all additives required by this contract included, except SDA. After verifying specification conformance, SDA, when required by this contract, shall be added proportionately to obtain a conductivity range of 150-600 picosiemens per meter. SDA will not be preblended with FSII, but may be injected simultaneously. The Contractor is not required to report or verify the conductivity level when SDA is injected while loading delivery conveyances due to the SDA equilibrium rate in JP4. The receiving activity will measure the conductivity and advise the Quality Representative to have the Contractor adjust the SDA injection quantity if necessary.

(2) SDA is required to be added to all JP4 shipped directly to an end user by tank truck, tank car, barge, or pipeline without passing through a terminal. SDA is not required in shipments to (through) a DESP.

(3) **REPORTS.** Refer to the MATERIAL INSPECTION AND RECEIVING REPORT clause for reporting requirements.

(DESC 52.246-9FNK)

C16.18-6 GASOLINE, AUTOMOTIVE, UNLEADED (REGULAR/MIDGRADE/PREMIUM) (DESC SEP 1998)

Product shall conform to ASTM D 4814 with the following additional requirements:

(a) **OCTANE REQUIREMENT.** The Government's octane requirement is expressed by the Anti-Knock Index (AKI). The AKI is the average of the research octane number (RON) and the motor octane number (MON). The minimum AKI values are identified in (b) below. If the AKI value is not reported, then the RON value and the sensitivity of the fuel shall be reported. The sensitivity is the difference between the RON and the MON. The sensitivity of the fuel shall be 10 or less.

(b) **PRODUCT CLASSIFICATION.** The product shall be classified as described below:

NATIONAL STOCK NUMBER	PRODUCT NOMENCLATURE	AKI, MINIMUM
9130-00-148-7103	Gasoline, Regular, Unleaded	87
9130-01-272-0983	Gasoline, Midgrade, Unleaded	89
9130-00-148-7104	Gasoline, Premium, Unleaded	91

(c) **VAPOR PRESSURE.** The volatility class shall be as stated in the Schedule.

(d) **ADDITIVES.** Additives and additive concentration shall be as specified below. Application for approval of additives not listed below should be made to DESC-BP.

(1) **OXIDATION INHIBITORS.** The gasoline shall contain not less than five pounds nor more than 15 pounds of oxidation inhibitor (active ingredient) per 1,000 barrels of gasoline. Any one of a combination of the following oxidation inhibitors may be used:

- (i) N,N' disecndary butyl-para-phenylenediamine
- (ii) N,N' di-isopropyl-paraphenylenediamine
- (iii) N,N' dioctyl-para-phenylenediamine
- (iv) N,N' -bis-(1,4-dimethylpentyl)-para-phenylenediamine
- (v) N,N' disecndary butyl-ortho-phenylenediamine

C16.01 (CONT'D)

- (vi) 2,6-ditertiary-butyl phenol
- (vii) 2,6-ditertiary-butyl-4-methylphenol
- (viii) 2,4-dimethyl-6-tertiary butylphenol
- (ix) Triethylene tetramine di(monononyphenolate)
- (x) Mixed tertiary butylphenols
- (xi) N, secondary butyl, N, pheny-ortho-phenylenediamine
- (xii) Mixed 2,6-dialkyl and 2,4,6-trialkyl phenols (containing mixed hexyl and heptyl groups)
- (xiii) 2,4-ditertiary-butylphenol (60 weight percent minimum) and mixed tertiary butylphenols (40 weight percent maximum)
- (xiv) 2,4-ditertiary-butylphenol (containing mono tritertiary butylphenol)
- (xv) Butylated ethyl phenols (55 weight percent minimum) and butylated methyl and dimethyl phenols (45 weight percent maximum)

(2) **METAL DEACTIVATORS.** The gasoline shall contain not less than one pound nor more than three pounds of an approved metal deactivator (active ingredient) per 1,000 barrels of gasoline. Any one of the following metal deactivators may be added separately or in combination with an approved oxidation inhibitor:

- (i) N,N' disalicylidene -1,2-ethanediamine
- (ii) N,N' disalicylidene -1,2-propanediamine
- (iii) N,N' disalicylidene -1,2-cyclohexanediamine
- (iv) Disalicylidene-N-methyl-dipropylene-triamine

(3) **CORROSION INHIBITOR.** An approved corrosion inhibitor may be added. Any corrosion inhibitor used shall be a product that is qualified under MIL-I-25017. The quantity added shall not exceed the maximum approved in the qualified products list (QPL-25017).

(e) **WATER TOLERANCE REQUIREMENT.** The maximum temperature for phase separation as determined by the water tolerance test shall be 10°C.

(DESC 52.246-9FHK)

C16.23 FUEL, NAVAL DISTILLATE (F76) (DESC MAY 2000)

Military Specification MIL-F-16884J dated May 31, 1995, applies with the following modifications:

(a) **HYDROGEN CONTENT.** ASTM D 5291 may be used in lieu of ASTM D 4808.

(b) **APPEARANCE REQUIREMENT.** Delete appearance requirement in footnote 1, table 1, in the specification and replace with the following: The appearance requirement is tested by ASTM D 4176, procedure 1. If the ASTM D 4176, procedure 1, result is anything other than "**clear and bright with no visible particulates**", then the product must meet the requirements of ASTM D 2709, 0.05 percent volume, maximum. The fuel is acceptable for appearance if the water and sediment content is 0.05 percent volume or less. If the sample fails ASTM D 4176, procedure 1, because it contains visible sediment or particulate matter, but meets the requirements of 10 milligrams per liter, maximum, in accordance with ASTM D 5452, then the fuel is considered acceptable provided all other requirements are met.

(c) **ACID NUMBER REQUIREMENT.** Delete the acid number requirement in table 1 in the specification and replace with the following: Acid number, mg KOH/g, max., 0.30, ASTM D 974(R), ASTM D 664.

(d) **COLOR DETERMINATION.** ASTM D 6045-96 may be used as a substitute test method for ASTM D 1500.

(e) **CLOUD POINT.** Alternate test methods may be used to assess low temperature flow as detailed below:

(1) Automated Cloud Point Methods. ASTM test methods D 5771-95, D 5772-95, and D 5773-95 may each be used individually and without modification as substitute test methods for ASTM D 2500-98.

C16.23 (CONT'D)

(2) **Cold Filter Plug Point Methods.** ASTM test method D 6371-99 or IP test method 309/83 may be used as a substitute for the cloud point test on the condition that the test procedure is modified as follows: start the test (apply vacuum to the test specimen for the first time) when the fuel sample temperature reaches minus 1 degree C. If the time required for 20 milliliters of fuel to be filtered through the wire mesh filter exceeds 60 seconds, record the test result as a failure. If the time required for the 20 milliliter sample to flow through the filter is 60 seconds or less, record the test result as a pass. Do not repeat application of vacuum at successively lower temperatures. This procedure represents a modification of the requirement outlined in paragraph 12.1.8 of ASTM D 6371-99 (paragraph 7.6 of IP method 309/83) that vacuum be applied to the test specimen immediately after the test jar is inserted into the cooling jacket or, at a minimum, when the fuel is at least 5 degrees C above its cloud point.

(3) **Low Temperature Flow Test Method.** ASTM test method D 4539-98 may be used as a substitute for the cloud point test on the condition that the following test procedure is selected: start the test (apply vacuum to the test specimen for the first time) when the fuel sample temperature reaches minus 1 degree C. This "**specific test temperature**" approach is called out in paragraphs 3.2 and 7.15 of ASTM D 4539-98. Criteria for determining passing and failing results shall be as specified in paragraph 7.13 of the ASTM procedure. Do not repeat application of vacuum at successively lower temperatures.

(f) **STABILIZER ADDITIVE.** Line injection of stabilizer additive is permitted under the following conditions:

(1) A laboratory hand blend containing the additive F76 must be tested to verify compliance with all specification requirements.

(2) The additive must be proportionately injected throughout the entire loading process to ensure the additive is homogeneously blended into the F76. The Contractor shall maintain records evidencing the homogenous blending of the line injected additive. Such methods may include meter or tank gauge readings taken at intervals to provide confidence in the injection process.

(g) **REPORTS.** Refer to the MATERIAL INSPECTION AND RECEIVING REPORT clause for reporting requirements.

In addition, copies of the applicable DD Form 250 or DD Form 250-1 shall be submitted with a laboratory analysis report for each tank of product lifted. This documentation shall be submitted to the address identified in the MATERIAL INSPECTION AND RECEIVING REPORT clause and the address shown below:

CODE 03M3
COMMANDER
NAVY SEA SYSTEMS COMMAND
2531 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VA 22242-5160

NAVAL AIR SYSTEMS COMMAND
FUELS AND LUBRICANTS DIVISION, AIR 4.4.5
22229 ELMER ROAD, UNIT 4, BLDG 2360
PATUXENT RIVER, MD 20670-1534

(h) **RED DYE.** (Does not apply to Atlantic/Europe/Mediterranean or Western Pacific Overseas Bulk purchase programs unless offering refinery is located in the United States or one of its possessions.) Red dye required in off-highway diesel fuel in accordance with 40 CFR Part 80 as modified by the Environmental Protection Agency's interim final rule published in the Federal Register dated July 14, 1994, shall not be added to F76 supplied. The finished product shall show no visual evidence of red dye. This product is for military, off-highway use only and must be segregated at all times from any diesel fuel used on-highway.

(DESC 52.246-9FBE)

C16.64-3 TURBINE FUEL, AVIATION (JP8) (DESC JUL 2000)

Aviation Turbine Fuel shall conform to MIL-DTL-83133E, dated April 1, 1999, modified as follows:

(a) **REFINERIES IN ALASKA.** For fuels refined in Alaska and delivered to Alaska locations, the total acid number specification limit is relaxed to 0.020 mg KOH/g maximum.

(b) **ADDITIVES.** Additives are required for deliveries of JP8 per MIL-DTL-83133E, unless addition is excluded by specific solicitation line item, applicable contract clause, or other contractual requirements.

(1) Metal deactivator additive shall not be used in JP8 unless the supplier has obtained written consent from the Procuring Activity.

(2) For JP8 containing hydrogen treated blendstocks, the following applies: Where a finished fuel consists of a blend of hydrogen treated and nonhydrogen treated components, the requirement for mandatory addition of antioxidant (MIL-DTL-83133E, paragraph 3.3.1) applies only to the portion of the blend that has been hydrogen treated. In such cases, the percentage of the blend that has been hydrogen treated shall be reported.

(3) The CI/LI additive(s) used shall be of the type and concentration cited in QPL 25017-18 dated February 27, 1998.

(4) When required, Fuel System Icing Inhibitor (FSII) shall conform to MIL-DTL-85470B, dated June 15, 1999, at a concentration of 0.10 to 0.15 volume percent, unless otherwise stated in the Schedule.

(5) Static Dissipator Additive (SDA) is required to be added to all JP8 shipped directly to an end user without passing through a terminal. SDA is not permitted in shipments to/through a fuel terminal that supplies an end user unless authorized in the Schedule. When SDA is required by this contract, it shall be added proportionately to obtain a conductivity range of 150 to 450 picosiemens per meter. The new formulation of STADIS 450 (active ingredient dinonynaphthylsulfonic acid (DINNSA)) shall be used when SDA is required.

(6) Line injection of additives (FSII, corrosion inhibitor, and SDA) from shipping tank to delivery conveyance or other f.o.b. point is permitted under the following conditions:

(i) A laboratory hand blend containing the required additives and jet fuel must be tested to verify compliance with the required specification. (Micro-Separometer (MSEP) can be performed without SDA present.)

(ii) Additives must be proportionately injected throughout the entire loading process to ensure the additive is homogeneously blended into the jet fuel. The Contractor shall maintain records evidencing the homogeneous blending of all line injected additives. Such methods may include meter or tank gauge readings or test results taken at intervals to provide confidence in the injection process.

(iii) When FSII is line injected, additive concentration (refer to MIL-DTL-83133E specification for test methods permitted) must be verified based on a representative shipment sample(s).

(c) **TESTING.**

(1) **PARTICULATE CONTAMINATION (PC) TESTING AND FILTRATION TIME (FT) TESTING.**

(i) **PC/FT TESTING.** A minimum sample size of one gallon shall be filtered. Use of two membrane filters (a test membrane filter and a control membrane filter) is not required. Use of a single filter is acceptable.

(ii) **FT TESTING.** Round upwards when reporting the filtration time, in minutes. For example, a filtration time of 10 minutes, 18 seconds, would be reported as 11 minutes.

(2) **FUEL ELECTRICAL CONDUCTIVITY.** In those cases where SDA is line injected while loading delivery conveyances (e.g., trucks) and insufficient time is available for the fuel to reach equilibrium before departure of the conveyance, the Contractor is not required to report or verify the conductivity level. This does not relieve the Contractor of the requirement to inject SDA homogeneously and in sufficient quantity to obtain a conductivity level which the Contractor would anticipate to be between 150 and 450 picosiemens per meter once fuel is at equilibrium. The receiving activity will measure the conductivity and advise the Quality Representative to have the Contractor adjust the SDA injection quantity if necessary.

C16.64-3 (CONT'D)**(3) WATER SEPARATION INDEX MODIFIED (WSIM)/MSEP RATING LIMITS.**

(i) Refer to MIL-DTL-83133E.

(ii) Prior to initial production under this contract, the Contractor shall elect, on a one-time basis, which MSEP limit will be met for the balance of the contract. If the Contractor introduces FSII and/or CI after verification of product conformance with the MSEP requirement, the product is not required to meet a fixed limit on subsequent MSEP tests.

(iii) If the Contractor elects to verify conformance with the MSEP requirement on a sample of product that does not contain FSII and CI, an additional MSEP test shall be performed on a hand blend containing jet fuel, FSII, CI, and AO (AO only if required). The MSEP result of this hand blend is a REPORT ONLY requirement, and shall be recorded on the DD Form 250-1 and on the Standardized Report Form (see Attachment 5) as item 750X. This result shall be—recorded with an asterisk next to it and a footnote below stating "MSEP result is a report only requirement." Original result of _____ on product containing the following additives applies:

(4) **THERMAL STABILITY.** The thermal stability test (JFTOT), ASTM D 3241-98A, shall be performed according to either Option A or B described below:

(i) **OPTION A.** In addition to the thermal stability testing requirements of MIL-DTL-83133E, an additional JFTOT shall be performed with the temperature of the test being 275 degrees Celsius (530 degrees Fahrenheit) in lieu of the normal 260 degrees Celsius (500 degrees Fahrenheit).

(ii) **OPTION B.** The thermal stability test shall be performed with the temperature of the test being 275 degrees Celsius (530 degrees Fahrenheit). If the fuel fails the JFTOT at this temperature, a second test will be performed at 260 degrees Celsius (500 degrees Fahrenheit). If both tests are performed, the results of the test at 260 degrees Celsius (500 degrees Fahrenheit) will be the basis for acceptance or rejection of the fuel.

(5) **EXISTENT GUM.** The existent gum test (ASTM D 381-99) may be performed using air as the vaporizing medium in lieu of steam.

(d) REPORTS.

(1)) Refer to the MATERIAL INSPECTION AND RECEIVING REPORT clause (52.246-9FG1) for additional reporting requirements.

(2) Regardless of which option is chosen (Option A or B above), the test temperature and the results of the JFTOT shall be recorded on the DD Form 250-1 and on the Standardized Test Report Form. If using the Standardized Test Report Form, the results obtained at 260 degrees Celsius shall be reported using series "B" for item numbers 601, 602, and 603. The results obtained at 275 degrees Celsius shall be reported using series "A" for item numbers 601, 602, and 603. A separate report form is not required for the 275 degrees Celsius test result.

(3) The DD Form 250-1 for marine shipments shall cite the type, name and amount of additives added to the fuel.
(DESC 52.246-9FNW)

SECTION E

THE FOLLOWING CLAUSE APPLIES TO--

1. ALL LUBRICATING OIL DELIVERIES.
2. ALL AVIATION FUEL DELIVERIES.
3. ALL BULK DELIVERIES; EXCEPT FOR PC&S BULK DELIVERIES WHERE THIS CLAUSE APPLIES ONLY TO DELIVERIES BY BARGE, VESSEL, OR PIPELINE.

E1 CONTRACTOR INSPECTION RESPONSIBILITIES (DESC AUG 2000)

(a) QUALITY CONTROL PLAN.

(1) The Contractor is required (unless otherwise instructed by the Government) to provide and maintain an inspection system and a written description (Quality Control Plan (QCP)) acceptable to the Government. The Contractor has the option to provide and maintain an inspection system that, as a minimum, incorporates the requirements of: Q91 (ISO9001) Quality Systems - Model for Quality Assurance in Design/Development, Production Installation, and Servicing, or Q92 (ISO9002) Quality Systems - Model for Quality Assurance in Production and Installation. If the contractor chooses to comply with Q91 or Q92 quality system format, all the specific Quality Assurance Provisions of this contract must be included in the Q91, Q92 written quality plan. The QCP shall be established and reviewed for adequacy by the Quality Representative (QR) prior to commencement of production or services. The copy of the QCP provided to the QR shall be in English. An acceptable QCP is required prior to Government inspection and acceptance of supplies or services. The QCP shall be reviewed and updated when deemed necessary. It will be updated anytime that changes are made to the inspection system or as identified by quality problems. The Contractor must sign and date each revision to the QCP and require subcontractors to sign and date each revision to the subcontractor's QCP.

(2) The Contractor shall require subcontractors (unless otherwise instructed by the Government) to provide and maintain inspection systems and QCPs that are acceptable to the Government.

(3) The QCP shall include an identification of key operational positions, a schematic diagram of plant facilities pertinent to the inspection system indicating all inspection points, and a description covering the following operations relating to the supplies to be furnished under the contract:

(i) **RECEIVING.** Procedures used to assure quality of additives blended into product supplied under this contract;

(ii) **BLENDING AND COMPOUNDING.** Identification of component base stocks used to produce finished product. Procedures to be used for adding, prior to batching, all required additives at all locations. When procedures for in-line blending of non-aviation products in accordance with the IN-LINE BLENDING OF NON-AVIATION PETROLEUM PRODUCTS clause are used, the QCP will provide for establishing blend ratios, and identify the responsible personnel within the Contractor's organization authorized to establish the blend ratios. When procedures for line injection of additives for products in accordance with a clause that contains LINE INJECTION OF ADDITIVES as used, the QCP will provide procedures for proportionately injecting additives throughout the entire loading process to ensure the additive is homogeneously blended into the jet fuel, procedures for maintaining recordings evidencing the homogeneous blending of all line injected additives. Prior to shipment, a procedure for a laboratory hand blend of jet fuel with all additives required by the contract shall be tested to verify compliance with the required specification;

(iii) **SAMPLING.** Procedures for sampling additives, blend tanks, shipping tanks, lines, and conveyances/containers in accordance with API Manual of Petroleum Measurement Standards (MPMS), Chapter 8, Section 1, (ASTM D 4057) Sampling of Petroleum and Petroleum Products, and/or Section 2, (ASTM D 4177), Automatic Sampling of Petroleum and Petroleum Products. Procedures include location of sample taken, frequency, quantity, minimum tests required on sample, and sample retention procedures. NOTE: For f.o.b. origin tanker, barge, and pipeline shipments, a flow-proportional sample taken in accordance with MPMS Chapter 8.2, Automatic Sampling, is required at the custody transfer point. For other than f.o.b. origin shipments, Automatic In-Line Sampling is preferred at the custody transfer point, but representative samples taken in accordance with MPMS Chapter 8, Section 1, are acceptable. See Table I, Minimum Sampling and Testing Requirements, and Table II, Sample Retention, below;

(iv) **TESTING.** Types of tests and test methods/procedures to be performed on samples taken from each location identified in (iii) above, and may be incorporated by test method reference in the QCP, if complete reference is available at the place of performance. See Table III, "Definition of Test Series." below;

E1 (CONT'D)

(v) **CALIBRATION.** Program for testing and measuring equipment in accordance with ISO 10012-1, "Quality Assurance Requirements for Measuring Equipment, Part 1, or equivalent local regulation as appropriate; and, a program for meters used to determine quantity complying with the American Petroleum Institute Manual of Petroleum Measurement Standards, Chapters 4, 5, and 6, or equivalent foreign standard. For items not covered by ASTM, API or IP publications, the applicable manufacturer's recommended calibration method, or methods outlined in the applicable industry publication, shall be used if acceptable to the Government;

(vi) **STORAGE AND HANDLING.** Procedures for quality determination and maintenance of physical equipment necessary to ensure product integrity. Includes a description of storage and handling equipment including tanks, lines, valves, and manifolds used; identification of dedicated/common product system including description of line segregation and controls to assure capability for proper gauging, sampling, draining of water, filtration, circulation, drying; and identification of any other process/system used in maintaining product integrity during storage and handling;

(vii) **LOADING AND SHIPPING, GENERAL.** Procedures for product movement and related quality/quantity checks from shipping tank(s) to custody transfer point in order to maintain product integrity. Provide description of transfer system from shipping tank to transfer point in order to maintain product integrity. System must be a dedicated or properly isolated common system incorporating blind flanges, spectacle plates, or double valves between them to prevent contamination. Single valves designed to provide the same protection are also acceptable if positive isolation is assured. Systems with single valve (excluding twin seal single valves) isolation require specific procedures be included in the QCP to assure product integrity after the last single valve and prior to the acceptance point. When single valves are present in the system, the contractor shall provide their quality control procedures from the first single valve to the custody transfer point at time of bid to the contracting officer for determination of acceptability. Procedures for conditioning and testing of improperly isolated systems to the custody transfer point (including loading arm and hoses used). For in-line blending of non-aviation products, where approved in this contract, requirements must comply with the IN-LINE BLENDING OF NONAVIATION PETROLEUM PRODUCTS clause;

(viii) **LOADING AND SHIPPING - TANK CARS, TANK TRUCKS, AND INTERMODAL CONTAINERS.** Inspect conveyances prior to loading to determine quality/quantity suitability to load as follows: All compartments have been prepared in accordance with Table IV, Conversion Chart for Tank Cars, Tank Trucks, and Intermodal Containers, below. Preparation requirements include hoses. Conveyances carrying lubricating oil will be dry and free from loose rust, scale, and dirt. Conveyances carrying other products will be dry and substantially free from loose rust, scale and dirt. (Procedures to confirm, prior to loading, quality and quantity of product in conveyance when requested by the ordering office to "load on top." Reject conveyance if product cannot be identified or product on board does not meet specification of intended load product. Provide for documentation of load on top occurrences for volume of product prior to load, loaded quantity, and total volume on board the conveyance. Confirm quality and quantity of loaded conveyance.) Provide for investigating discrepancies in either recorded quality or quantity. When required by the contract, seal conveyance and record seal numbers on the DD Form 250. Strainers and filters shall be located as near the loading or filling point as practicable and shall be used as outlined below for all deliveries except deliveries into tanker, barge, or pipeline.

(A) All aviation fuel shall be passed through strainers of 100 mesh or finer screen;

(B) All lubricating oil products, including preservatives, having a kinematic viscosity at 100°F of 20.0 centistokes or less shall be passed through a 100 mesh or finer screen;

(C) All lubricating oil products, including preservatives, having a kinematic viscosity greater than 20.0 centistokes at 100°F, but less than 22.0 centistokes at 210°F, shall be passed through a 60 mesh or finer screen; and

(D) The Contractor shall furnish and periodically inspect strainers and filters pursuant to this paragraph to determine condition and perform maintenance as necessary, keeping a written record thereof.

(ix) **LOADING AND SHIPPING - TANKERS AND BARGES.**

(A) **For f.o.b. destination Contractor-supplied tankers/barges.** State procedures to be used to ensure vessels are suitable to load the intended product.

E1 (CONT'D)

(B) **For f.o.b. origin Government supplied tanker/barges.** Procedures for maintaining time log of all significant events/delays including vessel notice of readiness, vessel arrival, docking, vessel deballasting, and conditioning of cargo tanks, inspections, hoses connected, starts, stops, release, or any other event that affects laytime of the vessel. Procedures for assuring condition of loading line (full of tested product, all air bled and pressure packed) and gauging shore tanks, both before and after loading. Procedures for preload discussion between Contractor, vessel, and QR to include, but not be limited to, prior three cargoes, cleaning procedures, loading plan, loading rates, sampling requirements, and after loading sampling and gauging. (Prior to loading - sample, gauge and test intransit cargoes designated for load on top. Sample (1 gallon), gauge, and retain any other product on board, except for JP-7 or JP-TS.) All cargo quantities will be calculated and volume corrected both before and after loading. Procedures for commencement of loading into one tank (up to 3 feet). Then switching to at most two other vessel tanks during sampling and testing (Table I). Procedures for the transportation of samples from vessel to the testing facility. Monitoring the loading from source to vessel, investigating irregularities immediately, stopping loading if necessary. Procedures for investigating discrepancies in quality (mandated if off-specification or out of testing tolerance) and quantity (mandated if ship to shore variance is greater than 0.5 percent or figures suspect) on loaded conveyance.

(C) **For both f.o.b. origin and destination supplied tankers/barges.** Procedures for immediately notifying the QR when irregularities occur or are suspected and on all occasions when loading is interrupted. Procedures for completing and distributing required documentation prior to release of the vessel. Documentation includes DD Form 250-1 and DD Form 250-1 continuation sheet, ullage reports, bills of lading, customs documentation, and results of quality/quantity investigations. **Authority to release a Government furnished vessel rests with the Government QR after compliance and completion by the Contractor of all required operations, including the preparation of the DD Forms 250-1.**

(x) **RECORDS AND REPORTS.** To include at a minimum, test reports on product and additives, additive blending and/or injection records, vessel port logs, vessel notice of readiness, calibration documents, and the DD Forms 250 and 250-1 and continuation sheet(s). These records and reports will include by whom, where, and how prepared, and retention information. The DD Form 250-1 and DD Form 250-1 continuation sheet(s) will be signed by the Contractor in the appropriate block before presenting to the QR). The DD Form 250 and DD Form 250-1 shall identify type, brand name, and amount of additive(s).

(xi) **CORRECTIVE ACTION.** Actions to be followed to effect correction of any deficiency affecting product quality or quantity determination, such as handling of off-specification product (waivers, conveyance rejections, etc.). The corrective action procedures shall include notification of the QR.

(4) The QCP shall identify one individual to serve as a point of contact for quality/quantity matters relating to the inspection system described in the plan.

(5) The Contractor is responsible for all inspection systems, QCPs, and product quality and quantity.

(6) The Government QR will be available to review and discuss the Contractor's proposed QCP; however, the Contractor shall remain responsible for developing and describing acceptable quality control procedures.

(b) The Contractor shall perform all inspection and acceptance tests required by the specifications of the supplies to be furnished under this contract or shall have such tests performed in a laboratory acceptable to the Government. When such tests are performed at origin on supplies to be accepted at destination, documentation that will enable verification of the original test results shall be provided to the Government at the time of acceptance.

(c) The Contractor may inspect Government-furnished tankers and barges prior to loading unless specifically prohibited by the Government QR. All other shipping conveyances, exclusive of tankers or barges, shall be inspected by the Contractor prior to loading to determine suitability for loading. If the Contractor and the QR disagree as to the suitability for loading of Government furnished conveyance for supplies to be accepted at origin, the determination of the QR shall govern. If the SHIPMENT AND ROUTING clause is included in this contract, Government-furnished transportation equipment that is unsatisfactory for loading shall be reported by the Contractor in accordance with the provisions contained in that clause. Procedures to determine suitability to load tank trucks and tank cars shall include but not be limited to visual inspection of interior compartments to assure cleanliness and dryness. Manifolds must be drained and be clean and dry for intended product.

(d) When requested by the U.S. Government, the Contractor shall furnish no more than five (ten in the case of jet fuel) 1-gallon samples of liquid product or five 1-pound samples of solid or semi-solid product from any individual batch or lot of the supplies to be furnished under this contract. Such samples shall be furnished without charge to the Government and shall be packed, marked, and shipped by the Contractor, at its expense.

E1 (CONT'D)

(e) The Contractor shall keep all quality and quantity records, including DD Form 250-series documents, complete and available to the Government during the performance of this contract and for three years after final payment under this contract.

(f) Immediately following award of this contract, the Contractor shall notify the QR of the source or sources of the supplies to be furnished under any item calling for delivery f.o.b. destination. The Contractor shall also notify the QR of any changes in source in sufficient time to permit inspection by the Government.

(g) The inspection system and related operations provided or performed pursuant to this clause shall be subject to surveillance by the QR.

E1 CONT'D**TABLE I****MINIMUM SAMPLING AND TESTING REQUIREMENTS⁽¹⁾**

LOCATION	WHEN SAMPLED	TYPE OF SAMPLE	TYPE OF TEST
1. Refinery/Terminal Shipping Tank	Each Batch Prior to Commencement of Shipping	All Level or Single Tank Composite	A (2)
2. Shipping Line (All Modes): Dedicated Line Common Line	Prior to Loading/Shipping	Line	C B
3. Custody Transfer Point	Immediately After Start of Shipment	Line	C
4. Tanker/Barge/Pipeline Custody Transfer Point	During Loading/Shipment	Representative Sample See Note, paragraph E1.a.(iii)	Retain Only
5. Tanker/Barge/Pipeline Custody Transfer Point	Hourly	Line	Visual (3) plus additive analysis for FSII & SDA, if line injected
6. Tanker/Barge First-In	After maximum of 3 feet loaded	Spot	C - plus Particulate and additive analysis for FSII & SDA, if line injected
7. Tanker/Barge	After Loading	Each Compartment	Workmanship, Density
8. Tanker/Barge	After Loading	Multi-Tank Composite of Each Product Loaded	B
9. Tank Car/Truck Loading Rack	After change of source tank.	Line	C - plus additive analysis for FSII & SDA, if line injected
10. Tank Cars/Truck/ Intermodal Containers	After Filling	All-Level	Workmanship: C - When loading lubes and FSII

NOTES FOR TABLE I:

- (1) AT THE GOVERNMENT'S OPTION, FULL SPECIFICATION TESTING MAY BE REQUIRED AT THE CUSTODY TRANSFER POINT. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FURNISH THE GOVERNMENT WITH SATISFACTORY EVIDENCE OF SPECIFICATION COMPLIANCE.
- (2) AFTER A TYPE C TEST ON AN UPPER, MIDDLE, AND LOWER SAMPLE VERIFIES BATCH CONFORMANCE TO HOMOGENEITY REQUIREMENT. HOMOGENEITY REQUIREMENT IS DEFINED AS WHEN THE UPPER, MIDDLE, AND LOWER SAMPLE TEST RESULTS (MINIMUM - DENSITY/API GRAVITY) FALL WITHIN THE REPRODUCIBILITY LIMIT ESTABLISHED BY THE TEST METHOD.
- (3) CONTINUOUS IN-LINE ANALYZERS (I.E., DENSITY AND/OR FLASH POINT) ARE ACCEPTABLE, IN LIEU OF HOURLY EVALUATIONS, IF QUALITY IS ASSURED. WHEN CONTINUOUS IN-LINE ANALYZERS ARE PRESENT IN THE SYSTEM, THE CONTRACTOR SHALL PROVIDE ITS QUALITY CONTROL PROCEDURES AT TIME OF OFFER TO THE CONTRACTING OFFICER FOR DETERMINATION OF ACCEPTABILITY.

E1 CONT'D**TABLE II****SAMPLE RETENTION**

TYPE OF SAMPLE	MINIMUM QUANTITY	RETENTION PERIOD
Bulk Additives	2 Liters	Until Receipt and Quality Verification of New Lot/Batch
Drummed Additives	1 Liter	When Stocks Exhausted
Shipping Tank(s)	20 Liters - for Aviation Fuels and Lubricating Oils 10 Liters - for all other Fuels	45 Days
Composite Line (Tanker/Barge)	20 Liters - for Aviation Fuels and Lubricating Oils 10 Liters - for all other Fuels	45 Days
Composite Line (Pipeline)	20 Liters - for Aviation Fuels and Lubricating Oils 10 Liters - for all other Fuels	45 Days
Tank Truck/Car, Intermodal Container	1 Liter	15 Days (Lubes - 45 days)
Tanker/Barge Composite	20 Liters - for Aviation Fuels and Lubricating Oils 10 Liters - for all other Fuels	45 Days
Tanker/Barge Each Compartment	0.5 Liter	45 Days

E1 CONT'D**TABLE III****DEFINITIONS OF TEST SERIES**

- I. TYPE A: Includes all specification quality conformance tests plus any additional contractual requirements.
- II. TYPE B & C: As shown in the table below for each product. Properties and test methods will be in accordance with the product specification for each grade identified in the solicitation/contract.

	AVGAS		TURBINE FUELS		MOGAS		DIESELS/ KEROSENE		BURNER FUELS		LUBES		FSII
TEST PROPERTIES	B	C	B	C	B	C	B	C	B	C	B	C	C
Appearance	*	*	*	*	*	*	*	*			*	*	*
Particulate content	*		*								*		
Filtration Time			*										
Color	*	*	*	*	*	*	*	*			*	*	
Density <i>or</i> API Gravity or Specific Gravity	*	*	*	*	*	*	*	*	*	*	*	*	*
Distillation	*		*		*		*						
Corrosion, Copper Strip	*		*		*								
Existent Gum	*		*		*								
Carbon Residue							*		*				
Lean or Rich Ratings	*												
Reid Vapor Pressure	*		*		*								
Water Reaction			*										
Lead Content	*												
Freeze Point			*										
Flash Point			*	*			*	*	*	*	*	*	
FSII Content			*										
Microseparometer			*										
Conductivity			*										
Sediment & Water									*	*			
Viscosity									*		*	*	
Water Content									*		*	*	*
Foam Test											*	*(1)	

* THE PROCEDURE TO BE USED FOR CONDUCTING THESE TESTS WILL BE AS STATED IN THE APPROPRIATE PRODUCT SPECIFICATION AND/OR CONTRACT.

(1) Only ASTM D 892 sequences 1 and 2 will be performed.

E1 CONT'D**TABLE IV****CONVERSION CHART FOR TANK CARS, TANK TRUCKS, AND INTERMODAL CONTAINERS⁽¹⁾**

LAST PRODUCT CARRIED (2)	PRODUCT TO BE LOADED				
	JET FUEL JP-4 JET B MOGAS AVGAS	JET FUEL JP-5 JP-8 JET A/A1 DF-A, DL-A DFW KSN, KS1	DIESEL FUEL F76 (B) DF-1, 2 DL-1, 2	LUBRICATING OILS	FSII
AVGAS MOGAS JP-4, JET B	DRAIN EMPTY	STEAM DRY	STEAM DRY	STEAM DRY	STEAM DRY
JP-8, JP-5 JET A/A1 DF-A, DL-A DFW, KSN, KS1	DRAIN EMPTY (B)	DRAIN EMPTY (B)	DRAIN EMPTY (C)	STEAM DRY (B)	STEAM DRY (B)
F-76 DF-1, -2 DL-1, -2 ASTM D 975 NO. 1D, 2D ASTM D 396 NO. 1, 2	STEAM DRY (B)	DRAIN EMPTY (B)	DRAIN EMPTY (C)	STEAM DRY (B)	STEAM DRY (B)
ASTM D 396 NO. 4L, 4, 5L, 5H, 6 IFOs ASTM D 975 NO. 4D	NO LOAD	NO LOAD	NO LOAD	NO LOAD	NO LOAD
LUBRICATING OILS	NO LOAD	NO LOAD	STEAM DRY	DRAIN EMPTY (A)	NO LOAD
JET FUEL JPTS, JP-7	DRAIN EMPTY	DRAIN EMPTY	DRAIN EMPTY	STEAM DRY	STEAM DRY
FSII	DRAIN EMPTY	DRAIN EMPTY	DRAIN EMPTY	STEAM DRY	DRAIN EMPTY

NOTES FOR TABLE IV:

- (1) When required, drain and empty includes the pump(s), filter(s), meter(s), and hose(s) as applicable.
- (2) If a product is not listed in this column, permission to load and conveyance preparations require a waiver.
- (A) Applicable only when loading the same specification lubricating oils; otherwise, steam and dry.
- (B) If previous cargo contained dye marker, all traces of color must be removed.
- (C) If product to be loaded does not contain dye, the vehicle must not contain any traces of dye prior to loading.

(DESC 52.246-9F75)

E5 INSPECTION OF SUPPLIES - FIXED-PRICE (AUG 1996)

(a) **DEFINITION. Supplies**, as used in this clause, includes but is not limited to raw materials, components, intermediate assemblies, end products, and lots of supplies.

(b) The Contractor shall provide and maintain an inspection system acceptable to the Government covering supplies under this contract and shall tender to the Government, for acceptance, only supplies that have been inspected in accordance with the inspection system and have been found by the Contractor to be in conformity with contract requirements. As part of the system, the Contractor shall prepare records evidencing all inspections made under the system and the outcome. These records shall be kept complete and made available to the Government during contract performance and for as long afterwards as the contract requires. The Government may perform reviews and evaluations as reasonably necessary to ascertain compliance with this paragraph. These reviews and evaluations shall be conducted in a manner that will not unduly delay the contract work. The right of review, whether exercised or not, does not relieve the Contractor of the obligations under the contract.

(c) The Government has the right to inspect and test all supplies called for by the contract, to the extent practicable, at all places and times, including the period of manufacture, and in any event before acceptance. The Government shall perform inspections and tests in a manner that will not unduly delay the work. The Government assumes no contractual obligation to perform any inspection and test for the benefit of the Contractor unless specifically set forth elsewhere in this contract.

(d) If the Government performs inspection or test on the premises of the Contractor or a subcontractor, the Contractor shall furnish, and shall require subcontractors to furnish, at no increase in contract price, all reasonable facilities and assistance for the safe and convenient performance of these duties. Except as otherwise provided in the contract, the Government shall bear the expense of Government inspections or tests made at other than the Contractor's or subcontractor's premises; PROVIDED, that in case of rejection, the Government shall not be liable for any reduction in the value of inspection or test samples.

(e) (1) When supplies are not ready at the time specified by the Contractor for inspection or test, the Contracting Officer may charge to the Contractor the additional cost of inspection or test.

(2) The Contracting Officer may also charge the Contractor for any additional cost of inspection or test when prior rejection makes reinspection or retest necessary.

(f) The Government has the right either to reject or to require correction of nonconforming supplies. Supplies are nonconforming when they are defective in material or workmanship or are otherwise not in conformity with contract requirements. The Government may reject nonconforming supplies with or without disposition instructions.

(g) The Contractor shall remove supplies rejected or required to be corrected. However, the Contracting Officer may require or permit correction in place, promptly after notice, by and at the expense of the Contractor. The Contractor shall not tender for acceptance corrected or rejected supplies without disclosing the former rejection or requirement for correction, and, when required, shall disclose the corrective action taken.

(h) If the Contractor fails to promptly remove, replace, or correct rejected supplies that are required to be removed or to be replaced or corrected, the Government may either (1) by contract or otherwise, remove, replace, or correct the supplies and charge the cost to the Contractor or (2) terminate the contract for default. Unless the Contractor corrects or replaces the supplies within the delivery schedule, the Contracting Officer may require their delivery and make an equitable price reduction. Failure to agree to a price reduction shall be a dispute.

(i) (1) If this contract provides for the performance of Government quality assurance at source, and if requested by the Government, the Contractor shall furnish advance notification of the time (i) when Contractor inspection or tests will be performed in accordance with the terms and conditions of the contract and (ii) when the supplies will be ready for Government inspection.

(2) The Government's request shall specify the period and method of the advance notification and the Government representative to whom it shall be furnished. Requests shall not require more than 2 workdays of advance notification if the Government representative is in residence in the Contractor's plant, nor more than 7 workdays in other instances.

(j) The Government shall accept or reject supplies as promptly as practicable after delivery, unless otherwise provided in the contract. Government failure to inspect and accept or reject the supplies shall not relieve the Contractor from responsibility, nor impose liability on the Government, for nonconforming supplies.

(k) Inspections and tests by the Government do not relieve the Contractor of responsibility for defects or other failures to meet contract requirements discovered before acceptance. Acceptance shall be conclusive, except for latent defects, fraud, gross mistakes amounting to fraud, or as otherwise provided in the contract.

E5 (CONT'D)

(1) If acceptance is not conclusive for any of the reasons in paragraph (k) hereof, the Government, in addition to any other rights and remedies provided by law, or under other provisions of this contract, shall have the right to require the Contractor (1) at no increase in contract price, to correct or replace the defective or nonconforming supplies at the original point of delivery or at the Contractor's plant at the Contracting Officer's election, and in accordance with a reasonable delivery schedule as may be agreed upon between the Contractor and the Contracting Officer; PROVIDED, that the Contracting Officer may require a reduction in contract price if the Contractor fails to meet such delivery schedule, or (2) within a reasonable time after receipt by the Contractor of notice of defects or nonconformance, to repay such portion of the contract as is equitable under the circumstances if the Contracting Officer elects not to require correction or replacement. When supplies are returned to the Contractor, the Contractor shall bear the transportation cost from the original point of delivery to the Contractor's plant and return to the original point when that point is not the Contractor's plant. If the Contractor fails to perform or act as required in (1) or (2) above and does not cure such failure within a period of 10 days (or such longer period as the Contracting Officer may authorize in writing) after receipt of notice from the Contracting Officer specifying such failure, the Government shall have the right by contract or otherwise to replace or correct such supplies and charge to the Contractor the cost occasioned the Government thereby.

(FAR 52.246-2)

E14.02 **INSPECTION AND ACCEPTANCE (BULK/SPR) (DESC MAR 1996)**

On f.o.b. origin deliveries, acceptance of the supplies furnished hereunder will take place at origin, notwithstanding that inspection by the Government may take place elsewhere prior to acceptance. On f.o.b. destination deliveries, acceptance of the supplies furnished hereunder will take place at destination, notwithstanding that inspection by the Government may take place elsewhere prior to acceptance. Acceptance occurs when the authorized Government Representative signs the Material Inspection and Receiving Report (DD Form 250 series). The office responsible for inspection, on behalf of the Government, shall be as follows:

<u>ITEM(S)</u>	<u>SOURCE OF PRODUCT AND/OR SHIPPING POINT</u>	<u>INSPECTOR(S)</u>
----------------	--	---------------------

(DESC 52.246-9FH5)

E35.02 REQUESTS FOR WAIVERS AND DEVIATIONS (DESC JUL 2000)

(a) The following procedures apply to requests for specification waivers.

(1) Requests for waivers and deviations shall be submitted by the Contractor to the Contracting Officer with a copy to the Quality Representative (QR). Each request shall provide the following information: Contractor name; contract number; contract line item and product, if applicable; clause number, paragraph and subparagraph, as appropriate; the nature of the request; the reason for the request; the corrective action being taken by the Contractor to correct and prevent recurrence of the condition(s) causing the nonconformance; and equitable price adjustment offered over the administrative fee. In extraordinary situations, the Contractor may initially submit the request for a deviation or waiver through the cognizant QR to the Contracting Officer or the Contracting Officer's Representative (COR) in the Bulk Fuels Business Unit, Product Technical and Standardization Division, Defense Energy Support Center (DESC). Extraordinary situation requests shall be submitted formally to the Contracting Officer prior to close of business of the next DESC normal workday. As used in this clause, the term "extraordinary situation" means the matter cannot await resolution until the DESC normal workday (0800 to 1630 hours), Monday through Friday - Federal holidays excluded. In addition, if either the Contracting Officer or the COR cannot be reached, the Duty Officer shall be contacted and provided the necessary information to forward to the proper individuals as soon as possible. The Duty Officer's telephone number is (800) 286-7633, (703) 767-8420, or DSN 427-8420.

(2) If the waiver is granted, the contract will be modified to provide an equitable price reduction or other adequate consideration commensurate with the waiver being granted. If the situation dictates, a waiver may be granted without prior agreement on price adjustment or other consideration subject to agreement by the Contractor, or its representative, to subsequent negotiation. Such agreement shall be documented on the receiving document or other appropriate correspondence. After negotiations, failure to agree on adequate consideration shall be a dispute concerning a question of fact within the meaning of paragraph (d), Disputes, of the CONTRACT TERMS AND CONDITIONS -- COMMERCIAL ITEMS clause of this contract.

(3) If the waiver is granted and the nonconforming supplies are accepted, then in no event will consideration be less than \$250 to cover administrative costs, plus any additional cost of Government inspection or tests if reinspection or retest is necessary.

(4) If the waiver is granted modifying this contract but the supplies accepted are nevertheless determined to be in conformity with contract specifications, the Contractor shall still be obligated to pay the consideration originally agreed upon in support of the waiver. If, however, this consideration exceeds \$500, a second contract modification shall be issued reducing the Contractor's obligation to \$500 (the administrative cost of issuing the two required modifications).

(b) When notification of nonconforming supplies is received after the supplies have been accepted, and the Government determines not to exercise its right to require repairs or replacement of nonconforming supplies or reperformance of nonconforming services at no increase in contract price under the INSPECTION OF SUPPLIES -- FIXED-PRICE clause or the CONTRACT TERMS AND CONDITIONS - COMMERCIAL ITEMS clause, then in no event will consideration be less than \$250 to cover administrative costs. This \$250 fee is in addition to--

(1) Consideration commensurate with the extent of nonconforming supplies; and

(2) Cost of Government inspection or tests if reinspection or retest is necessary.

The administrative fee will apply to each claim letter issued for off-specification product delivered to an activity.

(DESC 52.246-9FR1)

E40.05 MATERIAL INSPECTION AND RECEIVING REPORT (DESC MAR 2000)

(a) One copy of the documents and reports listed below shall be mailed to--

ATTN DESC-BP (LR) ROOM 2954
DEFENSE ENERGY SUPPORT CENTER
8725 JOHN J KINGMAN ROAD SUITE 4950
FORT BELVOIR VA 22060-6222

(b) Laboratory reports shall be in the Standard Report Format given in Attachment **5** for the Standardized Format for Use in Preparation of Product Test Reports. Include, where applicable, information on any intermediate shipping or holding tanks with batch number designations used to define the product movement. Use the guidelines below to determine when to submit the laboratory reports.

E40.05 (CONT'D)

(1) **MARINE SHIPMENTS.** Submit a completed DD Form 250-1, test reports, and vessel ullage reports for all products shipped. If more than one shipping tank was used for the lift, include a complete analysis of each shipment tank and clearly indicate the quantity of product drawn from each tank.

(2) **PIPELINE SHIPMENTS.** Submit a completed DD Form 250, copy of order (DD Form 1155), and complete laboratory results for total quantity of product shipped from each shipping tank used to fill the order. Insure test methods or test codes as defined in the Attachment are specified on the test report.

(3) **TRUCK AND RAIL CAR SHIPMENTS.** When loading from source tank has finished, submit one copy of the complete laboratory analysis for the source tank and attach all DD Forms 250 for product received from that source tank. Insure test methods or test codes as defined in the Attachment are specified on the test report.

(c) If only one shipment is made from a shipping tank, then the quantity of the Standard Report Format should represent the quantity shipped and not the tank capacity or the quantity in the tank at the time of sampling. If more than one shipment was made from the same shipping tank, the quantity can either be left blank or annotated with the quantity shipped during that individual shipment.

(d) In all cases, the DD Form 250 or DD Form 250-1 should contain information that will connect the shipment being documented with the product source tank used. This information includes batch number, tank approval date, and tank number. Insure that the "city" indicated on the Standard Test Report Form matches the city from which the shipment was made that is indicated in the "Shipped From" block on the DD Form 250 series document.

(DESC 52.246-9FG1)

SECTION F

F1 DELIVERY CONDITIONS FOR TANK CARS, BOXCARS, TRUCKS, TRANSPORT TRUCKS, TRUCKS AND TRAILERS, TANK WAGONS, PIPELINE, AND LIGHTERS (DESC NOV 1996)

(a) On items calling for delivery at Contractor's refinery, terminal, or bulk plant f.o.b. tank car, boxcar, truck, transport truck, truck and trailer, tank wagon, pipeline, or lighter--

(1) Supplies ordered hereunder shall be delivered, at Contractor's expense, into equipment specified in the Schedule.

(2) Unless otherwise specified in the Schedule, all deliveries shall be made upon the day specified in the order provided that the Contractor shall have received the order at least 48 hours prior to the day so specified, except for deliveries--

(i) By pipeline (other than into vessel, dredge, or barge for use as ships' bunkers) for which the Contractor shall be given 15 days' notice prior to the date so specified; and

(ii) Into vessel, dredge, or barge by any means of delivery including pipeline for use as ships' bunkers, for which deliveries the Contractor shall be given 24 hours' notice prior to the specific time delivery is to be made.

(3) All packaged or drummed material to be delivered f.o.b. boxcar, truck, or lighter shall be loaded (braced and blocked where necessary) by the Contractor as follows:

(i) **RAIL SHIPMENTS IN CONTINENTAL UNITED STATES AND ALASKA.**

(A) In accordance with the **LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS** clause.

(B) To the extent there is no conflict between the standards mentioned in paragraph (a) of the **LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS** clause, when a freight advantage to the Government would result, the Contractor will load boxcars to maximum capacity, including multiple tiering.

(ii) **TRUCK SHIPMENTS IN THE UNITED STATES.** In accordance with ICC Regulations and best commercial practices.

(iii) **RAIL SHIPMENTS AND TRUCK SHIPMENTS - OVERSEAS, POSSESSIONS AND TERRITORIES.** In accordance with best commercial practices and local regulations, or as indicated in the Schedule.

(iv) **LIGHTER.** In accordance with best commercial practices.

(4) Except for supplies delivered f.o.b. boxcar, truck, or lighter, title to the supplies delivered, and risk of loss thereof, shall pass from the Contractor to the Government when the supplies pass into the receiving conveyance. Title to supplies delivered f.o.b. boxcar, truck, or lighter, and risk of loss thereof, shall pass from the Contractor to the Government at the time the car, truck, or lighter is released to, and accepted by, the carrier.

(b) On items calling for delivery f.o.b. destination by means of tank car, boxcar, truck, transport truck, truck and trailer, tank wagon, pipeline, or lighter--

(1) Supplies ordered hereunder shall be delivered, all transportation charges paid, to the destination and by means of the transportation equipment specified in the Schedule or, if no specific destination is indicated in the Schedule, to the destination specified in the order. (For activities listed in DESC Handbook 4525.1 as last revised, the shipping addresses stated herein shall apply.) Delivery shall be accomplished at Contractor's expense into Government storage or into the type of receiving equipment otherwise specified in the Schedule or in the order, except for--

(i) Delivery by tank car which shall be accomplished by spotting the car alongside the unloading manifold connection at the specified destination;

(ii) Delivery by boxcar which shall be accomplished at the specified destination as follows:

(A) If such activity has a railroad siding, by spotting the car alongside the unloading platform or elsewhere at such destination as may be designated by the receiving activity;

or

F1 (CONT'D)

(B) If such activity does not have a railroad siding at the unloading platform of the railroad siding serving such activity, and if the freight tariff provides for free pickup and delivery service, delivery shall be made to the activity specified in the order;

(iii) Delivery by truck which shall be accomplished by spotting the truck at the unloading platform at the specified destination and by placing the drummed or packaged supplies at the tailgate of the truck; and

(iv) Delivery by lighter which shall be accomplished as indicated in the Schedule.

(2) Unless otherwise specified in the Schedule, all deliveries by tank car or boxcar shall be made within 24 hours from the time specified in the order, provided that such order shall have been received by the Contractor at least 120 hours prior to the time so specified; all other deliveries, except as hereinafter indicated, shall be made on the day specified in the delivery order and unless otherwise authorized by the receiving activity during normal working hours of such activity, provided that such order shall have been received by the Contractor at least 48 hours prior to the days so specified. Pipeline deliveries (except those into vessel, dredge, or barge) shall be made on the day specified in the delivery order, provided the order shall have been received by the Contractor at least 15 days prior to the day so specified. Delivery into vessels, dredges, or barges from a marine service station or by means of transport truck, truck and trailer, tank wagon, or pipeline shall be made at the specific time specified in the order, provided that such order shall have been received by the Contractor at least 24 hours prior to the specific time such delivery is required to be made.

(3) The Contractor shall not be required to deliver by transport truck or truck and trailer a quantity less than a full load nor into more than one storage tank, with the following exceptions:

(i) An order placed under an item of this contract calling for delivery by transport truck of motor gasoline, fuel oil, diesel fuel, or kerosene, or, if this procurement is for Central America only, jet fuel, may require delivery of a quantity as low as 5,200 gallons whenever the activity is restricted either by a tank capacity or by a directive from receiving a larger quantity; and

(ii) Where the Schedule provides for multiple drop delivery, the Contractor may be required to deliver into more than one storage tank. Where truck and trailer is the method of delivery specified, the Contractor may, at its option, make delivery by transport truck. In the case of deliveries in Alaska, where truck and trailer or transport truck is the method of delivery specified, the Contractor may, at its option, make delivery by tank wagon.

(4) The Contractor shall not be required to deliver by tank wagon a quantity of less than 575 liters (or 150 gallons) but, at the Government's option, may be required to deliver into more than one storage tank.

(5) When delivery of fuel oil or lubricating oil is made by tank car, such car shall be equipped with steam coils, if specified in the order, to facilitate the unloading of such product.

(6) When delivery is made by tank wagon, such wagon shall be equipped with pump, meter, and a minimum of 100 feet (30 meters) of hose. Where delivery is made by transport truck or truck and trailer, such delivery equipment shall be equipped with a minimum of 15 feet of hose.

(7) When delivery is made by tank wagon, transport truck, or truck and trailer to a Government facility--

(i) The Contractor shall provide properly maintained delivery equipment and properly trained delivery personnel to reasonably assure that delivery can be made without damage to vegetation and asphalt pavement adjacent to storage facilities being filled. The Contractor's delivery personnel who have not exercised reasonable care and delivery equipment which is poorly maintained, may be refused entrance to the installation by the installation Commander.

(ii) The Contractor shall present delivery equipment and product in such condition at destination so as to permit complete off-loading within the prescribed free time.

(8) Unless otherwise provided in the Schedule, free time for unloading trucks, transport trucks, or trucks and trailers shall be unlimited.

(9) Except for supplies delivered by tank car, boxcar, truck, or lighter, title to supplies delivered, and risk of loss thereof, shall pass from the Contractor to the Government when the supplies pass into the receiving facilities. Title to supplies delivered by tank car or boxcar, and risk of loss thereof, shall pass from the Contractor to the Government at the time the car is released by the carrier for unloading. Title to supplies delivered by truck, and risk of loss thereof, shall pass from the Contractor to the Government when the drummed or packaged supplies are removed from the truck. Title to supplies delivered by lighter, and risk of loss thereof, shall pass from the Contractor to the Government at the time the receiving vessel's tackle is attached to the supplies to be unloaded.

(DESC 52.247-9FA1)

THE FOLLOWING CLAUSE APPLIES TO PIPELINE AND TANK CAR DELIVERIES ONLY**F1.08 DELIVERY AND CONTRACT PERIODS (DOMESTIC BULK) (DESC APR 1986)**

(a) The period of this contract during which the Ordering Officer may order pursuant to the DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT clause is from date of award through **MARCH 31, 2002**.

(b) Notwithstanding (a) above, except at its option, the Contractor shall not be required to make delivery hereunder prior to **APRIL 1, 2001**.

(c) Insofar as practicable, the Government will attempt to lift in approximately equal monthly quantities. Except at its option, a supplier which offered product over the period **APRIL 1, 2001** through **MARCH 31, 2002** shall not be required to--

(1) Make deliveries of any grade of product at a daily rate in excess of the contract quantity of such grade of product for delivery at or shipment from each designated refiner or bulk plant location divided by **365** days; or

(2) Accumulate any such product at any such location and to subsequently make deliveries in excess of **8.33%** in any one month of the contract quantity of the applicable grade of product; provided, however, that where the maximum quantity available for individual deliveries as specified in the contract is greater than **8.33** percent per month, the supplier will accumulate any such product at any such location and subsequently make deliveries equal to the specified maximum quantity available for individual deliveries and, provided further, that the supplier will be required to make delivery in excess of **8.33%** per month if the delivery is to be made f.o.b. tanker at origin and no other quantities have been ordered for delivery during the applicable month and the 30,000 barrels minimum, under (d) below, is greater than such **8.33%** quantity.

(d) Except at its option, the Contractor shall not be required to deliver f.o.b. tanker at origin in any one delivery a quantity of product(s) less than 30,000 barrels, except when the minimum quantity available for individual deliveries as specified in the contract is less than 30,000 barrels, or when on the last delivery, the quantity available pursuant to the DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT clause is less than 50,000 barrels.

(DESC 52.242-9FB5)

THE FOLLOWING CLAUSE APPLIES TO TANK TRUCK DELIVERIES ONLY**F1.08.100 DELIVERY AND CONTRACT PERIODS (DOMESTIC BULK) (DESC APR 1986)**

(a) The period of this contract during which the Ordering Officer may order pursuant to the DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT clause is from date of award through **MARCH 31, 2002**.

(b) Notwithstanding (a) above, except at its option, the Contractor shall not be required to make delivery hereunder prior to **APRIL 1, 2001**.

(c) Insofar as practicable, the Government will attempt to lift in approximately equal monthly quantities. Except at its option, a supplier which offered product over the period **APRIL 1, 2001** through **MARCH 31, 2002** shall not be required to--

(1) Make deliveries of any grade of product at a daily rate in excess of the contract quantity of such grade of product for delivery at or shipment from each designated refiner or bulk plant location divided by **260** days; or

(2) Accumulate any such product at any such location and to subsequently make deliveries in excess of **8.33%** in any one month of the contract quantity of the applicable grade of product; provided, however, that where the maximum quantity available for individual deliveries as specified in the contract is greater than **8.33** percent per month, the supplier will accumulate any such product at any such location and subsequently make deliveries equal to the specified maximum quantity available for individual deliveries and, provided further, that the supplier will be required to make delivery in excess of **8.33%** per month if the delivery is to be made f.o.b. tanker at origin and no other quantities have been ordered for delivery during the applicable month and the 30,000 barrels minimum, under (d) below, is greater than such **8.33%** quantity.

(d) Except at its option, the Contractor shall not be required to deliver f.o.b. tanker at origin in any one delivery a quantity of product(s) less than 30,000 barrels, except when the minimum quantity available for individual deliveries as specified in the contract is less than 30,000 barrels, or when on the last delivery, the quantity available pursuant to the DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT clause is less than 50,000 barrels.

(DESC 52.242-9FB5)

THE FOLLOWING CLAUSE APPLIES TO BARGE AND TANKER DELIVERIES ONLY**F1.08.200 DELIVERY AND CONTRACT PERIODS (DOMESTIC BULK) (DESC APR 1986)**

(a) The period of this contract during which the Ordering Officer may order pursuant to the DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT clause is from date of award through **MARCH 31, 2002**.

(b) Notwithstanding (a) above, except at its option, the Contractor shall not be required to make delivery hereunder prior to **APRIL 1, 2001**.

(c) Insofar as practicable, the Government will attempt to lift in approximately equal monthly quantities. Except at its option, a supplier which offered product over the period **APRIL 1, 2001** through **MARCH 31, 2002** shall not be required to--

Accumulate any such product at any such location and to subsequently make deliveries in excess of **8.33%** in any one month of the contract quantity of the applicable grade of product; provided, however, that where the maximum quantity available for individual deliveries as specified in the contract is greater than **8.33** percent per month, the supplier will accumulate any such product at any such location and subsequently make deliveries equal to the specified maximum quantity available for individual deliveries and, provided further, that the supplier will be required to make delivery in excess of **8.33%** per month if the delivery is to be made f.o.b. tanker at origin and no other quantities have been ordered for delivery during the applicable month and the 30,000 barrels minimum, under (d) below, is greater than such **8.33%** quantity.

(d) Except at its option, the Contractor shall not be required to deliver f.o.b. tanker at origin in any one delivery a quantity of product(s) less than 30,000 barrels, except when the minimum quantity available for individual deliveries as specified in the contract is less than 30,000 barrels, or when on the last delivery, the quantity available pursuant to the DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT clause is less than 50,000 barrels.

(DESC 52.242-9FB5)

F1.09 DETERMINATION OF QUANTITY (DESC AUG 1999)

(a) **QUANTITY.** The quantity of supplies furnished under this contract shall be determined as follows:

(1) DELIVERIES INTO OR BY TANKER/BARGE.**(i) F.O.B. ORIGIN.**

(A) On items requiring delivery at the Contractor's refinery, terminal, or bulk plant on an f.o.b. origin basis, the quantity shall be determined (at the Contractor's option) on the basis of--

- (a) Shore tank measurements; or
- (b) Calibrated meter.

(B) The Government will have the right to have a representative present to witness the measurement of quantity.

(ii) F.O.B. DESTINATION.

(A) On items requiring delivery on an f.o.b. destination basis, the quantity shall be determined (at the Government's option) on the basis of--

- (a) Receiving shore tank measurements; or
- (b) Calibrated meters on the receiving tank system.

(B) The Contractor has the right to have a representative present to witness the delivery and measurement of quantity.

(2) DELIVERIES INTO OR BY PIPELINE.**(i) F.O.B. ORIGIN.**

(A) On items requiring delivery at the Contractor's refinery, terminal, or bulk plant on an f.o.b. origin basis, the quantity shall be determined (at the Contractor's option) on the basis of--

- (a) Calibrated meter; or
- (b) Shipping tank measurements.

(B) The Government will have the right to have a representative present to witness the measurement of quantity.

F1.09 (CONT'D)

(ii) **F.O.B. DESTINATION.**

(A) On items requiring delivery on an f.o.b. destination basis, the quantity shall be determined (at the Government's option) on the basis of--

- (a) Receiving tank measurements; or
- (b) Calibrated meter (if the facility is so equipped).

(B) The Contractor has the right to have a representative present to witness the delivery and measurement of quantity.

(iii) **F.O.B. JUNCTION.** On items requiring delivery f.o.b. junction of Contractor-owned or controlled pipeline and Government-owned or controlled pipeline, the quantity shall be determined (at the Government's option) on the basis of--

- (A) Calibrated meter; or
- (B) Shipping tank measurements. Pipeline between shipping tank and f.o.b. point shall be full at the time of tank

gaugings.

(C) The Contractor has the right to have a representative present to witness the delivery and measurement of quantity.

(3) **DELIVERIES INTO OR BY RAIL TANK CAR.**

(i) **F.O.B. ORIGIN.**

(A) On items requiring delivery at the Contractor's refinery, terminal, or bulk plant on an f.o.b. origin basis, the quantity shall be determined (at the Contractor's option) on the basis of--

- (a) Calibrated meter; or
- (b) Weight, using calibrated scales; or
- (c) The certified capacity table for the rail tank car.

(B) The Government will have the right to have a representative present to witness the measurement of quantity.

(ii) **F.O.B. DESTINATION.** On items requiring delivery on an f.o.b. destination basis, the quantity of supplies furnished under this contract shall be determined (at the Government's option) on the basis of--

- (A) The certified capacity table of the rail tank car received; or
- (B) Weight, using calibrated scales; or
- (C) Calibrated meter.

(D) The Contractor has the right to have a representative present to witness the delivery and measurement of quantity.

(4) **DELIVERIES INTO OR BY TANK TRUCK/TRUCK AND TRAILER/TANK WAGON.**

(i) **F.O.B. ORIGIN.**

(A) On items requiring delivery at the Contractor's refinery, terminal, or bulk plant on an f.o.b. origin basis, the quantity shall be determined (at the Contractor's option) on the basis of--

- (a) Certified capacity tables of the conveyance loaded; or
- (b) Calibrated meter; or
- (c) Weight, using calibrated scales.

(B) The Government has the right to have a representative present to witness the measurement of quantity.

(ii) **F.O.B. DESTINATION.**

(A) In any case, at the Government's option, quantity may be determined at the receiving activity on the basis of--

- (a) Weight, using calibrated scales; or
- (b) A calibrated meter on the receiving tank system.

F1.09 (CONT'D)

(B) If the Government does not elect to use one of the methods in (A) above, the quantity shall be determined (at the Contractor's option) on the basis of--

- (a) Calibrated meter;
- (b) Certified capacity tables. The tables must be made available at the time of delivery;
- (c) Certified tank calibration markers. Certified tank calibration markers will not be accepted unless the conveyance is full to the marker and the entire quantity is delivered; or

(d) The net quantity determined at the loading point by a calibrated loading rack meter or calibrated scales. This quantity must be mechanically imprinted on the loading rack meter ticket that is generated by the loading rack meter or calibrated scales.

(iii) **WATER BOTTOMS.**

(A) Every delivery must be free of all water bottoms prior to discharge; and

(B) The Contractor is responsible for their removal and disposal.

(b) **VOLUME CORRECTION.** Volume correction to gallons at 60°F (or liters at 15°C) is required for--

- (1) All product volumes measured in storage tanks, tankers, barges, pipeline tenders, and rail tank cars.
- (2) All product volumes of chemicals, residual fuels, and lubricating oils measured in tank trucks, trucks and trailers, and tank wagons. For this purpose, residual fuels are any products with a viscosity equal to or greater than a regular (not light) No. 4 Fuel Oil (ASTM D 396).
- (3) All other volumes of fuels and fuel oils measured in tank trucks, trucks and trailers, and tank wagons which are in excess of 3,500 gallons.

(c) **MEASUREMENT STANDARDS.** All measurements and calibrations made to determine quantity shall be in accordance with the most recent edition of the API Manual of Petroleum Measurement Standards (MPMS) Outside the U.S., other technically equivalent national or international standards may be used. Certified capacity tables shall mean capacity tables prepared by an independent inspector or any independent surveyor. In addition, the following specific standards will be used as applicable:

(1) API MPMS Chapter 11.1, Volume Correction Factors (API 2540/AASTM D 1250/IP 200/ISO 91-1). Either the printed version or the computer subroutine versions of the standard may be used. In case of disputes, the computer subroutine shall be the referee method.

(i) For crude oils, JP4, and Jet B, use Volume I, Tables 5A and 6A (or Volume VII Tables 53A and 54A).

(ii) For lubricating oils, use Volume XIII, Tables 5D and 6D (or Volume XIV, Tables 53D and 54D).

(iii) For all other fuels and fuel oils, use Volume II, Tables 5B and 6B (or Volume VIII, Tables 53B and 54B).

(iv) For chemicals/additives use Volume III, Table 6C (or Volume IX, Table 54C), or volume correct in accordance with the product specification.

(v) Volume XII, Table 52, shall be used to convert cubic meters at 15°C to barrels of 60°F. Convert liters at 15°C to cubic meters at 15°C by dividing by 1,000. Convert gallons at 60°F to barrels at 60°F by dividing by 42. Should foreign law restrict conversion by this method, the method required by law shall be used.

(vi) If the original measurement is by weight and quantity is required in U.S. gallons, then--

(A) Volume XI, Table 8, shall be used to convert pounds to U.S. gallons at 60°F.

(B) Volume XII, Table 58, shall be used to convert metric tons to U.S. gallons at 60°F.

(2) **API MPMS, Chapter 4, Proving Systems.** All meters used in determining product volume shall be calibrated using this standard with the frequency required by local regulation (foreign or domestic). If no local regulation exists, then the frequency of calibration shall be that recommended by the meter manufacturer or every 6 months, whichever is more frequent.

(3) **API MPMS Chapter 12, Calculation of Petroleum Quantities.** All calculations of net quantities shall be made in accordance with this chapter. Outside the U.S., use of a tank shell correction factor is not required unless its use is a customary practice for custody transfer.

(DESC 52.211-9F95)

F14 SHIPMENT AND ROUTING (DESC APR 2000)

(a) The Contractor shall make shipments of the supplies called for by this contract, or ordered hereunder, if this is an indefinite delivery contract, by the method specified in the Schedule, to the delivery point, in the quantity, and according to the delivery date specified in the order or in the Schedule.

(b) On items calling for delivery at Contractor's refinery, terminal, or bulk plant on an f.o.b. origin basis, transportation equipment will be furnished by the Government; provided, however, that the Contractor shall, without additional cost to the Government, arrange to obtain any railway boxcars required for shipments to be made hereunder. Whenever any item of the Schedule specifies delivery by more than one method, selection of the method to be used shall be at Government's option. Government-furnished transportation equipment that Contractor finds unsatisfactory for loading shall be reported as follows:

(1) **TANKERS AND BARGES.** Report to the Quality Representative (QR).

(2) **TANK CARS.** Report to the QR and by wire (Government rate collect) to Military Traffic Management Command, Deployment Support Command, ATTN: Rail Fleet Manager Building 664, Sheppard Place, Room 337, Fort Eustis, VA 23604. Any shortage or overage of tank cars shall be similarly reported.

(3) **PIPELINE, TRANSPORT TRUCKS, TRUCKS AND TRAILERS, AND TANK WAGONS.** Report to the Quality Representative and to carrier's general office, or to home base or station, of such equipment.

(4) If the supplies are for the Defense Energy Support Center, also report in each case above to the Defense Energy Region having jurisdiction over the territory in which shipment originates.

(c) If the supplies are to be delivered f.o.b. pipeline, barge, tank car, boxcar, truck, transport truck, truck and trailer, or tank wagon at Contractor's refinery, terminal, or bulk plant--

(1) The Contractor shall ship the supplies under Government Bills of Lading, which will be furnished or arranged for by the Defense Energy Region placing orders, unless otherwise specified. If requested by the Government, the Contractor shall prepare Government Bills of Lading.

(2) The Contractor shall comply with transportation and routing instructions furnished by the Defense Energy Region. Such instructions will include carrier names, routes, route order numbers, and other pertinent shipment information. The Contractor shall be responsible for the scheduling of commercial transport trucks to its plant in accordance with such routing instructions and consonant with the applicable order. All charges due to Contractor caused delays at the loading facility, including improper equipment scheduling, will be the responsibility of the Contractor.

(3) On f.o.b. destination items involving multiple car or truck load shipments, the Contractor shall assign one shipment number for shipments of Petroleum made on the same day, to the same destination, against the same contract line item.

(d) On all tank car and boxcar (carload only) shipments, whether delivery is made on an f.o.b. origin or f.o.b. destination basis, the Contractor shall send to the consignee at the time of shipment a prepaid telegraphic notice that shall indicate grade of product, date of shipment, car and seal numbers, bill of lading number, and net quantities.

(e) The Contractor shall furnish serially numbered seals and effectively seal all tank cars, boxcars, transport trucks, trucks and trailers, tankers, and barges (where sea suction and overboard discharge valves exist), whether delivery is made on an f.o.b. origin or f.o.b. destination basis. The marking on the seal shall be indicated on all shipping documents.

(f) (1) If Government-owned or leased tank cars are furnished, the Contractor will maintain records showing each day a car is received or forwarded by car number and will furnish this information to the Defense Energy Regional Office upon receipt.

(2) Bottom outlet gaskets and manway cover gaskets, when required due to deterioration or loss, shall be furnished and applied to tank cars by the Contractor.

(3) The Contractor shall (i) inspect empty Government-owned tank cars located on the Contractor's premises and (ii) ship tank cars located on the Contractor's premises to repair facilities as directed by the Government.

(g) Placards, as required by 49 CFR 172.506 and 49 CFR 172-508, shall be furnished and affixed to all tank cars and tank trucks by the Contractor unless placards are already affixed.

(h) The Contractor shall inspect all shipping conveyances prior to loading to insure that product loaded will not be lost or contaminated by the condition of the equipment. Tank truck inspection must be performed by qualified Contractor personnel. Delegation of this responsibility shall not be passed to the tank truck operator/driver. The tank truck operator/driver may be permitted to physically load the tank truck; however, the loading operation must be under the surveillance and direction of Contractor personnel.

(DESC 52.247-9FH1)

F15 BARGE AND/OR T1 CLASS TANKER DEMURRAGE AND LOADING CONDITIONS (DESC MAR 1994)

On items calling for delivery f.o.b. barge and/or T1 Class tanker at origin--

(a) DELIVERY DATES.

(1) Unless otherwise specified in the Schedule, orders placed under items of the Schedule calling for delivery f.o.b. barge and/or T1 Class tanker at Contractor's refinery, terminal, or bulk plant will be furnished to the Contractor at least 15 days in advance of the date on which delivery is to be made, which date is hereafter referred to as the "scheduled delivery date." Each order will specify the quantity to be delivered, the scheduled delivery date, and the cargo number, and, if then available, the name of the barge and/or T1 Class tanker (herein referred to as "vessel") to be loaded.

(2) The scheduled delivery date may be revised by the Ordering Officer at any time and, unless the Contractor registers objections with the Ordering Officer within 72 hours of receipt of such revised scheduled delivery date, such revised date shall become the new agreed scheduled delivery date. At the time the Contractor registers any such objections, the Contractor must provide a date, subsequent to the date proposed by the Ordering Officer, which represents the earliest date the Contractor can provide a berth. The Ordering Officer must confirm or reject the alternate date provided by the Contractor within 72 hours of receipt of the Contractor's objection. If the Ordering Officer chooses to accept the alternate date provided in the Contractor's objection, such revised date shall become the new agreed scheduled delivery date. If the Ordering Officer chooses to reject the alternate date provided by the Contractor, the scheduled delivery date will return to the previously scheduled delivery date.

(3) All communications regarding the establishment and revision of the scheduled delivery date and objections thereto shall be set down in writing at such time or promptly confirmed in writing.

(b) EXPECTED TIME OF ARRIVAL.

(1) **FOR WESTPAC/EUR/MED SHUTTLE OPERATIONS.** The vessel designated to lift the cargo will notify the Contractor (at the telex number provided by the Contractor or cause it to be notified when the Contractor does not provide a telex number) of its name and the expected hour of arrival of the barge at least 72 hours before the expected time of arrival and update this notification at 48 and 24 hour intervals before expected arrival.

(2) **FOR ALL OTHER VESSELS.** The vessel designated to lift the cargo will notify the Contractor at the telex number provided by the Contractor or cause it to be notified when the Contractor does not provide a telex number of the name and the expected hour of arrival of the vessel at least 24 hours before the expected time of arrival.

(c) **LAYTIME.** The Contractor shall provide as soon as possible, but within 3 hours after receipt of notice of readiness to load from the vessel designated to load the cargo, a reachable berth free of cost to the Government, where the vessel can be safely moored and remain afloat at all times, for loading of the ordered supplies. Laytime shall commence, berth or no berth, either at the expiration of 3 hours after notice of readiness, or immediately when the vessel moors alongside, with or without notice of readiness, whichever first occurs; PROVIDED, however, that--

(1) If the vessel is tendered for loading on a date earlier than the last scheduled delivery date as determined pursuant to paragraph (a) above, the Government scheduled vessel shall be loaded as soon as possible in its proper turn with other vessels, and laytime shall not commence until the vessel moors alongside or at 3:00 a.m. local time on the last agreed schedule delivery date, whichever first occurs.

(2) If the vessel is tendered for loading later than noon on the day following the last agreed scheduled delivery date, as determined pursuant to paragraph (a) above, the vessel shall be loaded as soon as possible in its proper turn with other vessels. Laytime shall commence when the vessel moors alongside, provided a good faith effort is made by the Contractor to have the vessel loaded as soon as is reasonably possible under the circumstances prevailing at the time.

(3) Laytime shall continue 24 hours a day, 7 days a week, without interruption from its commencement until loading of the vessel is completed and the vessel has been released for sailing by the Government Quality Representative.

(d) ALLOWED LAYTIME.

(1) **BASIC ALLOWED LAYTIME.** For cargo movements under DESC bulk petroleum contracts, the Contractor shall be allowed 1 hour for each 2,000 barrels loaded.

F15 (CONT'D)**(2) INCREASES TO BASIC LAYTIME.**

(i) If, after laytime commences, the condition of the vessel to be loaded does not permit loading, such basic allowed laytime shall be increased by the duration of such delay.

(ii) If the vessel is delayed in reaching its berth and the delay is caused by the fault of the vessel, such basic allowed laytime will be increased by the duration of such delay that occurred after laytime commenced.

(iii) If regulations of the owner, operator of the vessel, Customs Officials, or Port Authority prohibit loading at any time after laytime commenced, time so lost shall be added to the basic allowed laytime.

(iv) If for any reason the Contractor is delayed in loading the barge or there is a delay in releasing the vessel for sailing because of action of the U.S. Government that arises out of causes beyond the control and without the fault or negligence of the Contractor, such basic allowed laytime shall be increased by the duration of such delay.

(v) If the vessel requests cargo tanks be cushioned or topped off during the loading process and the quantity of product cushioned or topped including the time spent cushioning/topping tanks is noted on the DD Form 250-1, Loading/Inspection Report, the basic allowed laytime shall be increased by the difference between the actual time taken to cushion/top tanks and the amount of time required to pump the same quantity of cushioned/topped product at the Contractor's actual loading rate exclusive of cushioning/topping time and cushioning/topping quantity.

(vi) Contractor will be allowed up to 4 hours of additional laytime following removal of cargo hoses until vessel is released by the inspector in order to accomplish tasks required under the CONTRACTOR INSPECTION RESPONSIBILITIES clause.

(vii) There will be no increases made to the basic allowed laytime (nor other reductions to any resulting demurrage time) for saved laytime arising out of other loadings.

(viii) Delays, after commencement of laytime, attributed to causes beyond the control and without the fault or negligence of the Contractor or the U.S. Government will result in increasing basic allowed laytime for one half of the delay.

(e) For all hours of laytime that elapse in excess of allowed laytime for loading provided for by paragraph (d) above, demurrage shall be paid by the Contractor as follows:

(1) **TIME CHARTER VESSELS.** At the demurrage rate for the vessel loaded, computed to the nearest whole hour, as published by the Military Sealift Command, and in effect on the date loading of the vessel is completed.

(2) The demurrage rate set forth in the Carrier's Tender of Freight Services and Demurrage Invoice to the Government.

(3) **CONTRACT VESSELS.** At the hourly rate specified in the contract.

(f) Hoses for loading a vessel shall be furnished, connected, and disconnected by the Contractor; loading arm shall be connected and disconnected by the Contractor.

(g) Title to the supplies delivered and risk of loss thereof shall pass from the Contractor to the Government when the supplies pass the vessel's permanent hose connection.

(DESC 52.247-9FB5)

F16.01 BARGE DEMURRAGE AND UNLOADING CONDITIONS (BULK) (DESC APR 1993)

On items calling for delivery f.o.b. destination by means of barge--

(a) The term **barge**, as used herein, shall include lake tankers and coastal tankers, e.g., T-1 tankers.

(b) The supplies ordered hereunder shall be delivered, all transportation charges paid, to the destination specified in the Schedule. Unless otherwise specified in the Schedule, orders placed under items of the Schedule calling for delivery f.o.b. destination by means of barge will be furnished the Contractor at least 15 days, plus the normal barge running time from point of loading to the destination in advance of the date on which delivery is to be made, which date is hereinafter referred to in this clause as the "scheduled delivery date." Each order will specify the quantity to be delivered and the scheduled delivery date. The scheduled delivery date may be changed by the Contractor at any time if the Ordering Officer approves.

(c) Within 3 hours after issuance of Notice of Readiness (NOR) to unload by the Master or Mate of the vessel designated to discharge, the Government will provide, free of cost, a reachable safe berth for the tug and tow or self-propelled barge to be afloat at all times at the unloading port: PROVIDED, however, that if the receiving activity does not receive a barge's NOR to unload within 24 hours before or after noon of the latest approved scheduled delivery date, the Government will be allowed 12 hours after receipt of notice within which to provide a berth.

F16.01 (CONT'D)

(d) Unless otherwise provided in the Schedule, the Government shall be allowed and will complete unloading within laytime determined as follows: 1 hour for each 2,000 barrels of supplies to be unloaded, plus 1 1/2 hours; PROVIDED, however, that if the condition or facilities of the barge to be unloaded do not permit unloading within the number of hours so determined, such allowed laytime shall be increased by a number of hours sufficient to permit the unloading of the barge; PROVIDED, further, that when the barge is delayed in reaching its berth within 3 hours or 12 hours, as the case may be, from the time NOR to unload is given, and the delay is caused by the fault of the barge, such allowed laytime shall be increased by the duration of such delay; and PROVIDED, further, that if regulations of the owner or operator of the barge or Port Authorities prohibit unloading at any time, time so lost shall be added to the amount of such allowed laytime. Laytime shall commence either--

(1) At the expiration of the notice period prescribed by (c) above (the 3 hours' or the 12 hours' notice, as the case may be), berth or no berth; or

(2) Immediately upon the barge's arrival in berth (i.e., all fast), with or without NOR, whichever first occurs. Laytime shall continue 24 hours a day, 7 days a week, without interruption from its commencement, until unloading of the barge is completed and the hoses have been disconnected.

(e) For all hours of laytime that elapse in excess of the allowed laytime for unloading provided for by (d) above, or as otherwise provided for in the Schedule, demurrage will be paid by the Government at the demurrage rate in the charter for the barge unloading, except (1) that such rate shall be reduced by 1/2 if demurrage is incurred due to causes beyond the control and without the fault and negligence of the Government; and (2) that the demurrage payable by the Government shall in no event exceed the actual demurrage expense incurred by the Contractor under the charter. For purposes of computing demurrage payable by the Government, if the laytime allowed in the charter is a combined total for both loading and discharging, 1/2 thereof shall be allocated to the unloading operation, except when less than a full cargo is unloaded, where such allocation shall be determined on a pro-rata basis.

(f) In the event of breakdown of Contractor's equipment, which will prohibit unloading for at least two hours, the Contractor will be required to remove the equipment from the Government-provided berth, unless permission is granted by the Government to allow the equipment to remain on berth. When the Government grants permission for the Contractor equipment to remain on berth, the Contractor will be responsible to reimburse the Government for any cost incurred by the Government for furnishing personnel to remain with the barge during repair; PROVIDED further, that if the Contractor removes the equipment from the Government provided berth, NOR to unload will be again required as provided in (c) above.

(g) Hoses for unloading a barge will be furnished, connected, and disconnected by the Government.

(h) Title to the supplies delivered, and risk of loss thereof, shall pass from the Contractor to the Government when the supplies pass the permanent hose connections of the barge unloading the supplies.

(DESC 52.247-9FD1)

F18 F.O.B. DESTINATION (NOV 1991)

(a) The term "f.o.b. destination," as used in this clause, means--

(1) Free of expense to the Government, on board the carrier's conveyance, at a specified delivery point where the consignee's facility (plant, warehouse, store, lot, or other location to which shipment can be made) is located; and

(2) Supplies shall be delivered to the destination consignee's wharf (if destination is a port city and supplies are for export), warehouse unloading platform, or receiving dock, at the expense of the Contractor. The Government shall not be liable for any delivery, storage, demurrage, accessorial, or other charges involved before the actual delivery (or "constructive placement" as defined in carrier tariffs) of the supplies to the destination, unless such charges are caused by an act or order of the Government acting in its contractual capacity. If rail carrier is used, supplies shall be delivered to the specified unloading platform of the consignee. If motor carrier (including "piggyback") is used, supplies shall be delivered to truck tailgate at the unloading platform of the consignee, except when the supplies delivered meet the requirements of Item 568 of the National Motor Freight Classification for "heavy or bulky freight." When supplies meeting the requirements of the referenced Item 568 are delivered, unloading (including movement to the tailgate) shall be performed by the consignee, with assistance from the truck driver, if requested. If the Contractor uses rail carrier or freight forwarded for less than carload shipments, the Contractor shall ensure that the carrier will furnish tailgate delivery, when required, if transfer to truck is required to complete delivery to consignee.

F18 (CONT'D)

(b) The Contractor shall-

- (1) (i) Pack and mark the shipment to comply with contract specifications; or
(ii) In the absence of specifications, prepare the shipment in conformance with carrier requirements;
- (2) Prepare and distribute commercial bills of lading;
- (3) Deliver the shipment in good order and condition to the point of delivery specified in the contract;
- (4) Be responsible for any loss of and/or damage to the goods occurring before receipt of the shipment by the consignee at the delivery point specified in the contract;
- (5) Furnish a delivery schedule and designate the mode of delivering carrier; and
- (6) Pay and bear all charges to the specified point of delivery.

(FAR 52.247-34)

F52 TANKER/OCEAN-GOING BARGE DEMURRAGE AND LOADING CONDITIONS (DESC NOV 1996)

On items calling for delivery f.o.b. tanker/ocean-going barge at origin--

(a) DELIVERY DATES.

(1) Unless otherwise specified in the Schedule, orders placed under items of the Schedule calling for delivery f.o.b. tanker/ocean-going barge at Contractor's refinery, terminal, or bulk plant will be furnished to the Contractor at least 20 days in advance of the date on which delivery is to be made, which date is hereinafter referred to as the "scheduled delivery date." Each order will specify the quantity to be delivered, the scheduled delivery date, the cargo number, and, if then available, the name and size of the tanker/ocean-going barge (herein referred to as "vessel") to be loaded.

(2) The scheduled delivery date may be revised by the Ordering Officer at any time and unless the Contractor registers objections with the Ordering Officer within 72 hours of receipt of such revised scheduled delivery date, such revised date shall become the new agreed scheduled delivery date. At the time the Contractor registers any such objections, the Contractor must provide a date, subsequent to the date proposed by the Ordering Officer, which represents the earliest date the Contractor can provide a berth. The Ordering Officer must confirm or reject the alternate date provided by the Contractor within 72 hours of receipt of the Contractor's objection. If the Ordering Officer chooses to accept the alternate date provided in the Contractor's objections, such revised date shall become the new agreed scheduled delivery date. If the Ordering Officer chooses to reject the alternate date provided by the Contractor, the scheduled delivery date will return to the previous scheduled delivery date.

(3) All communications regarding the establishment and revision of the scheduled delivery date and objections thereto shall be set down in writing at such time or promptly confirmed in writing.

(b) **EXPECTED TIME OF ARRIVAL.** The vessel designated to lift the cargo will notify the Contractor's load facility, at the telex/facsimile number provided by the Contractor, of the name and the expected hour of arrival of the vessel at least 72 hours before the expected time of arrival, and at additional intervals of 48 and 24 hours before expected arrival. When vessels are scheduled to load at more than one contract source within a port complex, the 72-48-24 hour notices will be provided by the vessels to all contract sources at the same time as the notice is provided to the first contract source and will stipulate the order of loading.

(c) **LAYTIME.** The Contractor shall provide as soon as possible, but within 6 hours after issue of notice of readiness to load from the vessel designated to load the cargo, a reachable berth, free of cost to the Government, for the loading of supplies ordered, where at least vessels with a maximum draft of **36** feet can be safely moored and remain afloat at all times. When vessels are scheduled to load at more than one contract source within a port complex, notice of readiness will be provided once by the vessel to all contract sources simultaneously. Laytime shall commence, berth or no berth, either at the expiration of 6 hours after notice of readiness is received or immediately when the vessel moors alongside with or without notice of readiness, whichever first occurs; **PROVIDED**, however, that--

(1) If the vessel is tendered for loading on a date earlier than the last agreed scheduled delivery date as determined pursuant to paragraph (a) above, the Government's vessel shall be loaded as soon as possible in its proper turn with other vessels, and laytime shall not commence until the vessel moors alongside or at 6:00 a.m. local time on the last agreed scheduled delivery date, whichever first occurs.

F52 (CONT'D)

(2) If the vessel is tendered for loading later than noon of the day following the last agreed scheduled delivery date, as determined pursuant to paragraph (a) above, the vessel shall be loaded as soon as possible in its proper turn with other vessels. Laytime shall commence when the vessel moors alongside, provided a good faith effort is made by the Contractor to moor the vessel in its turn with other vessels as loading berths become available. If the vessel is not moored in its proper turn with other vessels, laytime will commence at 6:00 a.m. on the date the Government vessel's turn occurred, regardless of whether the cargo is available.

(3) For two or more contract sources within a port complex, laytime for the second or subsequent source begins when the vessel leaves the prior source.. Laytime credit will be allowed for transit time between the prior and subsequent load source based on the actual transit time from the previous source to the subsequent source's loading berth or anchorage area if the berth is not available for the Government's vessel. In the event a berth is not available and the vessel is forced to anchorage, no additional laytime credit will be allowed when the vessel finally gets clearance to moor at the contractor's berth.

(4) Laytime shall continue 24 hours a day, 7 days a week, without interruption from its commencement until the entire loading of the vessel cargo is completed and the vessel has been released for sailing by the Government Quality Representative.

(d) **ALLOWED LAYTIME.**

(1) **BASIC ALLOWED LAYTIME.** For cargo movements under DESC bulk petroleum contracts, the Contractor shall be allowed 36 hours of basic allowed laytime for loading a full vessel cargo. The 36 hours covers all operations for loading including cushioning and topping tanks. When partial vessel cargoes are to be loaded, a portion of the 36 hours basic laytime will be allocated to each loading port equal to the percentage of the total quantity loaded at each loading port or source.

(2) **INCREASES TO BASIC ALLOWED LAYTIME.**

(i) If after laytime commences, the condition of vessel to be loaded does not permit loading, such basic allowed laytime shall be increased by the duration of such delay.

(ii) If the vessel is delayed in reaching its berth and the delay is caused by the fault of the vessel, such basic allowed laytime will be increased by the duration of such delay which occurred after laytime commenced.

(iii) After laytime commences, when vessels are required to dock at anchorage due to vessel delays such as vessel inspection and inerting, laytime credit will be allowed for transit time from anchors away at anchorage until first line ashore berthing, not to exceed 2 hours.

(iv) If regulations of the owner or operator of the vessel prohibit loading at any time after laytime has commenced, time so lost shall be added to the basic allowed laytime.

(v) If for any reason the Contractor is delayed in loading the vessel or there is a delay in releasing the vessel for sailing because of action of the U.S. Government that arises out of causes beyond the control and without the fault or negligence of the Contractor, such basic allowed laytime shall be increased by the duration of such delay.

(vi) The Contractor will be allowed up to 4 hours of additional laytime following removal of cargo hoses until the vessel is released by the inspector in order to accomplish tasks required under the CONTRACTOR INSPECTION RESPONSIBILITIES clause.

(vii) There will be no increase made to the basic allowed laytime (nor other reductions to any resulting demurrage time) for saved laytime arising out of other loadings.

(viii) Delays, after commencement of laytime, attributed to causes beyond the control and without the fault or negligence of the Contractor or the U.S. Government will result in increasing basic allowed laytime for one-half of the delay.

(e) For all hours of laytime which elapse in excess of allowed laytime for loading provided for by paragraph (d) above, demurrage shall be paid by the Contractor as follows:

(1) **USS, USNS, OR TIME CHARTERED VESSELS.** At the demurrage rate for the vessel loaded, computed to the nearest whole hour, as published by the Military Sealift Command, and in effect on the date loading of the vessel is completed.

(2) **VOYAGE CHARTERED VESSELS.** At the demurrage rate cited in the charter, except that the demurrage payable by the Contractor shall in no event exceed the actual demurrage expense incurred by the Government under the charter;

(f) Hoses for loading a vessel shall be furnished, connected, and disconnected by the Contractor; loading arms shall be connected and disconnected by the Contractor.

F52 (CONT'D)

(g) Title to the supplies delivered and risk of loss thereof shall pass from the Contractor to the Government when the supplies pass the vessel's permanent hose connections.

(h) The temperature of any fuel oil loaded shall be at least 10°F below the flash point of the oil and in no case higher than 150°F if the cargo tanks are uncoated, or 135°F if coated; **PROVIDED**, however, that in no event shall the difference between the temperature of the oil entering the vessel manifold and the recorded temperature of sea water at the vessel's condenser intake exceed 70°F; **PROVIDED** further, that the Master of the vessel may authorize loading the product at a temperature higher than specified above, so long as the temperature of the product remains at least 10°F below the flash point of the product.

(DESC 52.247-9FC1)

F52.01 TANKER STANDARDS AND REQUIREMENTS (DESC SEP 1995)

(a) All Government-furnished tankers used in the course of this contract will comply with the following:

(1) U.S.-flag tankers will hold and comply with the requirements of a current Certificate of Inspection (COI) from the U.S. Coast Guard and be in compliance with all requirements of Safety of Life at Sea (SOLAS) and International Convention for the Prevention of Pollution for Ships (MARPOL 73/78).

(2) In the event of a voyage charter, a non-U.S.-flag tanker will comply with SOLAS and MARPOL 73/78.

(3) Tankers on long term charter to the U.S. Government will be equipped with an Inert Gas System (IGS), which will be maintained in good working order. The U.S. Government will make best efforts to ensure voyage chartered tankers are equipped with IGS when required by the terminal or port authority and shall maintain and operate same in good working order.

(4) All tankers will carry on board and will be guided by the requirements of the latest edition of the Oil Companies International Marine Forum (OCIMF) and International Safety Guide for Oil Tankers and Terminals (ISGOTT).

(5) All tankers will be equipped with tank level measuring devices in each cargo tank.

(6) All tankers will be capable of vapor recovery, which includes closed loading, gauging, and sampling where required by port regulations.

(7) All tankers shall be in full compliance with all applicable international conventions and all applicable laws, regulations, and other requirements of the nation of registry and of the nation(s) and local jurisdictions to whose port(s) and/or places the tanker may be ordered.

(b) The Contractor may, at its own expense and in a manner so as not to delay a scheduled delivery, inspect tankers for compliance with these requirements. In the event the Contractor believes a tanker does not meet a requirement contained herein, the Contractor shall notify DESC in writing with a copy to the tanker captain of the specific details of the alleged deficiency as soon as possible. The Contracting Officer will make a determination as to compliance with these requirements. This determination will be binding on the parties. (DESC 52.247-9FC5)

F52.11 DEBALLASTING (DESC JAN 1990)

Deballasting facilities and services will be made available upon request to all vessels loading cargo under this contract. Contractors who neither own nor operate deballasting facilities and services will be responsible for arranging for their availability at the loading facility. Deballasting facilities will be provided at no additional charge to the Government.

(DESC 52.247-9FB1)

F54 TANKER UNLOADING CONDITIONS (DESC APR 1997)

On items calling for delivery f.o.b. destination by means of tanker--

(a) The supplies ordered hereunder shall be delivered, all transportation charges paid, to the destination specified in the Schedule. Unless otherwise specified in the Schedule, orders placed under items of the Schedule calling for delivery f.o.b. destination by means of tanker will be furnished the Contractor at least 30 days in advance of the date on which delivery is to be made, which date is hereinafter referred to in this clause as "the scheduled delivery date." Each order will specify the quantity to be delivered and the scheduled delivery date. The scheduled delivery date may be changed by the Contractor at any time if the Ordering Officer approves.

(b) The Contractor will notify the receiving activity, or cause it to be notified, of the name, size, and expected hour of arrival of each tanker at least 72 hours before the time of arrival.

(c) Within 6 hours after receipt of notice by the receiving activity from the Captain or Master of a tanker of readiness to unload, the Government will provide, free of cost, a reachable berth at the unloading port for the unloading of the supplies ordered where at least tankers with a maximum draft of 35 feet can be safely afloat at all times; Provided, however, that if the receiving activity does not receive notice of a tanker's readiness to unload within 24 hours before or after noon of the latest approved scheduled delivery date the Government will be allowed 24 hours after receipt of notice within which to provide a berth.

(d) The Government shall be allowed and will complete unloading within laytime determined as follows: 1 hour for each 3,000 barrels of supplies to be unloaded, plus 3 hours; PROVIDED, however, that if the conditions or facilities of the tanker to be unloaded do not permit unloading within the number of hours so determined, such allowed laytime shall be increased by a number of hours sufficient to permit the unloading of the tanker; PROVIDED, further, that when the tanker is delayed in reaching its berth within 6 hours or 24 hours, as the case may be, from the time notice of readiness to unload is given, and the delay is caused by the fault of the tanker, such allowed laytime shall be increased by the duration of such delay; and, PROVIDED further, that if regulations of the owner or operator of the tanker or Port Authorities prohibit unloading at any time, time so lost shall be added to the amount of such laytime. Laytime shall commence either--

(1) At the expiration of the notice period prescribed by paragraph (c) above (the 6 hours' or the 24 hours' notice period, as the case may be), berth or no berth; or

(2) Immediately upon the tanker's arrival in berth (i.e. all fast), with or without notice of readiness, whichever first occurs.

Laytime shall continue 24 hours a day, 7 days a week, without interruption from its commencement until unloading of the tanker is completed and the hoses have been disconnected.

(e) For all hours of laytime that elapse in excess of the allowed laytime for unloading provided for by (d) above, demurrage will be paid by the Government at the demurrage rate in the charter if a chartered tanker; or, if not a chartered tanker, at the charter rate applicable to tankers of the type unloaded under market conditions prevailing on the date the tanker is unloaded, except (1) that such rates shall be reduced by 1/2 if demurrage is incurred due to causes beyond the control and without the fault or negligence of the Government such as those specified in paragraphs (f), Excusable Delays, and (m), Termination for Cause, of the CONTRACT TERMS AND CONDITIONS - COMMERCIAL ITEMS clause; and (2) that, if a chartered tanker, the demurrage payable by the Government shall in no extent exceed the actual demurrage expense incurred by the Contractor under the charter. For purposes of computing demurrage payable by the Government where a chartered tanker is utilized, 1/2 of the total laytime allowed for loading and discharging under the charter shall be allocated to the unloading operation except when less than a full cargo is unloaded where such allocation shall be determined on a pro rata basis.

(f) Hoses for unloading a tanker will be furnished, connected, and disconnected by the Government.

(g) Title to the supplies delivered, and risk of loss thereof, shall pass from the Contractor to the Government when the supplies pass the tanker's permanent hose connections.

(h) While unloading, the tanker shall be governed by all applicable regulations in force at unloading port, including those relating to fires on board ships.

(DESC 52.247-9FD5)

F92 SCHEDULE OF CONTRACTOR'S REFINERY SHUTDOWNS FOR TURNAROUNDS (DESC AUG 1999)

(a) Within 30 days from the date of contract award, the Contractor shall furnish to the Contracting Officer a tentative refinery shutdown schedule for the contract period in order that the placement of orders and the delivery of supplies as set forth under the DELIVERY AND CONTRACT PERIODS or the DELIVERY AND ORDERING PERIODS clause may be adjusted to provide for delivery of the entire contract quantity. The schedule will identify the specific period(s) when the refinery will be shut down and the effect that the shutdown will have on availability of each product under the contract. Any revisions to this schedule will necessitate prior notice of at least 60 days in order to coordinate the placement of orders for the delivery of the entire contract volume.

(b) If the Contractor cannot provide the 60 days advance notice, then, at no additional cost to the Government, the Contractor shall maintain sufficient inventory to make deliveries in support of the ordering activities' requirements or the Contractor shall provide for an alternate source for product during the shutdown period(s).

(DESC 52.211-9F45)

F105 VARIATION IN QUANTITY (APR 1984)

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to--

10 Percent increase

10 Percent decrease

This increase or decrease shall apply to each delivery order.

(FAR 52.211-16)

F105.01 DEADFREIGHT (DESC JUN 1990)

(a) Any decrease in quantity not permissible under the VARIATION IN QUANTITY clause shall result in deadfreight, chargeable to the Contractor and calculated as follows:

Total days of the cargo

TIMES

Vessel daily cost

DIVIDED BY

Vessel capacity stated in barrels

TIMES

Total barrels scheduled to load MINUS Total barrels loaded

EQUALS

Deadfreight cost

(b) Explanation of terms used in (a) above follows:

(1) "Total days of the cargo," as used in this clause, is calculated as the elapsed days from the vessel's final departure date from previous cargo port through vessel's final discharge date for the cargo in question.

(2) "Vessel daily cost," as used in this clause, shall be determined as follows:

(i) **VOYAGE CHARTER TANKER.** At the per diem rate in the charter, except that the deadfreight payable by the Contractor shall not exceed actual expense incurred by the Government under the charter.

F105.01 (CONT'D)

(ii) **USS, USNS, OR TIME CHARTERED TANKER.** At the per diem rate for the tanker loaded, as published by the Military Sealift Command and in effect on the date loading of the tanker is completed.

(3) "Total barrels scheduled to load," as used in this clause, is the total quantity (all products) reflected on the latest DD Form 1155.

(4) "Total barrels loaded," as used in this clause, is the total quantity (all products) shown as loaded on the DD Form 250-1. (DESC 52.211-9FH1)

F109 IN-LINE BLENDING OF NONAVIATION PETROLEUM PRODUCTS (DESC DEC 1991)

(a) In response to this solicitation, offerors may offer nonaviation petroleum products that use In-Line Blending (ILB) procedures for delivery into tankers and barges (vessels). Offerors planning to use ILB procedures to blend finished product, as it is being delivered into vessels, must include with the offer a detailed description of the ILB procedures, including quantity determination. Automatic, on-line test procedures must be described in detail, including whether these tests are ASTM (or equivalent) approved. ILB procedures must be acceptable to the Government. The Contractor has the option of meeting the requirements of either (b) or (c) below.

(b) The Contractor is responsible for product quality on board the vessel.

(1) During an ILB operation, changes in the blend ratio may occur during vessel loadings. In order to assure the entire cargo is uniformly blended, sampling and testing on board the vessel are required. Although Section 4 of the Product Specification, Quality Assurance Provisions, defines a Bulk Lot as an indefinite quantity of a homogeneous mixture of material offered for acceptance in a single isolated container, sampling and full specification testing of each vessel tank system is acceptable.

(2) The following vessel sampling and testing must be performed by the Contractor and substitutes for the Sampling and Testing requirements contained in the CONTRACTOR INSPECTION RESPONSIBILITIES clause. All tests must be on-specification as evidence that the Contractor has met the contract product quality requirements.

(i) An appearance, gravity, and flash point (if product specification has a flash point requirement) on an all-level sample from each tank used in the loading. A half (0.5) liter sample from each tank will be retained for 45 days.

(ii) A full specification test series on a multiple tank composite sample representing each vessel tank system used in the loading. If more than four systems are used, only four multiple tank composite samples need to be tested. In this case, the Contractor will ensure that multiple tank composite samples are representative of all product loaded, and the Contractor will determine which vessel tanks will be included in each multiple tank composite sample. A 20-liter multiple tank composite sample for each vessel tank system will be retained for 45 days.

(iii) All time and costs associated with sampling and testing the finished product aboard the vessel will be borne by the Contractor.

(iv) If the product does not conform to specification aboard the vessel, the Government has the option to require the Contractor to pump the cargo back to the Contractor's facility. In this circumstance, title for the nonconforming product will revert to the Contractor, and the Contractor will have no right to payment for such product. All delays and costs associated with the nonconforming product, including demurrage and any vessel cleaning determined necessary by the Government, will be borne by the Contractor.

(c) The Contractor is responsible for product quality at the custody transfer point.

(1) Subdivisions (b)(2)(i) and (ii) above, sampling and testing, must still be performed.

(2) The Contractor must also obtain samples at the custody transfer point that are representative of the product in the various vessel tanks. Samples must be taken in accordance with ASTM D 4177. As a minimum, an 8-liter composite sample, representative of each quarter cargo, will be taken. One 4-liter sample from each of these composites will be retained for a period of 45 days.

(3) If all vessel tests required by subdivisions (b)(2)(i) and (ii) above conform to specification, it will be concluded the Contractor met the contract quality requirements and no additional testing of custody transfer samples will be required.

F109 (CONT'D)

(4) If any vessel tests in subdivisions (b)(2)(i) and (ii) above are off-specification, the Contractor must perform a full specification test series on the applicable custody transfer composite sample(s) that represents the on board off-specification product. If the custody transfer point sample(s) conforms to specification, it will be concluded the Contractor met the contract quality requirements. If the custody transfer point sample(s) does not conform to specification, it will be concluded the Contractor did not meet the contract quality requirements and the Government has the option to require the Contractor to pump the cargo back to the Contractor's facility. In this circumstance, title for the nonconforming product will revert to the Contractor and the Contractor will have no right to payment for such product. All delays and costs associated with the nonconforming product, including demurrage and any vessel cleaning determined necessary by the Government, will be borne by the Contractor.

(d) The Contractor may inspect tankers and barges for suitability to load the intended cargo. If the Contractor chooses the paragraph (b) option to guarantee product quality on board the vessel and the Contractor and the U.S. Quality Representative (QR) disagree as to the suitability to load Government-furnished vessels, the determination of the Contractor will govern. If the Contractor chooses the paragraph (c) option to guarantee product quality at the custody transfer point and the Contractor and QR disagree as to the suitability to load Government-furnished vessels, the determination of the QR will govern.

(e) The Contractor must state in its offer whether it will meet either the paragraph (b) or (c) requirements.

(DESC 52.247-9F70)

SECTION G

G3 INVOICE NUMBERING REQUIREMENTS (DESC AUG 1998)

Each invoice submitted for payment under this contract shall be identified by an individual invoice number. The number shall not be duplicated on subsequent invoices. Duplicate invoice numbers or invoices that do not include numbers may be rejected.
(DESC 52.211-9FH5)

G3.01 PAYMENT DUE DATE (DESC OCT 1988)

When payment due date falls on a Saturday or Sunday, or on a United States Official Federal holiday, payment will be due and payable on the following workday.
(DESC 52.232-9F45)

G9.09 PAYMENT BY ELECTRONIC FUNDS TRANSFER - CENTRAL CONTRACTOR REGISTRATION (MAY 1999)**(a) METHOD OF PAYMENT.**

(1) All payments by the Government under this contract, shall be made electronic funds transfer (EFT), except as provided in paragraph (a)(2) of this clause. As used in this clause, the term EFT refers to the funds transfer and may also include the information transfer.

(2) In the event the Government is unable to release one or more payments by EFT, the Contractor agrees to either--

(i) Accept payment by check or some other mutually agreeable method of payment; or

(ii) Request the Government to extend the payment due date until such time as the Government can make payment by EFT (but see paragraph (d) of this clause).

(b) **CONTRACTOR'S EFT INFORMATION.** The Government shall make payment to the Contractor using the EFT information contained in the Central Contractor Registration (CCR) database. In the event that the EFT information changes, the Contractor shall be responsible for providing the updated information to the CCR database.

(c) **MECHANISMS FOR EFT PAYMENT.** The Government shall make payment by EFT through either the Automated Clearing House (ACH) network, subject to the rules of the National Automated Clearing House Association, or the Fedwire Transfer System. The rules governing Federal payments through the ACH are contained in 31 CFR Part 210.

(d) **SUSPENSION OF PAYMENT.** If the Contractor's EFT information in the CCR database is incorrect, then the Government need not make payment to the Contractor under this contract until correct EFT information is entered into the CCR database; and any invoice or contract financing request shall be deemed not to be a proper invoice for the purpose of prompt payment under this contract. The prompt payment terms of the contract regarding notice of an improper invoice and delays in accrual of interest penalties apply.

(e) **CONTRACTOR EFT ARRANGEMENTS.** The Contractor has identified multiple payment receiving points (i.e., more than one remittance address and/or EFT information set) in the CCR database, and the Contractor has not notified the Government of the payment receiving point applicable to this contract, the Government shall make payment to the first payment receiving point (EFT information set or remittance address as applicable) listed in the CCR database.

G9.09 (CONT'D)**(f) LIABILITY FOR UNCOMPLETED OR ERRONEOUS TRANSFERS.**

(1) If an uncompleted or erroneous transfer occurs because the Government used the Contractor's EFT information incorrectly, the Government remains responsible for--

- (i) Making a correct payment;
- (ii) Paying any prompt payment penalty due; and
- (iii) Recovering any erroneously directed funds.

(2) If an uncompleted or erroneous transfer occurs because the Contractor's EFT information was incorrect or was revised within 30 days of Government release of the EFT payment transaction instruction to the Federal Reserve System, and--

(i) If the funds are no longer under the control of the payment office, the Government is deemed to have made payment and the Contractor is responsible for recovery of any erroneously direct funds; or

(ii) If the funds remain under the control of the payment office, the Government shall not make payment and the provisions of paragraph (d) of this clause shall apply.

(g) **EFT AND PROMPT PAYMENT.** A payment shall be deemed to have been made in a timely manner in accordance with the prompt payment terms of this contract if, in the EFT payment transaction instruction released to the Federal Reserve System, the date specified for settlement of the payment is on or before the prompt payment due date, provided the specified payment date is a valid date under the rules of the Federal Reserve System.

(h) **EFT AND ASSIGNMENT OF CLAIMS.** If the Contractor assigns the proceeds of this contract as provided for in the assignment of claims terms of this contract, the Contractor shall require a condition of any such assignment that the assignee shall register in the CCR database and shall be paid by EFT in accordance with the terms of this clause. In all respects, the requirements of this clause shall apply to the assignee as if it were the Contractor. EFT information that shows the ultimate recipient of the transfer to be other than the Contractor, in the absence of a proper assignment of claims acceptable to the Government, is incorrect within the meaning of paragraph (d) of this clause.

(i) **LIABILITY FOR CHANGE OF EFT INFORMATION BY FINANCIAL AGENT.** The Government is not liable for errors resulting from changes in EFT information made by the Contractor's financial agent.

(j) **PAYMENT INFORMATION.** The payment or disbursing office shall forward to the Contractor available payment information that is suitable for transmission as of the date of release of the EFT instruction to the Federal Reserve System. The Government may request the Contractor to designate a desired format and method(s) for delivery of payment information from a list of formats and methods the payment office is capable of executing. However, the Government does not guarantee that any particular format or method of delivery is available at any particular payment office and retains the latitude to use the format and delivery method most convenient to the Government. If the Government makes payment by check in accordance with paragraph (a) of this clause, the Government shall mail the payment information to the remittance address contained in the CCR database.

(FAR 52.232-33)

G150.05 SUBMISSION OF INVOICES FOR PAYMENT-COMMERCIAL ITEMS (BULK) (DESC MAR 2000)**(a) CERTIFICATION OF RECEIPT.****(1) F.O.B. DESTINATION DELIVERIES.**

(i) The Quality Representative (QR) or authorized receiving activity personnel will certify the receipt and forward three copies to the appropriate paying office. If the receiving activity is not a U.S. organization, the authorized U.S. representative, as indicated in the SIOTH, will certify and distribute the receiving documents. One of the copies of the receiving report submitted for payment must contain the original signature of the QR and will have the following information stamped, printed, or typed on it: "ORIGINAL RECEIVING REPORT FOR PAYMENT OF INVOICE". The receiving report must be signed by the QR to certify acceptance of the product prior to submission of the receiving report to the paying office.

(ii) The receipt for f.o.b. destination fuel may be one of the following documents:

- (A) The DD Form 250, Material Inspection and Receiving Report;
- (B) The DD Form 250-1, Tanker/Barge Material and Inspection Report; or
- (C) The DD Form 1155, Order for Supplies or Services, or the SF 1449, Solicitation/Contract/Order for

Commercial Items.

G150.05 (CONT'D)**(2) F.O.B. ORIGIN DELIVERIES.**

(i) The QR will certify the receiving report and provide the Contractor with three copies, except for electronic submission, which requires only one copy. One copy must contain the original signature of the QR and will have the following information stamped, printed, or typed on it: **“ORIGINAL RECEIVING REPORT FOR PAYMENT OF INVOICE”**. The receiving report must be signed by the QR to certify acceptance of the product prior to submission of the receiving report to the paying office.

(ii) In order to receive payment, the Contractor must mail three copies (one of which will contain an original signature) of the applicable receiving report to the appropriate paying office, identifying the invoice numbers that are supported by the receiving documents. For electronic submission, the Contractor must maintain the hard copy receiving report for a period of seven years after final payment under this contract and will make it available for inspection by the Government, if requested.

(iii) When faxing an invoice, the Contractor shall also submit the applicable original receiving report no later than three days after each delivery. If the hard copy receiving report is not received from the Contractor by the paying office within 90 days of a facsimile receiving report, the provisions of this clause become inoperative and future fax messages will not be acceptable until remedial action is taken by the Contractor.

(iv) The receipt for f.o.b. origin fuel may be one of the following documents:

(A) The DD Form 250, Material Inspection and Receiving Report;

(B) The DD Form 250-1, Tanker/Barge Material and Inspection Report; or

(b) **SUBMISSION OF INVOICES BY MAIL.** Unless otherwise indicated on the face of the DD 1155 or SF 1449, hard copy invoices for product paid for by Defense Logistics Agency/DESC funds should be mailed to the address below:

DEFENSE FINANCE AND ACCOUNTING SERVICE - COLUMBUS CENTER
STOCK FUND DIRECTORATE
FUELS ACCOUNTING AND PAYMENT DIVISION
ATTN DFAS-CO-TLSFA
PO BOX 182317
COLUMBUS OH 43218-6250

(c) SUBMISSION OF INVOICES BY FACSIMILE.

(1) Contractors that select the facsimile method of invoicing prior to contract award must do so for all invoices. Failure to comply with the requirements of this clause will result in revocation of the Contractor's right to submit invoices by the fax method.

(2) Contractors shall include their own fax number on each document transmitted.

(3) Fax number for invoices is **(614) 693-0670/0671/0672** (DFAS-CO-TLS).

(4) Contractors that elect to transmit invoices by fax are responsible for validating receipt of the faxed invoice.

Verification can be made by calling Customer Service (DFAS-CO-TLS) at **(800) 756-4571 (Options 2 and 2)** between 8 a.m. and 5 p.m. EST/EDT, Monday through Friday, excluding Federal holidays. DFAS-CO-TLS will not be held accountable for transmissions not received.

(5) After transmitting the original invoice, the Contractor shall mark that invoice **“ORIGINAL INVOICE - FAXED”** and retain it. The hard copy is not required for payment and shall not be mailed to the payment office unless DFAS-CO-TLS specifically requests it.

(d) SUBMISSION OF INVOICES ELECTRONICALLY.

(1) **APPLICABILITY.** Electronic submission of invoices applies only to DoD items paid for with DLA/DESC funds by DFAS Columbus, OH.

G150.05 (CONT'D)

(2) **REQUIREMENTS.** Prior to submission of electronic invoices via electronic data interchange (EDI) under this clause, the Contractor and DESC must have a signed Trading Partner Agreement (TPA) and Addendum 810, Invoices, and Addendum 824, Invoice Return Notification. Invoices submitted electronically shall be in accordance with the provisions of the signed TPA and Addendum 810. Electronic invoices submitted shall be American National Standards Institute (ANSI) Accredited Standard Committee (ASC) X12 810 Transaction Sets. These 810 Transaction Sets shall follow the AVNET Convention as specified by the Petroleum Industry Data Exchange. The electronic invoice shall contain all fields required by the AVNET Convention, including the contract number, order number, name of tanker and cargo number or shipment number (if applicable), item number, and contract description of supplies, services, sizes, quantities, unit price, and extended total, and, if shipment is made of a Government Bill of Lading, the Bill of Lading number.

(3) **INVOICING ADDRESS.** Electronic invoices for items paid for with DLA/DESC, as cited on the DD 1155 or SF 1449, shall be electronically submitted to DTDN/S39008 or GOVDP/S39008.

(e) **SUBMISSION OF INVOICES BY COURIER.**

(1) Couriers, acting on the behalf of the Contractor, may deliver Contractor invoices being submitted for payment to the following mailroom street address:

DEFENSE FINANCE AND ACCOUNTING SERVICE - COLUMBUS CENTER
FUELS ACCOUNTING AND PAYMENTS
DFAS-CO-TLSFA
3990 EAST BROAD STREET, BLDG 21
COLUMBUS OH 43213-1152

(2) Invoices submitted by courier to the above address will be treated in a timely manner.

(f) **NOTES.**

(1) Invoices will reflect quantities in **whole** numbers.

(2) Unless otherwise expressly specified in the Schedule, payment of invoices will be made in U.S. currency.

(3) **INVOICING FOR DETENTION/DEMURRAGE COSTS.** Invoices for detention/demurrage costs will be submitted by the Contractor directly to the Contracting Officer.

(DESC 52.232-9F70)

SECTION H

H19.02 REPORTING REQUIREMENTS FOR SHIPMENTS (DESC APR 1999)

(a) Under Data Item Description (DID) Number DI-MGMT-80320 and AMSC Number S4068, the Contractor shall provide the required transaction data shown under (d) below.

(b) The Contractor agrees to submit, within 72 hours of delivery, the shipping data specified in (d) below for all f.o.b. origin shipments requiring transportation by pipeline, tank truck, or tank car. In addition to f.o.b. origin shipments, the Contractor also agrees to submit such information on all other shipments to areas under the responsibility of Defense Energy Support Center (DESC) West. Data specified shall be submitted to the appropriate DESC office listed below:

AREA OF LIFT (SHIPMENT)**DESC ADDRESS AND TELEPHONE NUMBER**

Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia, and West Virginia

Defense Energy Support Center - Fort Dix
5654 Cambridge Street
Fort Dix, NJ 08640-5000
TELEPHONE: 609-562-2074/2075
FAX: 609-562-6158
DSN (FAX): 944-6158

Colorado, Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, Wisconsin, and Wyoming

Defense Energy Support Center - St. Louis
66 Sherman Road
Jefferson Barracks
St. Louis, MO 63125-1513
TELEPHONE: 314-260-8786/8787
DSN: 490-8786/8787
FAX: 314-260-8796
DSN (FAX): 490-8796

Alabama, Arizona, Arkansas, Florida, Georgia, Louisiana, Mississippi, New Mexico, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Bolivia, Caribbean Area, Colombia, El Salvador, Honduras, Mexico, Puerto Rico, and West Indies

Defense Energy Support Center - Houston
2320 La Branch Street, Suite 1005
Houston, TX 77004-1091
TELEPHONE: 713-718-3883
DSN: 940-1373
FAX: 713-718-3891/3899

California, Idaho, Montana, Nevada, Oregon, Utah, and Washington

Defense Energy Support Center - Los Angeles
3171 N. Gaffey Street
San Pedro, CA 90731-1099
TELEPHONE: 310-900-6960
FAX: 310-900-6976

Alaska and Aleutians

Defense Energy Support Center - Alaska
Elmendorf AFB, AK 99506-5000
TELEPHONE: 907-552-3760/2857/4650
TWX: 907-753-0517

H19.02 (CONT'D)

(c) OVERSEAS AREA OF RESPONSIBILITY (INCLUDING ALASKA AND HAWAII):

<u>AREA</u>	<u>FOOTNOTE</u>	<u>AREA</u>	<u>FOOTNOTE</u>
Afghanistan	2	Marianas	3
Africa (except countries assigned to DFR Middle East)	1	Mediterranean Sea countries	1
Alaska	3	New Zealand	3
Australia	3	Oman	2
Bahrain	2	Pakistan	2
Burma	3	Philippines	3
Djibouti	2	Qatar	2
East Indies	3	Ryukyu Islands	3
Egypt	2	Saudi Arabia	2
Ethiopia	2	Somalia	2
Europe (continental)	1	South Pacific Islands	3
Hawaii	3	Sri Lanka	3
Indian Ocean countries	3	Sudan	2
Japan	3	Taiwan	2
Jordan	2	Thailand	3
Kenya	2	Turkey	1
Korea	3	United Arab Emirates	2
Kuwait	2	United Kingdom	1
Malaya	3	Yemen	2

FOOTNOTES:

1. DESC Europe

American Arms Hotel
August STR 6 Box 224
65189 Wiesbaden, Germany

Phone:

COM 49-611-380-7666

FAX 011 49-611-380-7412

3. DESC Pacific

Box 64110

Camp H M Smith HI 96861-4110

Phone: COM (808) 477-6692

FAX (808) 477-5710

2. DESC Middle East

PSC 451, Box 386
FPO AE 09834-0386

Phone: Awali, Bahrain

DSN (318) 439-4650

COM 011 973-724650

FAX 011 973-724670

H19.02 (CONT'D)

(d) In order of preference, shipment data may be submitted via facsimile (FAX), mail, telephone, or TWX/TELEX.

(1) If the FAX method is used, the Contractor shall transmit one copy of the signed DD Form 250, Material Inspection and Receiving Report.

(2) If the FAX method is NOT used, AND the normal mailing time DOES NOT EXCEED 72 hours, the Contractor may submit one copy of the signed DD Form 250 by mail.

(3) If the FAX method is NOT used and the normal mailing time EXCEEDS 72 hours, the Contractor shall extract the data specified below from the applicable DD Form 250 for submission via telephone or TWX/TELEX. Submission of data via these methods shall be confirmed by a signed copy of the DD Form 250, received by the cognizant DESC office within 14 days of the f.o.b. origin delivery.

DATA	DD FORM 250 BLOCK NO./DATA
A. National stock number	16 Enter as cited
B. Quantity	17 Enter as cited
C. Contract number	1 Enter as cited
D. Contract line item number	15 Enter as cited
E. Shipment number/SUPAAC	2 Enter as cited
F. Day commenced loading/pumping	16 Enter for pipeline, if cited
G. Bill of lading (B/L) number	4 Enter as cited, for f.o.b. origin shipments only
H. Delivery order number	1 Enter as cited
I. Final shipment indicator	2 Enter, if cited, after "Shipment No."
J. Product Shipment Day	3 Enter as cited, for f.o.b. origin shipments only
K. Product receipt day	22 Enter as cited, for other than f.o.b. origin shipments
L. Mode of shipment	4 Enter as cited

(4) For those Contractors that are authorized Alternate Release Procedures on f.o.b. origin shipments, the unsigned DD Form 250 shall be sent to the applicable DESC office in lieu of the signed copy referenced in (1), (2), and (3) above.

(DESC 52.242-9FQ1)

H23 BULK LIQUID FACILITIES REPORT (DESC APR 1984)

The offeror shall complete a DESC Form 1890, Contractor Bulk Liquid Facilities Report, for each refinery or terminal where products would be supplied under any Defense Energy Support Center bulk petroleum contract awarded under this solicitation. The DESC Form 1890 shall be submitted with the offer at the date and time specified for receipt of offers. In the event the offeror receives an award, the Contractor shall also submit a completed DESC Form 1890 to the DESC Regional Officer servicing the Contractor's facility, during the first month of the contract award. The DESC Form 1890 shall be updated by the Contractor as changes occur in shipment capabilities throughout the remainder of the contract period. (Blank forms are available at the DESC Regional Office servicing the Contractor's facility.) (OMB No. 0704-0129 applies.)

(DESC 52.242-9FP1)

SECTION I

I2.05 CHANGES - FIXED-PRICE (AUG 1987)

(a) The Contracting Officer may at any time, by written order, and without notice to the sureties, if any, make changes within the general scope of this contract in any one or more of the following:

(1) Drawings, designs, or specifications when the supplies to be furnished are to be specially manufactured for the Government in accordance with the drawings, designs, or specifications.

(2) Method of shipment or packing.

(3) Place of delivery.

(b) If any such change causes an increase or decrease in the cost of, or the time required for, performance of any part of the work under this contract, whether or not changed by the order, the Contracting Officer shall make an equitable adjustment in the contract price, the delivery schedule, or both, and shall modify the contract.

(c) The Contractor must assert its right to an adjustment under this clause within 30 days from the date of receipt of the written order. However, if the Contracting Officer decides that the facts justify it, the Contracting Officer may receive and act upon a proposal submitted before final payment of the contract.

(d) If the Contractor's proposal includes the cost of property made obsolete or excess by the change, the Contracting Officer shall have the right to prescribe the manner of the disposition of the property.

(e) Failure to agree to any adjustment shall be a dispute under the DISPUTES clause. However, nothing in this clause shall excuse the Contractor from proceeding with the contract as changed.

(FAR 52.243-1)

I11.01-2 ADMINISTRATIVE COST OF TERMINATION FOR CAUSE -- COMMERCIAL ITEMS (DESC FEB 1996)

(a) In the event this contract is terminated for cause, in whole or in part, the Government will incur administrative costs.

(b) The Contractor agrees to pay all administrative costs associated with a contract termination action. The minimum amount the Contractor shall pay for each termination action is \$500. This payment for administrative costs is in addition to any excess repurchase costs and any other remedies or damages resulting from the termination.

(c) The term **termination action**, as used herein, means the termination for cause, including any associated repurchase effort, involving--

(1) Any single order or any group of orders terminated together;

(2) Any item or group of items terminated together; or

(3) The entire contract.

(DESC 52.249-9F20)

I11.04 BANKRUPTCY (JUL 1995)

In the event the Contractor enters into proceedings relating to bankruptcy, whether voluntary or involuntary, the Contractor agrees to furnish, by certified mail or electronic commerce method authorized by the contract, written notification of the bankruptcy to the Contracting Officer responsible for administering the contract. This notification shall be furnished within five days of the initiation of the proceedings relating to bankruptcy filing. This notification shall include the date on which the bankruptcy petition was filed, the identity of the court in which the bankruptcy petition was filed, and a listing of Government contract numbers and contracting offices for all Government contracts against which final payment has not been made. This obligation remains in effect until final payment under this contract.

(FAR 52.242-13)

127 GRATUITIES (APR 1984)

- (a) The right of the Contractor to proceed may be terminated by written notice if, after notice and hearing, the agency head or a designee determines that the Contractor, its agent, or another representative--
- (1) Offered or gave a gratuity (e.g., an entertainment or gift) to an officer, official, or employee of the Government; and
 - (2) Intended, by the gratuity, to obtain a contract or favorable treatment under a contract.
- (b) The facts supporting this determination may be reviewed by any court having lawful jurisdiction.
- (c) If this contract is terminated under paragraph (a) above, the Government is entitled--
- (1) To pursue the same remedies as in a breach of the contract; and
 - (2) In addition to any other damages provided by law, to exemplary damages of not less than 3 nor more than 10 times the cost incurred by the Contractor in giving gratuities to the person concerned, as determined by the agency head or a designee. (This subparagraph (c)(2) is applicable only if this contract uses money appropriated to the Department of Defense.)
- (d) The rights and remedies of the Government provided in this clause shall not be exclusive and are in addition to any other rights and remedies provided by law or under this contract.

(FAR 52.203-3)

128.01 FEDERAL, STATE, AND LOCAL TAXES (DESC NOV 1993) (DEVIATION)

- (a) As used in this clause--

Contract date means the date set for bid opening or, if this is a negotiated contract or a modification, the date set for best and final offers.

All applicable Federal, State, and local taxes and duties means all taxes and duties that the taxing authority, including Puerto Rico and other possessions of the United States, are imposing and collecting on the transactions or property covered by this contract pursuant to written ruling or regulation in effect on the contract date.

After-imposed tax means any new or increased Federal, State, or local excise tax or duty, except social security or other employment taxes, on the transactions or property covered by this contract that the Contractor is required to pay or bear the burden of as the result of legislative, judicial, or administrative action taking effect after the contract date.

After-relieved tax means any amount of Federal, State, or local excise tax or duty, except social security or other employment taxes, that would otherwise have been payable on the transactions or property covered by this contract, but which the Contractor is not required to pay or bear the burden of, or for which the Contractor obtains a refund or drawback, as the result of legislative, judicial, or administrative action taking effect after the contract date.

- (b) The contract price includes all applicable Federal, State, or local taxes and duties, except as may be otherwise provided. (For petroleum contracts, see the FEDERAL, STATE, AND LOCAL TAXES EXCLUDED FROM CONTRACT PRICE clause.)

- (c) The contract price shall be increased by the amount of any after-imposed tax if the Contractor states in writing that the contract price does not include any contingency for such tax.

- (d) The contract price shall be decreased by the amount of any after-relieved tax.

- (e) The contract price shall also be decreased by the amount of any excise tax or duty, except social security or other employment taxes, that the Contractor is required to pay or bear the burden of, or does not obtain a refund of, through the Contractor's fault, negligence, or failure to follow instructions of the Contracting Officer.

- (f) The Contractor shall promptly notify the Contracting Officer of all matters relating to any excise tax or duty that reasonably may be expected to result in either an increase or decrease in the contract price and shall take appropriate action as the Contracting Officer directs.

- (g) The Government shall, without liability, furnish evidence appropriate to establish exemption from any Federal, State, or local tax when the Contractor requests such evidence and a reasonable basis exists to sustain the exemption.

(DESC 52.229-9F15)

I28.02-1 FEDERAL, STATE, AND LOCAL TAXES/FEES EXCLUDED FROM CONTRACT PRICE (DESC AUG 1997)

(a) **FEDERAL EXCISE TAXES EXCLUDED.** All contract prices for fuel and oils furnished under this contract exclude Federal Excise Taxes (FET). The taxes should be handled on the Contractor's invoices as follows:

(1) **MOTOR GASOLINE/GASOHOL.** The FET should be included on the Contractor's invoice as a separate item. The following FET will apply:

<u>FET PER GALLON</u>	<u>PERCENTAGE OF ALCOHOL</u>
\$0.184	0.0% up to but not including 5.7%
\$0.1532	5.7% up to but not including 7.7%
\$0.1424	7.7% up to but not including 10%
\$0.130	10% and above

(2) **AVIATION GASOLINE.** The manufacturer's FET of \$0.194 per gallon should not be included on the Contractor's invoice since all fuel is intended for exempt uses.

(3) **RESIDUAL FUEL OIL.** There is no FET on residual fuel oil.

(4) **DIESEL FUEL.**

(i) **UNDYED DIESEL FUEL.** The FET of \$0.244 per gallon SHOULD BE INCLUDED on the Contractor's invoice as a separate item.

(ii) **DYED DIESEL FUEL.** The FET of \$0.244 per gallon SHOULD NOT BE INCLUDED on the Contractor's invoice since all dyed diesel fuel may be used only for tax exempt purposes.

(iii) **F76.** The FET of \$0.244 per gallon SHOULD NOT BE INCLUDED on the Contractor's invoice as a separate item for F76 since F76 is excluded from the definition of diesel fuel under Internal Revenue Service regulation 26 CFR Section 48.4081-1.

(5) **JET FUEL.** The FET of \$0.219 per gallon should not be included on the Contractor's invoice since all fuel is intended for exempt uses. **A Contractor not permitted by IRS regulations to sell fuel tax free should state that in its offer.**

(b) **STATE AND LOCAL TAXES EXCLUDED.** All contract prices exclude State and local excise taxes on fuels (including gasoline taxes, motor fuel taxes, diesel fuel taxes, special fuel taxes, aircraft fuel taxes, jet fuel taxes, heating oil taxes, kerosene taxes, lubricating oil taxes, and naphtha, solvent, benzol, and benzine taxes). Any applicable taxes (for which no exemption applies) should be included on the Contractor's invoice as a separate item in accordance with the terms of this contract.

(c) **CALIFORNIA SALES AND USE TAX.** All contract prices exclude the California State Sales and Use Tax.

(d) **ENVIRONMENTAL AND OIL SPILL TAXES.** Unless an exemption applies, all contract prices INCLUDE State and local environmental and oil spill taxes and inspection fees.

(e) **INSPECTION FEES.** Unless an exemption applies, all contract prices INCLUDE State and local inspection fees.

(f) **REIMBURSEMENT.** The Government will reimburse the Contractor for the amount of any tax specifically excluded from the contract price pursuant to this clause if no exemption applies.

(g) **LICENSES.** Federal, State, and local licenses or other activities necessary to establish Contractor's entitlement to do business or to tax exemption for transactions under this contract are the responsibility of the Contractor. Failure to obtain appropriate licenses or to follow required procedures shall preclude the reimbursement of taxes which would otherwise be exempt.

(DESC 52.229-9F20)

I28.03-1 TAX EXEMPTION CERTIFICATES (DESC MAR 1989)

(a) **FEDERAL EXCISE TAXES.** Contractor's request for tax exemption certificates covering any Federal excise tax excluded from the contract price pursuant to the terms of this contract shall be forwarded with Contractor's invoices or as otherwise indicated by the Ordering Officer.

(b) **STATE AND LOCAL TAXES.** Contractor's requests for tax exemption certificates covering any State and local tax excluded from the FEDERAL, STATE, AND LOCAL TAXES EXCLUDED FROM CONTRACT PRICE clause shall be forwarded with Contractor's invoices or as otherwise indicated by the Ordering Officer.

(c) **GOVERNMENT OPTION TO DEDUCT TAX AND FURNISH TAX EXEMPTION CERTIFICATES.** If this contract provides that the Contractor is to invoice for the Federal tax, the supplies to be furnished under such item at the time this contract is entered into are generally intended for a purpose for which tax exemption cannot be claimed. However, in instances where the invoice price for any item includes the excise tax and tax exemption can be claimed, the applicable tax may be deducted from the order or the invoice by the Government and a tax exemption certificate furnished in lieu of paying the tax. Tax exemption certificates to be furnished under this paragraph (c) will be issued by the Ordering Officer.

(DESC 52.229-9F40)

I28.24 U.S. IMPORT TAX ON PETROLEUM (BULK) (DESC DEC 1980)

This clause is applicable to overseas f.o.b. origin contracts and to domestic f.o.b. origin contracts where product may be imported into the U.S.

The contract prices for any foreign refined product to be furnished hereunder do not include any U.S. Import Tax or Duty on petroleum. In the event that such a tax or duty may be imposed on product furnished under this contract, the U.S. Government shall be responsible for paying or claiming exemption from such taxes or duties, as appropriate.

(DESC 52.229-9F35)

I33 INTEREST (JUN 1996)

(a) Except as otherwise provided in this contract under a PRICE REDUCTION FOR DEFECTIVE COST OR PRICING DATA clause or a COST ACCOUNTING STANDARDS clause, all amounts that become payable by the Contractor to the Government under this contract (net of any applicable tax credit under the Internal Revenue Code (26 U.S.C. 1481) shall bear simple interest from the date due until paid unless paid within 30 days of becoming due. The interest rate shall be the interest rate established by the Secretary of the Treasury as provided in Section 12 of the Contract Disputes Act of 1978 (Public Law 95-563), which is applicable to the period in which the amount becomes due, as provided in paragraph (b) of this clause, and then at the rate applicable for each six-month period as fixed by the Secretary until the amount is paid.

(b) Amounts shall be due at the earliest of the following dates:

(1) The date fixed under this contract.

(2) The date of the first written demand for payment consistent with this contract, including any demand resulting from a default termination.

(3) The date the Government transmits to the Contractor a proposed supplemental agreement to confirm completed negotiations establishing the amount of debt.

(4) If this contract provides for revision of prices, the date of written notice to the Contractor stating the amount of refund payable in connection with a pricing proposal or a negotiated pricing agreement not confirmed by contract modification.

(c) The interest charge made under this clause may be reduced under the procedures prescribed in 32.614-2 of the Federal Acquisition Regulation in effect on the date of this contract.

(FAR 52.232-17)

181 INDEFINITE QUANTITY (OCT 1995)

(a) This is an indefinite-quantity contract for the supplies or services specified, and effective for the period stated, in the Schedule. The quantities of supplies and services specified in the Schedule are estimates only and are not purchased by this contract.

(b) Delivery or performance shall be made only as authorized by orders issued in accordance with the ORDERING clause. The Contractor shall furnish to the Government, when and if ordered, the supplies or services specified in the Schedule up to and including the quantity designated in the schedule as the "maximum." The Government shall order at least the quantity of supplies or services designated in the Schedule as the "minimum."

(c) Except for any limitations on quantities in the ORDER LIMITATIONS clause or in the Schedule, there is no limit on the number of orders that may be issued. The Government may issue orders requiring delivery to multiple destinations or performance at multiple locations.

(d) Any order issued during the effective period of this contract and not completed within that period shall be completed by the Contractor within the time specified in the order. The contract shall govern the Contractor's and Government's rights and obligations with respect to that order to the same extent as if the order were completed during the contract's effective period; PROVIDED, that the Contractor shall not be required to make any deliveries under this contract after 30 days after the expiration of the ordering period.

(FAR 52.216-22)

186.12 DELIVERY-ORDER LIMITATIONS - SCOPE OF CONTRACT (BULK) (DESC JUL 1994)

(a) The Government agrees to purchase, during the period of this contract and in accordance with the terms of this contract, at least a quantity (or quantities) of product that, under the contract terms, will be not less than 75 percent of the total original estimated contract volume. The Government may satisfy this obligation by purchasing against any or all of the contract line items.

(b) If, under a single solicitation, contract line items are not all awarded at the same time, then, for purposes of this clause, the above mentioned total original estimated contract volume shall be that of the contract after award has been made of all items.

(c) During the period of this contract it may occur that, for administrative convenience, the Government will add to this contract by contract modification additional contract line items being awarded to the Contractor pursuant to a different solicitation. If this occurs, then the Government's original purchase obligation under this contract shall remain unchanged and will in no way extend to the new contract line items. Instead, the Government agrees to an additional purchase obligation, namely, to purchase in accordance with the terms of the contract, during the remaining period of the contract, at least a quantity (or quantities) of any or all of the new line items that, under the contract terms, will be the minimum stated in the solicitation incorporated into the contract modification.

(d) Notwithstanding the provisions of the INDEFINITE QUANTITY clause--

(1) On the final order placed for each product from each refinery source calling for delivery into or by means of tanker, barge, or pipeline, the Government shall be entitled to order, and if ordered, the Contractor shall be required to furnish up to 50,000 barrels over what the Government would otherwise be entitled to lift. However, in no event shall this additional quantity exceed the monthly quantity as defined in the DELIVERY AND CONTRACT PERIODS clause.

(2) The Contractor may, at its option, make deliveries subsequent to 30 days after the expiration of the ordering period, if requested by the Government.

(e) If this contract provides for delivery of the same grade of fuel at more than one location, the Ordering Officer may order and the Contractor may, at its option, furnish more than the quantity specified for any one location; PROVIDED, however, that in no event shall an Ordering Officer be entitled to order, nor shall the Contractor be required or permitted to deliver, if ordered, a quantity of any one grade of fuel that, in the aggregate, would be in excess of the total quantity of such grade of fuel specified in this contract. Nothing contained in this paragraph (e) shall prohibit the overage permitted pursuant to (d) above.

(f) The scope of this contract does not include--

(1) Alteration to the specification that would require significant reconfiguration of refinery design, or significant modification of current and planned refinery operations;

(2) Alteration in method of shipment that would result in significant disruption of current and planned refinery operations; and

(3) Alteration of the place of delivery, under f.o.b. origin contracts, that would require delivery from a refinery other than the one(s) specified in the Contractor's offer.

(DESC 52.216-9FH5)

I186 PROTECTION OF GOVERNMENT PROPERTY AND SPILL PREVENTION (DESC MAY 1978)

(a) The Contractor shall use reasonable care to avoid damaging or contaminating existing buildings, equipment, asphalt pavement, soil, or vegetation (such as trees, shrubs, and grass) on the Government installation. If the Contractor fails to use reasonable care and damages or contaminates any such buildings, equipment, asphalt pavement, soil or vegetation, or other Government facilities, he shall replace the damaged items or repair the damage at no expense to the Government and to the satisfaction of the Government. Further, if, as a result of the failure of the Contractor to comply with the requirements of this contract, Government buildings, equipment, asphalt pavement, soil or vegetation, or other Government facilities become damaged or destroyed, the Contractor shall replace or repair the damage at no expense to the Government, and to the satisfaction of the Government. Should the Contractor fail or refuse to make such repairs or replacements, the Government may have the said repairs or replacement accomplished, and the Contractor shall be liable for the cost thereof which may be deducted from the amounts which become due under this contract. Informal agreement with the Contractor upon replacement, repairs, or costs to be deducted shall first be attempted by the Installation Commander or Ordering Officer. If disagreement persists, the matter shall be referred to the Contracting Officer. Unless approved by the Contracting Officer, no costs shall be deducted from amounts due or owing without the Contractor's consent.

(b) The Contractor shall take all measures as required by law to prevent oil spills (including, but not limited to, any spilling, leaking, pumping, pouring, emitting, emptying or dumping into or onto any land or water). In the event the Contractor spills any oil (including, but not limited to, gasoline, diesel fuel, fuel oil, or jet fuel), the Contractor shall be responsible for the containment, cleanup, and disposal of the oil spilled. Should the Contractor fail or refuse to take the appropriate containment, cleanup, and disposal actions, the Government may do so itself. The Contractor shall reimburse the Government for all expenses incurred including fines levied by Federal, State, or local Governments.

(DESC 52.223-9F10)

I190.04 MATERIAL SAFETY DATA SHEETS -- COMMERCIAL ITEMS (DESC MAR 1996)

(a) The apparently successful offeror agrees to submit, for each item prior to award, a Material Safety Data Sheet (MSDS), meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all items to be delivered under this contract. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the MSDS prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.

(b) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, that renders incomplete or inaccurate the data submitted under paragraph (a) of this clause, the Contractor shall promptly notify the Contracting Officer and resubmit the data.

(c) The Contractor shall submit MSDSs to the Contracting Officer. MSDSs must cite the solicitation number, the applicable CAGE code of the manufacturer, and, where so identified, the National Stock Number (NSN).

(d) The offeror need not submit a duplicate MSDS for a product for which the offeror has submitted an MSDS within the past five years. The MSDS of record must fully comply with the latest revision of FED-STD-313, and the data on the MSDS must still be current and complete. Should the description/composition of the product offered differ in any area specified on a previously submitted MSDS, a new MSDS is required.

(DESC 52.223-9F05)

I211 ORDERING (OCT 1995)

(a) Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the Schedule. Such orders may be issued from Date of Award through March 31, 2002.

(b) All delivery orders or task orders are subject to the terms and conditions of this contract. In the event of conflict between a delivery order or task order and this contract, the contract shall control.

(c) If mailed, a delivery order or task order is considered "issued" when the Government deposits the order in the mail. Orders may be issued orally, by facsimile, or by electronic commerce methods only if authorized in the Schedule.

(FAR 52.216-18)

I211.02 ORDERING (CONT'D) (DESC JAN 1991)

(d) For product funded and paid for by the Defense Logistics Agency, the Contractor will be furnished with a document entitled "Source Identification and Ordering Authorization." This document is for planning purposes only and does not constitute an order under the contract. This document will also indicate the activity(ies) authorized to place orders under this contract. This document does not in any manner modify or limit Contractor's obligation to deliver pursuant to properly placed orders as provided in the contract.
(DESC 52.216-9FC5)

THE FOLLOWING CLAUSE APPLIES ONLY TO PARTIAL SMALL BUSINESS SET-ASIDE LINE ITEMS THAT MAY BE CONTAINED IN THIS DOCUMENT.

I237.06 NOTICE OF PARTIAL SMALL BUSINESS SET-ASIDE (DEVIATION) (DESC MAR 1999)

(a) **DEFINITION. Small business concern**, as used in this clause, means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the size standards in this solicitation.

(b) **GENERAL.**

(1) A portion of certain items of this procurement, as listed in the Schedule, has been set aside for award to eligible small businesses. The quantities indicated for such items in the Schedule include the set-aside portion. All offerors are urged to offer the maximum quantities they desire and are capable of delivering. Small business concerns interested in receiving a set-aside contract should submit an offer in the same manner as though there were no set-aside. Volumes offered by qualified small business concerns will be evaluated for the non-set-aside and set-aside portions of the procurement. Separate offers should not be submitted on the non-set-aside and set-aside portions.

(2) The partial small business set-aside of the procurement is based on a determination by the Contracting Officer that it is in the interest of maintaining or mobilizing the nation's full production capacity or in the interest of national defense programs, or in the interest of assuring that a fair portion of Government procurement is placed with small business concerns.

(3) All of the offers received under this solicitation will first be negotiated as to price and an evaluation will be made as though there were no set-aside.

(4) For the purposes of set-aside evaluation, when an offer contains increments at different prices, each increment will be considered a separate offer. Except as provided in (d) below, negotiations will be limited to the offered quantities not awarded under the provision of (c)(2) below.

(c) **SET-ASIDE AWARD PROCEDURE.**

(1) The price for the small business set-aside portion will be negotiated by the Contracting Officer based upon prices the Government would otherwise pay under this solicitation had there been no set-aside for supply of the location at which the set-aside is placed, adjusted for transportation charges and other factors. Awards will be made to the small business concern whose offer is determined by this evaluation to be low without further negotiation. Contracts for the remaining set-aside portions will be negotiated with those eligible small business concerns that have submitted a responsive offer on the various items for which a set-aside has been established.

(2) Negotiations for small business set-aside awards will begin with the small business concern with the lowest evaluated price and a quantity of offered product remaining. If the low small business concern on the item does not offer to supply product at the set-aside price, the next low small business concern on the item will be given the same opportunity, and continuing with the next low small business concern until all small business concerns have been contacted.

I237.06 (CONT'D)

(3) After set-aside negotiations have been concluded, a final evaluation will be accomplished. All eligible offerors, without regard to the size of the company, will be afforded an opportunity to compete for non-set-aside quantities. The Government reserves the right to make awards to the otherwise low offeror for all or any portion of the set-aside quantities, without regard to the size of the company, if eligible small business concerns do not offer a quantity of product sufficient to meet a set-aside requirement or do not offer to supply at the set-aside prices. The total quantity that will be awarded a small business offeror on both the unreserved and reserved portions will not exceed the total quantity offered under this solicitation by such small business offerors. However, if insufficient product is offered by small business concerns to meet the quantity set aside for small business, small business concerns with which the Government has already commenced negotiations may be given an opportunity to offer additional product.

(4) Where the Trade Agreements Act applies to the non-set-aside portion, offers of eligible products will be treated as if they were qualifying country end products.

(d) **AGREEMENT.** For the set-aside portion of the acquisition, a small business concern submitting an offer in its own name agrees to furnish, in performing the contract, only end items manufactured or produced by small business concerns inside the United States. The term **United States** includes its territories and possessions, the Commonwealth of Puerto Rico, the Trust Territory of the Pacific Islands, and the District of Columbia. If this procurement is processed under simplified acquisition procedures and the total amount of this contract does not exceed \$25,000, a small business concern may furnish the product of any domestic firm. This paragraph does not apply in connection with construction or service contracts.

(DESC 52.219-9F30)

SECTION J

OFFEROR SUBMISSION PACKAGE

ATTACHMENT 1

SF 1449 SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS

ATTACHMENT 2

DESC FORM 1890 - CONTRACTOR BULK LIQUID FACILITIES REPORT

ATTACHMENT 3

SMALL BUSINESS SUBCONTRACTING PLAN

ATTACHMENT 4

**STANDARIZED FORMAT FOR USE IN THE PREPARATION OF PRODUCT
TEST REPORTS**

ATTACHMENT 5

SECTION L

L2.07 EVIDENCE OF RESPONSIBILITY (DESC JAN 1998)

(a) Any offeror not performing a significant portion of the contract with its own facilities and personnel may be determined by the Contracting Officer to be nonresponsible.

(b) If the offeror's source of supply is a firm or refinery independent of the offeror, the offeror shall submit evidence of a supply commitment from such source(s) when submitting its offer under this solicitation. Evidence of supply commitments must extend to the subcontracting level at which the product is produced.

(c) Such evidence may be in the form of a signed copy of the contract between the offeror and its supplier or in the form of a contingency letter from the supplier or other satisfactory documentation. In any event, such evidence of agreement shall clearly identify--

- (1) The volumes to be supplied;
- (2) The specification(s) of product(s) to be supplied;
- (3) The points of delivery and period of contract performance;
- (4) The escalation provision(s) applicable to products to be supplied; and
- (5) The supplier's delivery and inspection terms and conditions.

(d) If the offeror changes its source of supply, such change must be made no later than the time specified for the submission of Final Revised Proposals. A notice of a change in the offeror's source of supply must include the documentation set forth in (c) above.

(e) Failure to comply with the above provisions may result in a determination of nonresponsibility by the Contracting Officer.

(DESC 52.209-9F15)

L2.09 EVIDENCE OF RESPONSIBILITY (OPERATING CRITERIA) (DESC MAR 2000)

(a) To be determined responsible, an offeror must designate, as a source of supply for performance under any resulting contract, a refinery that is operating at the time the offeror submits its Final Proposal Revision. An operating refinery is a refinery that is producing petroleum products. For purposes of this clause, a petroleum product is a fuel used to operate motor vehicles, ships or aircraft.

(b) The evidence of responsibility required by this provision is in addition to the responsibility criteria set forth in FAR 9.104.

(DESC 52.209-9F20)

L2.11-2 FACSIMILE PROPOSALS (OCT 1997)

(a) **DEFINITION. Facsimile proposal**, as used in this provision, means a proposal, revision, or modification of a proposal, or withdrawal of a proposal that is transmitted to and received by the Government via facsimile machine.

(b) Offerors may submit facsimile proposals as responses to this solicitation. Facsimile proposals are subject to the same rules as paper proposals.

(c) The telephone number of receiving facsimile equipment is **(703) 767-8506 (BID CUSTODIAN)**.

(d) If any portion of a facsimile proposal received by the Contracting Officer is unreadable to the degree that conformance to the essential requirements of the solicitation cannot be ascertained from the document—

- (1) The Contracting Officer immediately shall notify the offeror and permit the offeror to resubmit the proposal;
- (2) The method and time for resubmission shall be prescribed by the Contracting Officer after consultation with the

offeror; and

L2.11-2 (CONT'D)

(3) The resubmission shall be considered as if it were received at the date and time of the original unreadable submission for the purpose of determining timeliness, provided the offeror complies with the time and format requirements for resubmission prescribed by the Contracting Officer.

(e) The Government reserves the right to make award solely on the facsimile proposal. However, if requested to do so by the Contracting Officer, the apparently successful offeror promptly shall submit the complete original signed proposal.

(FAR 52.215-5)

L5.01-1 AGENCY PROTESTS (DEC 1999) - DLAD

Companies protesting this procurement may file a protest (1) with the Contracting Officer, (2) with the General Accounting Office, or (3) pursuant to Executive Order No. 12979, with the Agency for a decision by the Activity's Chief of the Contracting Office. Protests filed with the Agency should clearly state that they are an "Agency Level Protest under Executive Order No. 12979." (**NOTE:** DLA procedures for Agency Level Protests filed under Executive Order No. 12979 for a higher level decision on the initial protest than would occur with a protest to the Contracting Officer; this process is not an appellate review of a Contracting Officer's decision on a protest previously filed with the Contracting Officer.) Absent a clear indication of the intent to file an agency level protest, protests will be presumed to be protests to the Contracting Officer.

(DLAD 52.233-9000)

L43 REDUCTION IN PRICE (DESC MAR 1996)

If this solicitation is for jet fuel, Grade JP4, JP5, or JP8, offerors are requested to indicate the amount of reduction in price per gallon for products ordered for delivery without fuel system icing inhibitor on all origin tanker, barge, and/or pipeline offers. The Government may desire this product, if ordered on an origin basis, on any tanker, barge, and/or common carrier pipeline used for delivery of product to military installations. (OFFERORS WILL SPECIFY THE PIPELINE(S) TO WHICH THEY ARE CONNECTED ON ALL ORIGIN PIPELINE OFFERS.) However, destination offerors will be required to furnish product containing the fuel system icing inhibitor. The reduction will be shown in the space provided on the offer or on the origin bid card, if origin bid cards are included in the offer.

(DESC 52.216-9F15)

L74 TYPE OF CONTRACT (APR 1984)

The Government contemplates award of a **FIXED PRICE WITH ECONOMIC PRICE ADJUSTMENT** contract resulting from this solicitation.

(FAR 52.216-1)

L96 ADMINISTRATION OF THE SMALL BUSINESS SUBCONTRACTING PROGRAM (DESC FEB 1999)

The SMALL BUSINESS SUBCONTRACTING PLAN clause contained in any contract awarded under this solicitation will be administered by the cognizant Defense Contract Management District.

(DESC 52.242-9F15)

L115 F.O.B. ORIGIN AND/OR F.O.B. DESTINATION EVALUATION (APR 1984)

Offers are invited on the basis of both f.o.b. origin and f.o.b. destination, and the Government will award on the basis the Contracting Officer determines to be most advantageous to the Government. An offer on the basis of f.o.b. origin only or f.o.b. destination only is acceptable, but will be evaluated only on the basis submitted.

(FAR 52.247-45)

L203 HANDCARRIED OFFERS AND EXPRESS DELIVERY SERVICE (DESC JAN 1998)

(a) Any handcarried offer must be received at the depository indicated on the Standard Form (SF) 33 or SF 1449 of this solicitation by the date and time specified for receipt of offers. Evidence to establish the time of receipt at the Government installation is the time/date stamp of that installation on the solicitation wrapper or other documentary evidence of receipt maintained by the installation.

(b) Offers delivered by an express delivery service will be considered "handcarried." Therefore, bidders/offers that respond to this solicitation using an express delivery service must ensure that the express delivery service "handcarries" the offer to the depository indicated on the SF 33 or SF 1449.

(c) The term **express delivery service** does not include Express Mail delivered by the United States Postal Service. Express Mail will be considered "mail" under the LATE SUBMISSIONS, MODIFICATIONS, AND WITHDRAWALS OF BIDS provision or the Late Offers paragraph of the INSTRUCTIONS TO OFFERORS - COMMERCIAL ITEMS or INSTRUCTIONS TO OFFERORS - COMPETITIVE ACQUISITIONS provision.

(DESC 52.252-9F05)

SECTION M

M4.01 RIGHT TO APPLY F.O.B. ORIGIN OFFER (DESC JAN 1976)

The Government reserves the right to apply an f.o.b. origin offer against any destination item for the same product.

(DESC 52.247-9F55)

M10 EVALUATION - ALL OR NONE (DESC MAR 2000)

Offers that tie one item to another (i.e., "If awarded Item 0020, we will accept items 0019 & 0021"; "We will only accept Item 0001 if awarded Item 0002"; "We will only accept Item 0003 & Item 0010 together") will be considered "All or None" offers for those items that are "tied" together. Offers or proposals submitted on an "All or None" basis will be evaluated in the aggregate, and the award for those items "tied" together will be made at the lowest overall cost to the Government, price and other factors considered. Offers may also specify a minimum quantity for award and award will be made at the lowest overall cost to the Government, price and other factors considered. Offers may not, however, tie F76 with other products, tie together the product or quantity from one refinery or production facility with the product or quantity from a separate refinery or production facility, nor include an overall minimum quantity for award that ties together the products or quantities of separate refineries or production facilities. Such offers will be rejected as unacceptable.

(DESC 52.209-9F40)

M19.05 EVALUATION OF OFFERS SUBJECT TO ECONOMIC PRICE ADJUSTMENT (DOMESTIC BULK) (DESC JAN 1998)

(a) Offer prices received by DESC effective at the date and time set for Final Revised Proposals will be used for evaluation of offers. FOR EVALUATION PURPOSES ONLY, these offered prices will not be adjusted to reflect any increase or decrease that may occur under the provisions of the ECONOMIC PRICE ADJUSTMENT (EPA) clause(s).

(b) Offered prices will be subject to all terms and conditions of the EPA clause(s).

(c) (1) For all products, the award document will contain one price for each item. This price will be identified as the **base unit price**. The **base unit price** is the Final Revised price which is subject to adjustment when the ADJUSTING MARKET PRICE becomes available.

(2) For ALL PRODUCTS, awards will be made at the Final Price Revision, which is subject to adjustment at the start of the delivery period.

(DESC 52.216-9F30)

M24.01 EVALUATION OF OFFERS INVOLVING F.O.B. TANKER LOADING (JP4/JP5/JP8/F76/DFA/FS2/MOGAS) (DESC MAR 2000)

(a) Transportation will be considered in the evaluation of all origin offers unless the solicitation specifically indicates otherwise in the Schedule. The transportation to be used in evaluation will be based on the actual average daily fixed cost plus a composite of estimated variable costs for the vessels of the Military Sealift Command (MSC) controlled fleet. The rates will be those in effect on the due date for receipt of initial offers.

(b) In the event an offeror limits his offer to individual tanker loadings of less than **235,000** barrels of product for one or more combinations of product, the offer will be evaluated on the basis of total vessel cost prorated over maximum quantity of product offered.

(c) Notwithstanding the provisions of paragraph (c) of the TANKER/OCEAN-GOING BARGE DEMURRAGE AND LOADING CONDITIONS clause, offers containing provisions for tankers with a loaded draft of less than 36 feet will be considered for award. Offers containing such limitations will be considered, for evaluation purposes, under the procedures set forth in paragraph (b) above.

M24.01 (CONT'D)

(d) The following destinations will be evaluated on fully loaded vessels over 30,000 DWT:

FOR JP8

DFSP CHARLESTON, SC
DFSP YORKTOWN, VA

FOR JP5

DFSP JACKSONVILLE, FL
DFSP CRANEY ISLAND, VA
DFSP ROOSEVELT ROADS, PR

FOR F76

DFSP JACKSONVILLE, FL
DFSP CRANEY ISLAND, VA
DFSP ROOSEVELT ROADS, PR

The following destination due to draft limitations or delivery restrictions cannot receive fully loaded vessels over 30,000 DWT and will be evaluated on a two-port discharge assuming that the listed destinations are the furthest ports:

FOR JP8

DFSP PT TAMPA, FL
DFSP PORT EVERGLADES, FL
DFSP PORTLAND, ME
DFSP CARTERET, NJ

FOR JP5

KEY WEST PL CO, FL
DFSP GUANTANAMO CUBA
DFSP CARTERET, NJ

FOR F76

DFSP GUANTANAMO CUBA
DFSP CARTERET, NJ

FOR MUM

DFSP GUANTANAMO CUBA

(DESC 52.247-9F10)

M27 EVALUATION OF OFFERS (DOMESTIC BULK) (DESC MAR 1996)

(a) Offerors are requested to offer on all or any part of the products listed herein, and on the methods of delivery that the offeror's facilities will permit. The Armed Services prefer to use Government-owned railroad tank cars and/or to arrange for transport trucks for delivery to using activities (destinations) from origin, whether it be refinery, terminal, or bulk plant, unless the destination price offer is lower than the origin price plus commercial or negotiated Government rates. Even though offers are made on a destination basis, offers covering delivery on an origin basis at Contractor's refinery, terminal, and/or bulk plant are requested and should be included in the spaces provided. The Government reserves the right to award, as the interest of the Government may require, on the basis of origin delivery at refinery, terminal, and/or bulk plant or on the basis of destination delivery.

(b) When requirements are indicated as Alternate Delivery in the Schedule, evaluation will be made on the cost of delivery direct from offeror's refinery, terminal, or bulk plant and alternately on the cost of bulk water or pipeline liftings for refineries, transportation to the Government controlled terminals indicated, and transportation from the terminal to using activity. Awards will be made in whole or part on either basis, but not on both.

(c) The DELIVERY AND CONTRACT PERIODS clause contains provisions applicable to offers for deliveries over the full contract period. Notwithstanding said provisions, offers that restrict delivery of supplies hereunder to any particular time or times during said period will be considered for award if advantageous to the Government.

(d) Discounts for prompt payments will not be considered in the evaluation of offers.

(DESC 52.207-9FC5)

M41.100 EVALUATION OF OFFERS - TRANSPORTATION RATES AND RELATED COSTS (DESC SEP 2000)

(a) Transportation rates and related costs shall be used in the evaluation of f.o.b. origin bids and proposals. The best available transportation rates and related costs in effect on or to become effective prior to the expected date of initial shipment and on file or published at the date of the bid opening or initial proposal due date shall be used in the evaluation. However, when transportation rates and related costs that cover the traffic are filed or published after the bid opening or initial proposal due date and there were no applicable rates or costs in existence on that date, these rates and costs shall be used in the evaluation. Rates from carriers participating in Powertrack will take precedence over those of non-Powertrack carriers.

(b) For evaluation purposes, truck rates shall be applied according to the following hierarchy:

- (1) Guaranteed traffic rates
- (2) The lower of state-to-state, point-to-point, or standing route order rates
- (3) State-to-region or region-to-state rates
- (4) Region-to-region rates
- (5) Region-to-9C or 9C-to-region rates
- (6) Quotation rates
- (7) CONUS-wide rates, also known as 9C-to-9C rates or mileage rates

(c) If the offeror desires to guarantee a rate other than that covered in (a) and (b) above, such rate shall be considered in the evaluation of offers and shall become a part of any resultant contract.

(d) When Government property is to be furnished and shipped by the Government under a contract to a point specified by the prospective supplier in its bid or proposal, transportation costs shall be a cost factor in the evaluation of bids or proposals.

M72 EVALUATION OF OFFERS (EXCEPTIONS/DEVIATIONS) (DESC APR 1997)

- (a) Offerors are expected to submit offers in full compliance with all terms and conditions of this solicitation.
- (b) Any exceptions/deviations to the terms and conditions of this solicitation will result in the Government's determination

that either--

- (1) The exception/deviation is material enough to warrant rejection of the offer in part or in full; or
- (2) The exception/deviation is acceptable.

(c) If the exception/deviation is in reference to a specification contained in this solicitation and the offeror cannot supply product fully meeting the required specification(s), the product can be offered for consideration provided the offeror clearly indicates, by attachment to the offer, the extent to which any product offered differs from the required specification(s).

(d) If the exception/deviation is in reference to a particular test, inspection, or testing method contained in this solicitation, the offer can be considered provided the offeror clearly indicates, by attachment to the offer, the extent to which its offer differs from those requirements.

(e) If the exception/deviation is determined acceptable, offered prices may be adjusted, for evaluation purposes only, by the Government's best estimate of the quantitative impact of the advantage or disadvantage to the Government that might result from making an award under those circumstances.

(DESC 52.209-9F45)

M74 USE OF DES P BY COMMERCIAL SUPPLIER OFFERING PRODUCT UNDER DESC SOLICITATIONS (DESC AUG 1983)

DESC reserves the right to accept or reject offers that require movement of product through a Defense Energy Support Point to effect tanker loading. Rejection may be based on economics, detrimental logistical impact on the Government, or other good cause.

(DESC 52.211-9F35)